

V 付 表

平成 18年(2006)

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率、累積罹患率(人口10万対)；部位別、性別
 B. 上皮内がんを含む

2006年

部位	罹患数		罹患割合(%)				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
	ICD-10		男		女		男		女		男		女		男		女	
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	11,116	8,084	19,200	100.0	100.0	100.0	801.4	544.7	668.7	488.2	322.9	391.2	342.8	241.6	283.6	400.9	262.7	326.1
食道	382	69	451	3.4	0.9	2.3	27.5	4.6	15.7	17.2	2.2	9.1	12.5	1.6	6.7	16.0	1.9	8.6
大腸(結腸・直腸)*1	2,065	1,519	3,584	18.6	18.8	18.7	148.9	102.3	124.8	94.1	52.7	71.6	67.4	38.1	51.7	81.3	44.4	61.9
結腸*1	1,305	1,072	2,377	11.7	13.3	12.4	94.1	72.2	82.8	58.5	36.3	46.4	41.5	26.0	33.2	49.7	30.1	39.4
直腸*1	760	447	1,207	6.8	5.5	6.3	54.8	30.1	42.0	35.5	16.4	25.2	25.9	12.0	18.5	31.6	14.4	22.6
肺	1,473	651	2,124	13.3	8.1	11.1	106.2	43.9	74.0	61.3	21.0	38.4	41.6	14.8	26.5	45.9	18.0	31.2
皮膚	198	195	393	1.8	2.4	2.0	14.3	13.1	13.7	8.3	5.4	6.6	5.6	3.8	4.6	5.5	3.7	4.5
乳房	8	1,369	1,377	0.1	16.9	7.2	0.6	92.2	48.0	0.3	70.1	36.5	0.2	54.2	28.0	0.2	58.2	30.0
子宮	-	696	696	-	8.6	3.6	-	46.9	-	-	42.6	-	-	34.8	-	-	32.4	-
子宮頸部	-	451	451	-	5.6	2.3	-	30.4	-	-	30.4	-	-	25.4	-	-	21.8	-
膀胱	595	184	779	5.4	2.3	4.1	42.9	12.4	27.1	25.1	5.1	13.9	17.1	3.5	9.6	18.9	4.2	11.1

*1 粘膜がんを含む

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

B. 上皮がんを含む

2006年

性別	部位	年齢階級(歳)																	85歳以上																				
		0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳																					
罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)																			
男	全部位	3	100.0	4	100.0	4	100.0	7	100.0	21	100.0	52	100.0	64	100.0	247	100.0	441	100.0	1,141	100.0	1,240	100.0	1,488	100.0	1,950	100.0	1,988	100.0	1,335	100.0	1,024	100.0						
	食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.2	9	3.6	19	4.3	48	4.2	57	4.6	83	5.6	57	2.9	43	2.2	39	2.9	25	2.4				
	大腸(結腸・直腸)*1	0	0.0	0	0.0	0	0.0	1	4.8	1	4.8	1	7.1	6	11.5	14	21.9	24	25.8	64	25.9	117	25.5	277	22.3	297	20.0	344	17.6	339	17.1	185	13.9	147	14.4				
	結腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	7.1	5	9.6	7	10.9	7	10.9	35	14.2	61	13.8	143	12.5	173	14.0	189	12.7	218	11.2	228	11.5	133	10.0	97	9.5		
	直腸*1	0	0.0	0	0.0	0	0.0	1	4.8	0	0.0	1	1.9	7	10.9	9	9.7	10	11.7	56	12.7	106	9.3	104	8.4	108	7.3	126	6.5	111	5.6	52	3.9	50	4.9				
	肺	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	8	12.5	3	3.2	20	8.1	44	10.0	128	11.2	160	12.9	165	11.1	242	12.4	292	14.7	227	17.0	182	17.8				
	皮膚	0	0.0	0	0.0	0	0.0	0	0.0	1	4.8	0	0.0	4	7.7	1	1.6	1	1.6	7	1.6	18	1.6	14	1.1	11	0.7	32	1.6	40	2.0	29	2.2	36	3.5				
	乳房	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0	1	0.1	3	0.2	0	0.0	1	0.1				
	膀胱	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.6	4	4.3	14	5.7	17	3.9	67	5.0	64	4.3	102	5.2	116	5.8	89	6.7	70	6.8				
女	全部位	4	100.0	2	100.0	2	100.0	6	100.0	32	100.0	130	100.0	209	100.0	364	100.0	497	100.0	773	100.0	773	100.0	728	100.0	779	100.0	1,066	100.0	1,035	100.0	909	100.0	1,211	100.0				
	食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	3	0.8	3	0.8	6	1.6	7	1.0	7	0.9	9	0.8	9	0.9	7	0.8	18	1.5		
	大腸(結腸・直腸)*1	0	0.0	0	0.0	0	0.0	0	0.0	4	12.5	1	3.1	12	37.5	31	85.5	65	13.1	127	16.4	155	21.3	169	21.7	229	21.5	241	23.3	165	18.2	283	23.4						
	結腸*1	0	0.0	0	0.0	0	0.0	0	0.0	3	9.4	0	0.0	3	2.3	10	4.8	19	7.4	24	6.6	41	8.2	83	10.7	98	13.5	120	15.4	159	14.9	173	16.7	127	14.0	212	17.5		
	直腸*1	0	0.0	0	0.0	0	0.0	1	3.1	1	3.1	1	0.8	2	1.0	14	5.4	7	1.9	24	4.8	44	5.7	57	7.8	49	6.3	70	6.6	68	6.6	38	4.2	71	5.9				
	肺	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	1.9	2	0.8	10	2.7	30	6.0	59	7.6	56	7.7	61	7.8	116	10.9	99	9.6	86	9.5	128	10.6		
	皮膚	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	9	1.8	8	1.0	9	1.2	18	2.3	18	1.7	28	2.7	32	3.5	67	5.5
	乳房	0	0.0	0	0.0	0	0.0	0	0.0	1	3.1	8	10.7	20	15.4	69	28.7	89	34.5	157	43.1	148	29.8	215	27.8	153	21.0	129	16.6	130	12.2	102	9.9	83	9.1	74	6.1		
	子宮	0	0.0	0	0.0	0	0.0	2	25.0	11	34.4	51	88.0	68	52.3	80	38.3	66	25.6	63	17.3	53	10.7	88	11.4	41	5.6	50	6.4	43	4.0	23	2.2	31	3.4	26	2.2		
	子宮頸部	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	12	1.6	14	1.9	2.2	3.1	2.9	2.7	2.6	3.1	3.4	4.1		
	膀胱	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
男式計全部位		7	100.0	7	100.0	6	100.0	15	100.0	53	100.0	182	100.0	273	100.0	351	100.0	493	100.0	938	100.0	1,914	100.0	1,968	100.0	2,267	100.0	3,016	100.0	3,023	100.0	2,244	100.0	2,235	100.0				
	食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	12	2.0	22	2.3	54	2.8	64	3.3	90	4.0	66	2.2	52	1.7	46	2.1	43	1.9				
	大腸(結腸・直腸)*1	0	0.0	0	0.0	0	0.0	0	0.0	5	9.4	2	2.2	10	5.5	26	9.5	57	16.2	95	15.5	182	19.4	376	19.6	432	22.0	465	20.6	573	19.0	580	19.2	350	15.6	430	19.2		
	結腸*1	0	0.0	0	0.0	0	0.0	0	0.0	3	5.7	1	1.1	8	4.4	17	6.2	34	9.7	59	9.7	102	10.9	226	11.8	271	13.8	309	13.6	377	12.5	401	13.3	260	11.6	309	13.8		
	直腸*1	0	0.0	0	0.0	0	0.0	0	0.0	2	3.8	1	1.1	9	3.3	23	6.6	36	5.9	80	8.5	150	7.8	161	8.2	157	6.9	196	6.5	179	5.9	90	4.0	121	5.4				
	肺	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	12	4.4	30	4.9	74	7.9	187	9.8	216	11.0	226	10.0	358	11.9	391	12.9	313	14.0	310	13.9				
	皮膚	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	2	2.2	7	3.8	2	0.7	1	0.3	4	0.7	16	1.7	26	1.4	23	1.2	29	1.3	50	1.7	68	2.3	61	2.7	103	4.6		
	乳房	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
	子宮	0	0.0	0	0.0	0	0.0	2	13.3	11	20.8	51	57.3	68	37.4	80	29.3	66	18.8	63	10.3	53	5.7	88	4.6	41	2.1	50	2.2	43	1.4	23	0.8	31	1.4	26	1.2		
	子宮頸部	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
	膀胱	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	4	1.1	14	2.3	19	2.0	79	4.1	64	3.3	81	3.6	133	4.4	143	4.7	120	5.4	119	5.3		

*1 粘膜炎を含む

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別
A. 上皮内がんを除く

2006年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	C00-C96	4.6	4.3	5.6	9.4	26.5	16.4	44.6	60.4	98.8	267.7	442.8	853.6	1,239.9	1,750.9	2,653.6	3,543.6	3,839.2	4,238.6	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	1.3	2.3	4.6	2.0	6.0	7.2	19.4	30.5	34.7	38.8	34.9	54.2	39.0	60.0	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	10.8	19.4	35.4	57.4	95.2	74.1	76.7	110.9	98.6	
	胃	C16	0.0	0.0	0.0	0.0	1.3	1.2	3.7	13.1	16.9	63.3	81.9	172.8	204.7	358.2	521.4	654.5	743.3	750.0	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	1.3	1.2	4.6	10.1	16.9	53.8	97.0	147.1	219.8	281.8	376.2	503.0	443.6	548.6	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	1.2	4.6	5.0	8.4	27.5	45.3	76.4	125.6	170.3	228.0	331.0	311.7	364.3	
	直腸	C19-C20	0.0	0.0	0.0	0.0	1.3	0.0	0.0	5.0	8.4	26.3	51.7	70.7	94.2	111.5	148.1	172.0	131.9	184.3	
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.0	7.2	26.3	46.3	82.0	135.4	169.1	307.9	344.1	320.7	274.3	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	2.4	3.2	14.5	20.6	22.5	40.7	97.2	98.9	175.7	
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.4	3.6	15.1	25.7	33.6	52.6	63.9	91.6	143.9	162.9	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.6	3.2	9.6	11.9	26.3	23.2	29.9	30.0	8.6	
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.9	8.1	3.6	23.9	47.4	102.9	173.3	206.7	350.0	546.0	677.3	780.0	
	皮膚	C43-C44	0.0	0.0	0.0	0.0	1.3	0.0	0.9	1.0	1.2	3.6	7.5	12.1	13.0	11.3	33.4	63.6	65.9	132.9	
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	1.5	5.6	0.0	4.3	
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	14.0	58.7	139.7	235.5	470.6	525.5	506.5	595.7	
	膀胱	C67	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.0	3.6	15.5	17.2	50.6	42.2	72.6	123.5	190.7	248.8	274.3	
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	1.4	0.0	0.0	0.0	1.2	2.8	2.0	3.6	13.1	16.2	29.7	44.4	35.1	79.9	93.5	116.9	47.1	
	脳・中枢神経系	C70-C72	0.0	2.9	1.4	2.7	3.8	0.0	0.9	2.0	3.6	2.4	4.3	2.4	6.5	13.8	5.8	13.1	9.0	0.0	
	甲状腺	C73	0.0	0.0	0.0	0.0	1.3	1.2	4.6	2.0	8.4	10.8	9.7	9.6	17.3	8.8	14.5	9.3	3.0	4.3	
	悪性リンパ腫	C81-C85 C96	0.0	0.0	1.4	0.0	5.0	5.9	6.5	5.0	7.2	9.6	20.5	27.3	39.0	41.3	55.2	91.6	116.9	120.0	
	多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	3.2	4.3	15.0	16.0	43.0	18.0	30.0	0.0	
	白血病	C91-C95	1.5	0.0	1.4	1.3	3.8	0.0	2.8	2.0	6.0	2.4	2.2	11.3	14.1	18.8	16.0	24.3	51.0	60.0	
	女	全部位	C00-C96	6.5	6.1	3.0	8.5	26.3	41.3	71.9	150.2	246.5	376.9	488.2	561.2	691.1	808.4	1,178.4	1,308.5	1,519.0	1,954.5
		口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	1.2	0.9	3.0	1.2	3.5	4.3	7.1	9.2	14.7	11.8	20.4	21.0	21.7
		食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	4.7	7.2	6.8	10.7	12.2	12.2	30.1
		胃	C16	0.0	0.0	0.0	0.0	0.0	2.4	8.4	9.9	21.3	25.9	53.5	56.0	81.9	110.0	158.7	182.3	274.7	300.9
		大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	5.3	1.2	2.8	9.0	29.6	28.3	54.6	80.4	128.0	151.9	216.7	265.2	246.7	451.4
結腸		C18	0.0	0.0	0.0	0.0	3.9	0.0	1.9	8.0	15.4	20.0	36.4	52.8	79.9	107.7	142.1	186.3	187.2	341.1	
直腸		C19-C20	0.0	0.0	0.0	0.0	1.3	1.2	0.9	1.0	14.2	8.2	18.2	27.6	48.1	44.2	74.6	78.9	59.5	110.3	
肝および肝内胆管		C22	1.6	0.0	0.0	0.0	1.3	0.0	1.9	2.0	0.0	8.2	9.6	12.6	34.8	62.4	127.9	155.1	134.7	95.3	
胆のう・胆管		C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.5	5.4	7.9	12.3	20.4	33.2	55.8	73.5	145.5	
膵臓		C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	3.5	10.7	9.5	20.5	31.7	65.1	68.0	84.0	128.7	
喉頭		C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.0	1.1	3.6	1.4	1.7	1.7	
肺		C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	2.4	11.8	32.1	46.5	57.3	69.2	137.4	134.7	150.5	214.0	
皮膚		C43-C44	0.0	0.0	0.0	0.0	1.2	2.8	1.0	0.0	0.0	7.5	3.9	7.2	12.5	15.4	25.8	33.2	33.2	81.9	
乳房		C50	0.0	0.0	0.0	0.0	1.3	8.3	16.8	55.7	98.4	163.7	143.4	150.6	145.4	134.9	144.5	131.9	141.7	122.0	
子宮		C53-C55	0.0	0.0	0.0	0.0	1.3	15.3	16.8	28.8	35.6	53.0	46.0	64.6	35.8	47.6	46.2	25.8	52.5	41.8	
子宮頸部		C53	0.0	0.0	0.0	0.0	1.3	14.2	15.9	17.9	17.8	27.1	12.8	26.8	18.4	12.5	14.2	13.6	17.5	21.7	
子宮体部		C54	0.0	0.0	0.0	0.0	0.0	1.2	0.9	10.9	17.8	25.9	33.2	37.8	16.4	32.9	26.1	6.8	22.7	3.3	
卵巣		C56	0.0	0.0	1.5	2.8	3.9	0.0	5.6	6.0	7.1	16.5	23.6	20.5	18.4	10.2	14.2	21.8	10.5	26.8	
膀胱		C67	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	2.1	8.7	11.3	17.0	30.8	29.9	52.5	70.2		
腎・尿路（膀胱除く）		C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1.2	4.7	7.5	12.6	11.3	15.9	28.4	23.1	33.2	31.8	
脳・中枢神経系		C70-C72	0.0	3.0	1.5	0.0	0.0	0.0	0.9	3.0	2.4	7.1	2.1	2.4	3.1	4.5	9.5	1.4	5.2	5.0	
甲状腺		C73	0.0	0.0	0.0	2.8	3.9	3.5	11.2	15.9	33.2	27.1	38.5	42.6	47.1	36.3	35.5	39.4	36.7	23.4	
悪性リンパ腫		C81-C85 C96	0.0	1.5	0.0	0.0	2.6	4.7	0.9	4.0	7.1	10.6	23.6	14.2	27.6	27.2	29.6	43.5	52.5	46.8	
多発性骨髄腫		C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	2.1	2.4	8.2	4.5	20.1	10.9	19.2	20.1		
白血病		C91-C95	1.6	1.5	0.0	0.0	2.6	1.2	1.9	2.0	3.6	1.2	6.4	8.7	10.2	9.1	17.8	20.4	24.5	18.4	
男女計		全部位	C00-C96	5.5	5.1	4.4	9.0	26.4	28.8	58.2	105.6	173.3	322.7	465.6	706.0	957.8	1,256.2	1,841.0	2,249.7	2,374.3	2,595.5
		口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.6	1.8	2.8	2.5	3.6	5.3	11.8	18.7	21.6	26.2	22.2	34.6	27.6	32.5
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6.5	10.7	19.9	31.6	48.8	39.1	39.4	48.6	49.3	
	胃	C16	0.0	0.0	0.0	0.0	0.6	1.8	6.1	11.5	19.1	44.5	67.7	113.8	141.6	227.9	321.6	381.1	447.5	427.0	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	3.2	1.2	3.7	9.5	23.3	40.9	75.7	113.4	172.6	213.6	288.4	365.4	319.3	478.7	
	結腸	C18	0.0	0.0	0.0	0.0	1.9	0.6	3.3	6.5	11.9	23.7	40.8	64.5	102.1	137.5	180.7	247.3	233.1	347.6	
	直腸	C19-C20	0.0	0.0	0.0	0.0	1.3	0.6	0.5	3.0	11.4	17.2	34.9	49.0	70.5	76.2	107.6	118.1	86.2	131.1	
	肝および肝内胆管	C22	0.8	0.0	0.0	0.0	0.6	0.0	2.8	2.5	3.6	17.2	27.9	47.0	83.7	113.1	208.8	234.7	203.3	145.5	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.2	3.0	4.3	11.1	16.3	21.4	36.5	73.2	82.9	153.9	
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	1.2	3.6	12.9	17.5	26.8	41.7	64.6	78.0	106.1	138.3	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.8	2.1	4.8	6.3	13.1	12.4	13.4	12.2	3.6	
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.0	3.0	17.8	39.7	74.4	113.7	134.5	232.9	307.9	344.7	372.8	
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.6	0.6	1.9	1.0	0.6	1.8	7.5	8.0	10.0	11.9	23.5	41.7	45.3	96.2	
	乳房	C50	0.0																		

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

性別	部位	I0D-10																	2006年	
		0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳		85歳以上
男	全部位	4.6	4.3	5.6	9.4	26.5	16.4	48.3	64.5	112.0	295.1	475.1	917.1	1,342.8	1,883.7	2,832.2	3,717.6	4,001.1	4,388.6	
	食道	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	10.8	20.5	38.6	61.7	104.0	82.8	80.4	116.9	107.1	
	大腸（結腸・直腸）*1	0.0	0.0	0.0	0.0	1.3	1.2	5.6	14.1	28.9	76.5	126.1	200.1	300.0	372.0	499.6	633.9	554.5	630.0	
	結腸 *1	0.0	0.0	0.0	0.0	0.0	1.2	4.6	7.1	18.1	41.8	65.7	114.9	187.3	236.7	316.6	426.4	398.6	415.7	
	直腸 *1	0.0	0.0	0.0	0.0	1.3	0.0	0.9	7.1	10.8	34.7	60.3	85.2	112.6	135.3	183.0	207.6	155.8	214.3	
	肺	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	8.1	23.9	47.4	102.9	173.3	206.7	351.5	546.0	680.3	780.0	
	皮膚	0.0	0.0	0.0	0.0	1.3	0.0	3.7	1.0	1.2	4.8	7.5	14.5	15.2	13.8	46.5	74.8	86.9	154.3	
	乳房	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.2	0.0	1.5	5.6	0.0	4.3
	膀胱	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.0	4.8	16.7	18.3	53.9	54.1	80.2	148.1	216.9	266.7	300.0	
	全部位	6.5	6.1	3.0	11.4	42.0	88.5	121.4	207.9	305.8	428.7	532.0	609.3	745.3	883.2	1,262.5	1,407.8	1,590.7	2,024.7	
	女	全部位	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.2	4.7	7.2	7.9	10.7	12.2	12.2	30.1
		食道	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		大腸（結腸・直腸）*1	0.0	0.0	0.0	0.0	5.3	1.2	3.7	11.9	39.1	36.5	69.6	100.1	158.7	191.6	271.2	327.8	288.7	473.1
		結腸 *1	0.0	0.0	0.0	0.0	3.9	0.0	2.8	9.9	22.5	28.3	43.9	65.4	100.3	136.1	188.3	235.3	222.2	354.4
直腸 *1		0.0	0.0	0.0	0.0	1.3	1.2	0.9	2.0	16.6	8.2	25.7	34.7	58.4	55.6	82.9	92.5	66.5	118.7	
肺		0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	2.4	11.8	32.1	46.5	57.3	69.2	137.4	134.7	150.5	214.0	
皮膚		0.0	0.0	0.0	0.0	0.0	2.4	2.8	1.0	0.0	0.0	9.6	6.3	9.2	20.4	21.3	38.1	56.0	112.0	
乳房		0.0	0.0	0.0	0.0	1.3	9.4	18.7	59.7	105.5	184.9	158.4	169.5	156.6	146.3	154.0	138.7	145.2	123.7	
子宮		0.0	0.0	0.0	2.8	14.4	60.2	63.5	79.6	78.2	74.2	56.7	69.4	42.0	56.7	50.9	31.3	54.2	43.5	
子宮頸部		0.0	0.0	0.0	2.8	14.4	59.0	62.5	68.6	60.4	48.3	23.6	31.5	24.6	21.5	18.9	19.0	19.2	23.4	
膀胱		0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	2.1	9.5	14.3	19.3	36.7	36.7	54.2	81.9	
全部位		5.5	5.1	4.4	10.4	34.1	52.4	84.7	136.6	209.7	362.4	503.7	761.7	1,035.7	1,349.1	1,967.6	2,380.4	2,479.3	2,688.1	
男女計		全部位	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	7.1	11.8	21.5	33.7	53.6	43.1	40.9	50.8	51.7
		食道	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	大腸（結腸・直腸）*1	0.0	0.0	0.0	0.0	3.2	1.2	4.7	13.0	34.1	56.4	97.7	149.6	227.3	277.3	373.8	456.7	386.7	517.2	
	結腸 *1	0.0	0.0	0.0	0.0	1.9	0.6	3.7	8.5	20.3	35.0	54.8	89.9	142.6	183.9	245.9	315.8	287.3	371.6	
	直腸 *1	0.0	0.0	0.0	0.0	1.3	0.6	0.9	4.5	13.7	21.4	43.0	59.7	84.7	93.4	127.9	141.0	99.4	145.5	
	肺	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.0	3.0	17.8	39.7	74.4	113.7	134.5	233.6	307.9	345.8	372.8	
	皮膚	0.0	0.0	0.0	0.0	0.6	1.2	3.3	1.0	0.6	2.4	8.6	10.3	12.1	17.3	32.6	53.5	67.4	123.9	
	乳房	0.0	0.0	0.0	0.0	0.6	4.7	9.3	30.0	53.2	93.1	79.5	86.0	81.6	76.8	85.5	82.7	91.7	90.2	
	膀胱	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.5	2.4	8.3	10.2	31.4	33.7	48.2	86.8	112.6	132.6	143.1	

*1 粘膜炎を含む

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

DCO除く届出患者、男女計

2006年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	16,721	4.8	3.9	15.6	0.0	75.7
口腔・咽頭	C00-C14	302	0.0	0.0	10.6	0.0	89.4
食道	C15	401	1.5	3.5	14.7	0.2	80.0
胃	C16	2,796	6.1	4.8	14.5	0.1	74.6
大腸(結腸・直腸)	C18-C20	2,727	5.6	3.7	10.0	0.0	80.6
結腸	C18	1,745	6.0	3.5	10.8	0.0	79.7
直腸	C19-C20	982	4.8	4.2	8.8	0.0	82.3
肝および肝内胆管	C22	1,335	1.6	1.0	39.3	0.0	58.0
胆のう・胆管	C23-C24	395	0.3	1.5	17.2	0.0	81.0
膵臓	C25	534	1.1	1.3	22.1	0.0	75.5
喉頭	C32	102	0.0	2.0	12.7	0.0	85.3
肺	C33-C34	1,867	7.1	6.5	21.5	0.1	64.9
皮膚	C43-C44	291	0.0	0.0	4.8	0.0	95.2
乳房	C50	1,240	11.5	2.7	5.8	0.0	80.0
乳房(女性のみ)	C50	1,234	11.5	2.8	5.7	0.0	80.1
子宮	C53-C55	426	5.6	4.0	6.6	0.0	83.8
子宮頸部	C53	203	10.8	1.0	4.4	0.0	83.7
子宮体部	C54	214	0.9	7.0	7.9	0.0	84.1
卵巣	C56	152	1.3	4.6	10.5	0.0	83.6
前立腺	C61	1,283	6.9	7.9	14.4	0.0	70.8
膀胱	C67	657	0.8	0.8	15.4	0.0	83.1
腎・尿路(膀胱除く)	C64-C66 C68	415	2.2	4.3	18.1	0.0	75.4
脳・中枢神経系	C70-C72	92	2.2	1.1	10.9	0.0	85.9
甲状腺	C73	425	8.9	8.0	9.9	0.0	73.2
悪性リンパ腫	C81-C85 C96	519	0.2	1.9	9.6	0.0	88.2
多発性骨髄腫	C88-C90	119	0.8	2.5	23.5	0.0	73.1
白血病	C91-C95	203	0.0	3.9	19.2	0.0	76.8

表4. 発見経緯 (%) ; 部位別

B. 上皮内がんを含む

DC0除く届出患者、男女計 2006年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	000-C96 D00-D09	18,068	5.3	3.9	15.1	0.0	75.7
食道	C15 D001	432	1.6	3.5	15.0	0.2	79.6
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3,463	5.8	4.4	9.5	0.0	80.3
結腸 *1	C18 D010	2,284	5.8	4.3	10.2	0.0	79.7
直腸 *1	C19-C20 D011-D012	1,179	5.8	4.6	8.2	0.0	81.4
肺	C33-C34 D021-D022	1,869	7.2	6.5	21.5	0.1	64.8
皮膚	C43-C44 D030-D049	388	0.0	0.0	4.4	0.0	95.6
乳房	C50 D05	1,347	12.8	2.6	5.9	0.0	78.7
乳房 (女性のみ)	C50 D05	1,340	12.9	2.6	5.7	0.0	78.7
子宮	C53-C55 D06	671	13.4	4.0	6.0	0.0	76.6
子宮頸部	C53 D06	448	19.6	2.7	4.7	0.0	73.0
膀胱	C67 D090	748	0.7	0.9	16.6	0.0	81.8

*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別

A. 上皮内がんを除く

DC0除く届出患者、男女計

2006年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	16,721	36.2	9.6	9.4	14.3	30.6
口腔・咽頭	C00-C14	302	34.8	17.2	16.6	3.6	27.8
食道	C15	401	25.4	13.0	15.2	15.5	30.9
胃	C16	2,796	39.2	10.7	7.3	14.9	27.9
大腸(結腸・直腸)	C18-C20	2,727	32.7	16.5	6.6	14.0	30.2
結腸	C18	1,745	32.6	16.2	7.2	14.8	29.3
直腸	C19-C20	982	32.9	17.1	5.7	12.5	31.8
肝および肝内胆管	C22	1,335	59.8	1.5	7.7	8.8	22.2
胆のう・胆管	C23-C24	395	20.5	4.8	29.9	22.0	22.8
膵臓	C25	534	5.8	5.6	26.6	40.8	21.2
喉頭	C32	102	58.8	9.8	4.9	1.0	25.5
肺	C33-C34	1,867	25.2	11.7	12.7	32.1	18.3
皮膚	C43-C44	291	49.1	1.4	2.1	1.0	46.4
乳房	C50	1,240	47.7	22.1	4.0	4.6	21.6
乳房(女性のみ)	C50	1,234	47.6	22.1	4.0	4.6	21.6
子宮	C53-C55	426	46.9	2.6	16.4	6.3	27.7
子宮頸部	C53	203	42.9	5.4	19.7	3.4	28.6
子宮体部	C54	214	52.8	0.0	13.6	8.4	25.2
卵巣	C56	152	23.7	3.3	33.6	19.1	20.4
前立腺	C61	1,283	40.5	0.8	6.4	9.1	43.2
膀胱	C67	657	53.1	1.2	4.7	2.3	38.7
腎・尿路(膀胱除く)	C64-C66 C68	415	48.7	2.4	8.2	14.9	25.8
脳・中枢神経系	C70-C72	92	50.0	0.0	2.2	0.0	47.8
甲状腺	C73	425	34.4	25.2	12.2	1.9	26.4
悪性リンパ腫	C81-C85 C96	519	16.2	1.2	7.5	17.1	58.0
多発性骨髄腫	C88-C90	119	7.6	0.0	0.8	2.5	89.1
白血病	C91-C95	203	3.4	0.5	0.0	1.0	95.1

表5. 臨床進行度分布 (%) ; 部位別
B. 上皮内がんを含む

DC0除く届出患者、男女計 2006年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96 D00-D09	18,068	7.4	33.5	8.9	8.7	13.2	28.3
食道	C15 D001	432	7.2	23.6	12.0	14.1	14.4	28.7
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3,463	21.2	25.8	13.0	5.2	11.0	23.8
結腸 *1	C18 D010	2,284	23.6	24.9	12.3	5.5	11.3	22.4
直腸 *1	C19-C20 D011-D012	1,179	16.7	27.4	14.2	4.7	10.4	26.5
肺	C33-C34 D021-D022	1,869	0.1	25.1	11.7	12.7	32.1	18.3
皮膚	C43-C44 D030-D049	388	24.5	36.9	1.0	1.5	0.8	35.3
乳房	C50 D05	1,347	7.9	43.9	20.3	3.7	4.2	20.0
乳房 (女性のみ)	C50 D05	1,340	7.8	43.9	20.4	3.7	4.3	20.0
子宮	C53-C55 D06	671	36.5	29.8	1.6	10.4	4.0	17.6
子宮頸部	C53 D06	448	54.7	19.4	2.5	8.9	1.6	12.9
膀胱	C67 D090	748	12.0	46.7	1.1	4.1	2.0	34.1

*1 粘膜がんを含む

表6. 受療割合 (%) ; 部位別 *1

A. 上皮内がんを除く

DC0除く届出患者、男女計

2006年

部位	ICD-10	集計対象数	外科・内視鏡的治療	放射線療法	化学・免疫・内分泌療法	特異療法なしまたは治療方法不明
全部位	000-096	16,721	46.2	8.1	26.8	34.6
口腔・咽頭	000-C14	302	38.1	46.0	45.0	27.5
食道	C15	401	31.4	33.2	34.9	37.2
胃	C16	2,796	58.2	1.0	18.8	32.8
大腸 (結腸・直腸)	C18-C20	2,727	65.7	1.7	18.6	32.0
結腸	C18	1,745	66.9	0.6	17.7	31.5
直腸	C19-C20	982	63.5	3.5	20.1	32.9
肝および肝内胆管	C22	1,335	16.1	2.5	31.3	32.0
胆のう・胆管	C23-C24	395	38.5	2.5	19.5	44.6
膵臓	C25	534	25.7	6.0	39.7	41.2
喉頭	C32	102	43.1	62.7	53.9	24.5
肺	C33-C34	1,867	32.6	16.7	34.0	30.5
皮膚	C43-C44	291	52.6	4.5	5.8	44.3
乳房	C50	1,240	73.7	18.2	38.8	20.0
乳房 (女性のみ)	C50	1,234	73.7	18.3	38.8	20.0
子宮	C53-C55	426	57.0	19.0	24.4	28.6
子宮頸部	C53	203	49.3	32.0	22.7	28.6
子宮体部	C54	214	66.4	6.5	26.6	26.6
卵巣	C56	152	70.4	2.6	59.9	21.7
前立腺	C61	1,283	19.7	5.3	24.6	57.3
膀胱	C67	657	61.8	3.2	11.9	35.9
腎・尿路 (膀胱除く)	C64-C66 C68	415	58.6	3.6	10.4	34.9
脳・中枢神経系	C70-C72	92	52.2	41.3	31.5	41.3
甲状腺	C73	425	73.9	2.4	19.8	24.7
悪性リンパ腫	C81-C85 C96	519	13.5	6.7	45.7	41.0
多発性骨髄腫	C88-C90	119	3.4	7.6	58.0	35.3
白血病	C91-C95	203	0.5	0.5	63.1	33.0

*1 重複を含むため合計は100%にならない

表6. 受療割合 (%) ; 部位別 *1

B. 上皮内がんを含む

DC0除く届出患者、男女計 2006年

部位	ICD-10	集計対象数	外科・内視鏡的治療	放射線療法	化学・免疫・内分泌療法	特異療法なしまたは治療方法不明
全部位	C00-C96 D00-D09	18,068	46.5	7.7	25.1	35.6
食道	C15 D001	432	32.6	31.0	32.4	38.0
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,463	60.3	1.3	14.6	37.9
結腸 *2	C18 D010	2,284	60.2	0.5	13.5	38.6
直腸 *2	C19-C20 D011-D012	1,179	60.6	2.9	16.7	36.5
肺	C33-C34 D021-D022	1,869	32.6	16.6	33.9	30.6
皮膚	C43-C44 D030-D049	388	48.5	3.6	4.4	49.0
乳房	C50 D05	1,347	73.7	18.9	37.7	20.3
乳房 (女性のみ)	C50 D05	1,340	73.7	19.0	37.8	20.4
子宮	C53-C55 D06	671	60.4	12.1	15.5	30.4
子宮頸部	C53 D06	448	58.5	14.5	10.3	31.3
膀胱	C67 D090	748	63.1	2.9	13.0	34.4

*1 重複を含むため合計は100%にならない

*2 粘膜がんを含む

表7. 切除内容 (%) ; 部位別
A. 上皮内がんを除く

DC0除く届出患者、男女計 2006年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位		7,724	73.7	11.4	2.2	3.0	9.7
口腔・咽頭	C00-C96	115	77.4	8.7	3.5	1.7	8.7
食道	C15	126	71.4	7.1	1.6	4.8	15.1
胃	C16	1,626	76.3	12.1	1.2	2.8	7.6
大腸 (結腸・直腸)	C18-C20	1,791	74.7	12.5	1.3	3.6	7.9
結腸	C18	1,167	73.6	13.4	1.0	3.6	8.4
直腸	C19-C20	624	76.8	10.9	1.8	3.7	6.9
肝および肝内胆管	C22	215	77.7	3.3	2.8	2.8	13.5
胆のう・胆管	C23-C24	152	55.3	13.2	2.6	14.5	14.5
膵臓	C25	137	43.8	15.3	5.1	26.3	9.5
喉頭	C32	44	29.5	47.7	4.5	0.0	18.2
肺	C33-C34	608	80.3	7.7	1.8	0.8	9.4
皮膚	C43-C44	153	85.0	4.6	1.3	0.7	8.5
乳房	C50	914	82.8	3.9	2.5	0.2	10.5
乳房 (女性のみ)	C50	909	82.9	4.0	2.5	0.2	10.3
子宮	C53-C55	243	76.1	7.4	3.7	1.2	11.5
子宮頸部	C53	100	73.0	8.0	2.0	3.0	14.0
子宮体部	C54	142	78.9	6.3	4.9	0.0	9.9
卵巣	C56	107	48.6	29.9	8.4	2.8	10.3
前立腺	C61	253	71.5	10.3	3.6	1.6	13.0
膀胱	C67	406	67.0	16.0	4.9	1.2	10.8
腎・尿路 (膀胱除く)	C64-C66 C68	243	79.4	9.5	0.8	1.2	9.1
脳・中枢神経系	C70-C72	48	8.3	83.3	4.2	2.1	2.1
甲状腺	C73	314	83.1	2.9	4.1	0.6	9.2
悪性リンパ腫	C81-C85 C96	70	25.7	24.3	2.9	4.3	42.9
多発性骨髄腫	C88-C90	4	0.0	25.0	0.0	25.0	50.0
白血病	C91-C95	1	0.0	0.0	100.0	0.0	0.0

表7. 切除内容 (%) ; 部位別

B. 上皮内がんを含む

DC0除く届出患者、男女計 2006年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移集切除	不明
全部位	C00-C96 D00-D09	8,401	74.1	10.7	2.3	2.7	10.1
食道	C15 D001	141	73.8	6.4	1.4	4.3	14.2
大腸 (結腸・直腸) *1	C18-C20 D010-D012	2,088	76.7	10.8	1.4	3.1	8.0
結腸 *1	C18 D010	1,374	76.0	11.4	0.9	3.1	8.6
直腸 *1	C19-C20 D011-D012	714	78.0	9.7	2.2	3.2	6.9
肺	C33-C34 D021-D022	609	80.3	7.7	1.8	0.8	9.4
皮膚	C43-C44 D030-D049	188	85.1	4.3	2.1	0.5	8.0
乳房	C50 D05	993	83.4	3.8	2.3	0.2	10.3
乳房 (女性のみ)	C50 D05	987	83.5	3.9	2.3	0.2	10.1
子宮	C53-C55 D06	405	70.1	4.9	2.7	0.7	21.5
子宮頸部	C53 D06	262	65.6	3.8	1.5	1.1	27.9
膀胱	C67 D090	472	65.5	16.3	6.8	1.3	10.2

*1 粘膜がんを含む

表8. 精度指標：部位別、性別
A'. 上皮内がんを除く

2006年

部位	ICD-10						死亡情報で初めて把握された症例 DON (%)						死亡情報のみの症例 DOO (%)						国際 DCO (%)						顕微鏡学的診断のある症例 MV (%)						組織学的診断のある症例 HV (%)					
	男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計							
全部位	15.1	16.5	15.7	5.7	7.2	6.3	0.8	0.9	0.8	0.8	0.9	0.8	94.0	95.3	94.6	85.8	88.4	86.9																		
C00-C96																																				
口腔・咽頭	5.9	9.6	7.0	3.2	5.3	3.8	0.5	0.0	0.0	0.3	0.3	0.3	99.5	100.0	99.7	98.6	100.0	99.0																		
C00-C14																																				
食道	9.9	16.7	11.0	3.4	10.6	4.5	0.0	0.0	0.0	0.0	0.0	0.0	99.7	100.0	99.8	98.9	98.5	98.8																		
C15																																				
胃	9.9	13.8	11.2	4.3	6.8	5.2	0.1	0.2	0.1	0.1	0.1	0.1	99.8	99.8	99.8	99.3	99.6	99.4																		
C16																																				
大腸 (結腸・直腸)	7.9	12.9	10.1	3.0	5.8	4.2	0.1	0.2	0.1	0.1	0.1	0.1	99.9	99.4	99.7	99.6	99.1	99.3																		
C18-C20																																				
結腸	7.6	14.4	10.8	3.8	6.4	5.1	0.1	0.2	0.2	0.2	0.2	0.2	99.9	99.2	99.6	99.7	98.9	99.3																		
C18																																				
直腸	8.4	9.4	8.8	1.9	4.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	99.8	100.0	99.9	99.4	99.5	99.4																		
C19-C20																																				
肝および肝内胆管	29.9	30.6	30.1	9.2	12.8	10.4	4.5	5.4	4.8	4.8	4.8	4.8	49.3	50.1	49.5	48.5	49.3	48.7																		
C22																																				
胆のう・胆管	31.0	36.8	34.1	12.0	17.0	14.7	0.0	0.0	0.0	0.0	0.0	0.0	99.1	99.2	99.1	85.2	89.5	87.5																		
C23-C24																																				
膵臓	30.6	42.8	36.7	9.9	14.5	12.2	0.0	0.3	0.2	0.2	0.2	0.2	97.7	98.7	98.2	85.5	88.8	87.2																		
C25																																				
喉頭	7.4	0.0	6.7	2.1	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0																		
C32																																				
肺	28.7	27.0	28.2	11.9	12.3	12.0	0.3	0.3	0.3	0.3	0.3	0.3	99.0	99.5	99.2	52.7	55.0	53.4																		
C33-C34																																				
皮膚	1.3	3.7	2.4	0.6	2.2	1.4	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	99.4	100.0	99.7																		
C43-C44																																				
乳房	14.3	6.2	6.2	14.3	2.3	2.4	0.0	0.0	0.0	0.0	0.0	0.0	100.0	99.7	99.7	85.7	94.9	94.9																		
C50																																				
子宮	-	10.0	10.0	-	5.5	5.5	-	0.0	0.0	0.0	0.0	0.0	-	99.6	99.6	-	96.7	96.7																		
C53-C55																																				
子宮頸部	-	5.3	5.3	-	1.5	1.5	-	0.0	0.0	0.0	0.0	0.0	-	100.0	100.0	-	95.1	95.1																		
C53																																				
子宮体部	-	3.7	3.7	-	0.9	0.9	-	0.0	0.0	0.0	0.0	0.0	-	99.5	99.5	-	98.6	98.6																		
C54																																				
卵巣	-	15.3	15.3	-	6.7	6.7	-	0.0	0.0	0.0	0.0	0.0	-	100.0	100.0	-	97.5	97.5																		
C56																																				
前立腺	6.3	-	6.3	2.7	-	2.7	0.1	-	0.1	-	0.1	-	99.2	-	99.2	99.2	-	99.2																		
C61																																				
膀胱	7.8	13.1	9.0	3.6	7.5	4.5	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	98.5	96.3	98.0																		
C67																																				
腎・尿路 (膀胱除く)	12.1	10.4	11.6	4.0	3.7	3.9	0.3	0.7	0.5	0.5	0.5	0.5	99.0	99.3	99.1	94.3	94.8	94.4																		
C64-C66 C68																																				
脳・中枢神経系	16.7	23.8	19.8	1.9	7.1	4.2	0.0	4.8	2.1	4.2	4.2	4.8	92.6	85.7	89.6	92.6	85.7	89.6																		
C70-C72																																				
甲状腺	5.8	5.7	5.7	2.3	2.3	2.3	0.0	0.3	0.2	0.2	0.2	0.2	100.0	99.7	99.8	95.3	93.7	94.0																		
C73																																				
悪性リンパ腫	11.2	13.3	12.1	5.1	4.3	4.8	4.8	3.9	4.4	4.4	4.4	4.8	91.0	88.8	90.1	87.5	88.0	87.7																		
C81-C85 C96																																				
多発性骨髄腫	31.4	39.4	35.3	7.1	18.2	12.5	7.1	18.2	12.5	12.5	12.5	7.1	74.3	71.2	72.8	70.0	65.2	67.6																		
C88-C90																																				
白血病	23.1	23.3	23.2	5.1	10.7	7.7	0.9	0.0	0.5	0.5	0.5	0.5	98.3	100.0	99.1	78.6	71.8	75.5																		
C91-C95																																				

表8. 精度指標： 部位別、性別
B. 上皮内がんを含む

2006年

部位	罹患／死亡比 (ID比)						死亡情報で初めて把握された症例 DCN (%)						死亡情報のみの症例 DCO (%)						国際 DCO (%)						顕微鏡学的診断のある症例 MV (%)						組織学的診断のある症例 HV (%)					
	男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計	
	ICD-10						ICD-10						ICD-10						ICD-10						ICD-10						ICD-10					
全部位	2.42	2.69	2.53	14.2	15.1	14.6	5.4	6.6	5.9	0.7	0.8	0.8	0.8	0.8	0.8	94.4	95.7	94.9	86.6	89.4	87.8															
食道	1.99	1.50	1.89	9.2	15.9	10.2	3.1	10.1	4.2	0.0	0.0	0.0	0.0	0.0	0.0	99.7	100.0	99.8	99.0	98.6	98.9															
大腸 (結腸・直腸) *1	4.31	3.59	3.97	6.1	10.7	8.1	2.3	4.8	3.4	0.0	0.1	0.1	0.0	0.1	0.1	99.9	99.5	99.7	99.7	99.2	99.5															
結腸 *1	4.76	3.41	4.04	5.6	11.8	8.4	2.8	5.3	3.9	0.1	0.2	0.1	0.0	0.2	0.1	99.9	99.3	99.7	99.8	99.1	99.5															
直腸 *1	3.71	4.10	3.84	7.0	8.1	7.4	1.6	3.6	2.3	0.0	0.0	0.0	0.0	0.0	0.0	99.9	100.0	99.9	99.5	99.6	99.5															
肺	1.40	1.64	1.46	28.6	27.0	28.2	11.9	12.3	12.0	0.3	0.3	0.3	0.3	0.3	0.3	99.0	99.5	99.2	52.7	55.0	53.4															
皮膚	14.14	13.00	13.55	1.0	3.6	2.3	0.5	2.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	99.5	100.0	99.7															
乳房	...	6.81	6.85	12.5	5.8	5.8	12.5	2.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	100.0	99.7	99.7	87.5	95.3	95.3															
子宮	-	5.52	5.52	-	6.5	6.5	-	3.6	3.6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	99.7	99.7	-	97.4	97.4	97.4													
子宮頸部	-	10.49	10.49	-	2.4	2.4	-	0.7	0.7	-	0.0	0.0	0.0	0.0	0.0	0.0	-	100.0	100.0	-	97.1	97.1	97.1													
膀胱	5.36	3.35	4.69	7.1	12.0	8.2	3.2	6.5	4.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	98.0	96.7	97.7															

*1 粘膜炎を含む

表8. 精度指標： 部位別、性別
B'. 上皮内がんを含む

2006年

部位	死亡情報で初めて把握された症例 DCN (%)						死亡情報のみの症例 DCO (%)						国際 DCO (%)						顕微鏡学的診断のある症例 MV (%)						組織学的診断のある症例 HV (%)											
	男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計	
	ICD-10						ICD-10						ICD-10						ICD-10						ICD-10						ICD-10					
全部位	14.2	15.1	14.6	14.2	15.1	14.6	5.4	6.6	5.9	0.7	0.8	0.8	0.7	0.8	0.8	94.4	95.7	94.9	86.6	89.4	87.8															
食道	9.2	15.9	10.2	3.1	10.1	4.2	3.1	10.1	4.2	0.0	0.0	0.0	0.0	0.0	0.0	99.7	100.0	99.8	99.0	98.6	98.9															
大腸 (結腸・直腸) *1	6.1	10.7	8.1	2.3	4.8	3.4	2.3	4.8	3.4	0.0	0.1	0.1	0.0	0.1	0.1	99.9	99.5	99.7	99.7	99.2	99.5															
結腸 *1	5.6	11.8	8.4	2.8	5.3	3.9	2.8	5.3	3.9	0.1	0.2	0.1	0.0	0.2	0.1	99.9	99.3	99.7	99.8	99.1	99.5															
直腸 *1	7.0	8.1	7.4	1.6	3.6	2.3	1.6	3.6	2.3	0.0	0.0	0.0	0.0	0.0	0.0	99.9	100.0	99.9	99.5	99.6	99.5															
肺	28.6	27.0	28.2	11.9	12.3	12.0	11.9	12.3	12.0	0.3	0.3	0.3	0.3	0.3	0.3	99.0	99.5	99.2	52.7	55.0	53.4															
皮膚	1.0	3.6	2.3	0.5	2.1	1.3	0.5	2.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	99.5	100.0	99.7															
乳房	12.5	5.8	5.8	12.5	2.1	2.2	12.5	2.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	100.0	99.7	99.7	87.5	95.3	95.3															
子宮	-	6.5	6.5	-	3.6	3.6	-	3.6	3.6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	99.7	99.7	-	97.4	97.4	97.4													
子宮頸部	-	2.4	2.4	-	0.7	0.7	-	0.7	0.7	-	0.0	0.0	0.0	0.0	0.0	0.0	-	100.0	100.0	-	97.1	97.1	97.1													
膀胱	7.1	12.0	8.2	3.2	6.5	4.0	3.2	6.5	4.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	98.0	96.7	97.7															

*1 粘膜炎を含む

表11. 年齢階級別死亡率（人口10万対）； 部位別、性別

2006年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	C00-C96	0.0	4.3	2.8	2.7	2.5	3.5	7.4	16.1	37.3	68.1	170.2	284.5	458.1	680.1	1,015.3	1,651.2	2,112.9	2,995.8	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.4	3.6	7.5	8.8	8.7	10.0	17.4	20.6	24.0	64.3	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	8.6	14.5	29.2	45.1	46.5	54.2	65.9	77.1	
	胃	C16	0.0	0.0	0.0	0.0	1.3	0.0	1.9	3.0	6.0	9.6	20.5	47.4	80.1	98.9	158.3	235.6	293.7	527.2	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	1.2	0.9	1.0	9.6	3.6	19.4	32.2	46.6	75.1	100.2	175.8	215.8	295.7	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	6.0	1.2	8.6	13.7	24.9	41.3	63.9	95.4	131.9	201.4	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	3.6	2.4	10.8	18.5	21.7	33.8	36.3	80.4	83.9	94.3	
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.2	17.9	39.9	52.2	89.9	129.0	210.6	278.6	245.8	231.4	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	2.4	6.5	4.8	10.8	16.3	39.2	63.6	107.9	175.7	
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	1.2	3.6	9.7	16.9	33.6	43.8	55.2	63.6	128.9	167.1	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.8	3.2	2.5	7.3	3.7	9.0	17.1	
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1.2	8.4	34.5	63.5	85.5	150.3	238.2	424.5	557.5	672.9	
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.3	4.4	5.6	3.0	17.1	
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	1.6	7.6	15.0	16.0	82.3	128.9	300.0
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.2	3.2	6.5	12.5	18.9	48.6	56.9	128.6
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	1.4	0.0	0.0	0.0	1.2	0.9	0.0	1.2	2.4	3.2	5.6	15.2	17.5	18.9	29.9	59.9	38.6	
	脳・中枢神経系	C70-C72	0.0	1.4	0.0	1.3	1.3	0.0	2.8	0.0	0.0	0.0	1.1	2.4	1.1	2.5	1.5	5.6	3.0	0.0	
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.8	0.0	3.8	2.9	0.0	6.0	12.9	
	悪性リンパ腫	C81-C85 C96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.4	2.2	6.4	9.7	18.8	24.7	46.7	46.7	68.9	115.7	
	多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.2	1.6	2.2	6.3	14.5	26.2	27.0	12.9	
白血病	C91-C95	0.0	1.4	1.4	0.0	0.0	0.0	0.0	1.0	1.2	2.4	2.2	9.6	8.7	15.0	13.1	26.2	39.0	64.3		
男女計	全部位	C00-C96	1.6	3.0	1.5	4.3	5.3	5.9	11.2	16.9	33.2	68.3	101.7	149.0	185.3	271.0	445.3	693.0	868.0	1,444.5	
女	全部位	C00-C96	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.4	1.2	0.0	1.6	3.1	5.7	7.1	5.4	5.2	21.7	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	3.2	3.1	5.7	4.7	4.1	10.5	30.1	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	3.2	3.1	5.7	4.7	4.1	10.5	30.1		
	胃	C16	0.0	0.0	0.0	1.4	0.0	2.4	3.7	4.0	9.5	9.4	15.0	18.9	26.6	32.9	46.2	58.5	99.7	254.1	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	1.2	0.9	0.0	2.4	3.5	15.0	20.5	24.6	30.6	50.9	83.0	105.0	269.2	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.2	3.5	9.6	14.2	12.3	17.0	33.2	62.6	78.7	227.4	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.2	0.0	5.4	6.3	12.3	13.6	17.8	20.4	26.2	41.8	
	肝および肝内胆管	C22	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	3.5	2.1	7.9	19.5	34.0	93.6	106.1	112.0	92.0		
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.3	8.2	10.2	23.7	39.4	49.0	138.8	
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	8.6	7.1	15.4	28.3	54.5	63.9	99.7	115.4		
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.6	5.9	19.3	16.6	18.4	46.5	54.5	77.5	120.7	195.6		
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	1.2	4.1	3.5	11.7		
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.0	5.9	21.2	10.7	32.3	29.7	21.5	23.7	24.5	29.7	31.8	
	子宮	C53-C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	4.7	4.7	9.6	11.0	9.2	14.7	15.4	21.8	31.5	38.5	
	子宮頸部	C53	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.6	3.5	4.3	3.2	3.1	4.5	3.6	6.8	8.7	11.7	
	子宮体部	C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	4.3	3.2	3.1	6.8	5.9	9.5	7.0	8.4		
	卵巣	C56	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.0	2.4	7.1	6.4	10.2	7.2	3.2	13.0	10.9	17.5	25.1	
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.4	5.9	9.5	28.0	36.8	
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.6	0.0	4.5	4.7	9.5	19.2	23.4	
	脳・中枢神経系	C70-C72	0.0	0.0	1.5	0.0	1.3	1.2	0.0	1.0	0.0	0.0	0.0	1.6	2.0	4.5	2.4	2.7	1.7	3.3	
甲状腺	C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	2.4	8.2	17.5	16.7		
悪性リンパ腫	C81-C85 C96	0.0	1.5	0.0	2.8	0.0	0.9	0.0	0.0	1.2	3.2	0.8	2.0	9.1	9.5	15.0	33.2	41.8			
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.1	13.0	15.0	15.7	26.8			
白血病	C91-C95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	2.1	3.2	10.2	4.5	8.3	12.2	26.2	16.7			
男女計	全部位	C00-C96	0.8	3.7	2.2	3.5	3.9	4.7	9.3	16.5	35.2	68.2	135.9	216.1	317.9	465.4	701.3	1,038.6	1,326.9	1,879.8	
口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	2.4	2.4	3.8	5.2	5.8	7.7	11.7	11.8	12.2	33.7		
食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.8	4.8	8.8	15.8	24.4	23.5	25.2	30.9	43.3			
胃	C16	0.0	0.0	0.0	0.7	0.6	1.2	2.8	3.5	7.8	9.5	17.7	33.0	52.6	64.3	96.6	133.1	171.3	330.7		
大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	1.2	0.9	0.5	6.0	3.6	17.2	26.3	35.3	51.8	73.1	122.1	145.8	276.6		
結腸	C18	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	3.6	2.4	9.1	13.9	18.4	28.6	47.0	76.4	98.3	220.1		
直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5	2.4	1.2	8.1	12.3	16.8	23.2	26.1	45.7	47.5	56.5		
肝および肝内胆管	C22	0.0	0.0	0.0	0.6	0.0	0.0	0.5	3.6	10.7	20.9	29.8	53.7	79.1	146.1	178.7	161.3	131.1			
胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	1.2	4.3	5.6	9.5	13.1	30.7	49.6	70.7	149.1		
膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.6	3.6	9.1	11.9	24.2	35.7	54.8	63.8	110.5	129.9		
喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.4	1.6	1.2	3.3	1.6	3.3	3.3	4.8		
肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.4	7.1	26.8	39.8	51.0	95.8	137.0	223.6	281.7	329.5			
皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.1	0.6	2.6	4.7	3.3	13.2			
乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.0	3.0	10.7	5.4	16.3	15.3	11.3	13.0	14.2	18.8	22.9		
膀胱																					

付表1. がん罹患数および罹患率； 詳細部位別、性別

2006年

部位	国際疾病 分類 ICD-10	年齢調整罹患率																		累積罹患率(0-74歳)					
		罹患数						割合(%)						粗罹患率						日本人人口			世界人口		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計			
全部位	C00-C96	10,475	7,377	17,852	100.0	100.0	100.0	755.2	497.1	621.8	458.5	285.0	358.0	321.4	211.3	258.1	374.0	233.2	298.3						
口唇	C00	1	1	2	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0						
舌根<基底>部	C01	3	2	5	0.0	0.0	0.0	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1						
その他および部位不明の舌	C02	59	36	95	0.6	0.5	0.5	4.3	2.4	3.3	2.9	1.4	2.1	2.2	1.1	1.6	2.3	1.1	1.7						
歯肉	C03	9	18	27	0.1	0.2	0.2	0.6	1.2	0.9	0.4	0.6	0.5	0.3	0.4	0.3	0.2	0.5	0.4						
口腔底	C04	10	2	12	0.1	0.0	0.1	0.7	0.1	0.4	0.6	0.0	0.3	0.5	0.0	0.2	0.5	0.0	0.3						
口蓋	C05	10	3	13	0.1	0.0	0.1	0.7	0.2	0.5	0.6	0.1	0.3	0.4	0.1	0.2	0.4	0.0	0.2						
その他および部位不明の口腔	C06	17	11	28	0.2	0.1	0.2	1.2	0.7	1.0	0.7	0.3	0.5	0.5	0.2	0.3	0.6	0.2	0.4						
耳下腺	C07	10	5	15	0.1	0.1	0.1	0.7	0.3	0.5	0.5	0.3	0.3	0.4	0.2	0.3	0.4	0.2	0.3						
その他および部位不明の唾液腺	C08	5	4	9	0.0	0.1	0.1	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.2						
扁桃	C09	4	2	6	0.0	0.0	0.0	0.3	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1						
中咽頭	C10	20	3	23	0.2	0.0	0.1	1.4	0.2	0.8	0.9	0.1	0.5	0.7	0.1	0.4	1.0	0.2	0.6						
鼻<上>咽頭	C11	14	1	15	0.1	0.0	0.1	1.0	0.1	0.5	0.8	0.0	0.4	0.7	0.0	0.3	0.6	0.1	0.3						
梨状陥凹<前>	C12	15	0	15	0.1	0.0	0.1	1.1	0.0	0.5	0.7	0.0	0.3	0.5	0.0	0.3	0.9	0.0	0.4						
下咽頭	C13	33	4	37	0.3	0.1	0.2	2.4	0.3	1.3	1.6	0.2	0.8	1.2	0.1	0.6	1.4	0.2	0.7						
その他および部位不明の口腔、口腔および咽頭	C14	10	2	12	0.1	0.0	0.1	0.7	0.1	0.4	0.4	0.1	0.2	0.3	0.0	0.1	0.3	0.1	0.2						
食道	C15	354	66	420	3.4	0.9	2.4	25.5	4.4	14.6	16.0	2.0	8.4	11.6	1.5	6.2	14.7	1.7	7.9						
胃	C16	1,984	964	2,948	18.9	13.1	16.5	143.0	65.0	102.7	86.8	32.9	56.8	60.4	23.5	40.1	71.9	26.4	47.8						
小腸	C17	37	25	62	0.4	0.3	0.3	2.7	1.7	2.2	1.6	0.9	1.2	1.1	0.7	0.9	1.4	0.9	1.1						
結腸	C18	953	885	1,838	9.1	12.0	10.3	68.7	59.6	64.0	42.0	28.9	34.8	29.5	20.7	24.7	34.6	23.4	28.7						
直腸S状結腸移行部	C19	73	38	111	0.7	0.5	0.6	5.3	2.6	3.9	3.2	1.4	2.2	2.3	1.1	1.6	3.2	1.3	2.2						
直腸	C20	555	344	899	5.3	4.7	5.0	40.0	23.2	31.3	26.0	12.3	18.7	19.0	9.0	13.7	22.7	10.7	16.4						
肛門および肛門管	C21	13	12	25	0.1	0.2	0.1	0.9	0.8	0.9	0.5	0.4	0.4	0.4	0.2	0.3	0.5	0.1	0.3						
肝および肝内胆管	C22	1,007	483	1,490	9.6	6.5	8.3	72.6	32.5	51.9	44.4	15.4	28.6	31.1	10.5	20.0	39.0	13.1	25.4						
胆のう	C23	62	119	181	0.6	1.6	1.0	4.5	8.0	6.3	2.3	3.2	2.7	1.5	2.2	1.8	1.0	2.3	1.7						
その他および部位不明の胆道	C24	154	128	282	1.5	1.7	1.6	11.1	8.6	9.8	6.3	3.2	4.6	4.2	2.1	3.1	4.3	1.9	3.0						
膵臓	C25	304	304	608	2.9	4.1	3.4	21.9	20.5	21.2	12.8	8.7	10.6	8.8	6.0	7.3	9.9	7.1	8.5						
その他および部位不明の消化器	C26	3	2	5	0.0	0.0	0.0	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0						
鼻腔および中耳	C30	5	5	10	0.0	0.1	0.1	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1						
副鼻腔	C31	16	8	24	0.2	0.1	0.1	1.2	0.5	0.8	0.7	0.3	0.5	0.5	0.2	0.4	0.6	0.1	0.4						
喉頭	C32	95	9	104	0.9	0.1	0.6	6.8	0.6	3.6	4.3	0.3	2.1	3.1	0.2	1.5	4.0	0.3	2.1						
気管	C33	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
気管支および肺	C34	1,470	651	2,121	14.0	8.8	11.9	106.0	43.9	73.9	61.2	21.0	38.3	41.5	14.8	26.5	45.8	18.0	31.1						
胸腺	C37	9	1	10	0.1	0.0	0.1	0.6	0.1	0.3	0.4	0.1	0.2	0.3	0.1	0.2	0.5	0.1	0.2						
心臓、縦隔および胸膜	C38	4	3	7	0.0	0.0	0.0	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1						
その他および部位不明の呼吸器および胸腺内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
(四) 尿の骨および関節軟骨	C40	8	2	10	0.1	0.0	0.1	0.6	0.1	0.3	0.5	0.2	0.4	0.5	0.3	0.3	0.4	0.1	0.3						
その他および部位不明の骨および関節軟骨	C41	7	3	10	0.1	0.0	0.1	0.5	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.2						
皮膚の悪性黒色腫	C43	7	14	21	0.2	0.2	0.1	0.5	0.9	0.7	0.3	0.6	0.5	0.3	0.5	0.4	0.3	0.5	0.4						
皮膚のその他	C44	153	121	274	1.5	1.6	1.5	11.0	8.2	9.5	6.3	3.1	4.5	4.2	2.2	3.1	4.0	2.1	3.0						
中皮腫	C45	43	4	47	0.4	0.1	0.3	3.1	0.3	1.6	1.9	0.1	0.9	1.3	0.1	0.6	1.5	0.1	0.7						
カポジ肉腫	C46	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0						
末梢神経および自律神経系の悪性新生物	C47	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0						
後腹膜および胆嚢	C48	3	12	15	0.0	0.2	0.1	0.2	0.8	0.5	0.2	0.5	0.4	0.1	0.4	0.3	0.2	0.4	0.3						
その他の結合組織および軟部組織	C49	23	25	48	0.2	0.3	0.3	1.7	1.7	1.7	1.2	1.0	1.1	1.0	0.8	0.9	0.9	0.9	0.9						
乳房	C50	7	1,263	1,270	0.1	17.1	7.1	0.5	85.1	44.2	0.3	64.1	33.4	0.2	49.4	25.6	0.2	53.1	27.4						
外陰	C51	-	8	8	-	0.1	0.0	-	0.5	-	-	0.2	-	-	-	-	-	0.2	-						
陰	C52	-	2	2	-	0.0	0.0	-	0.1	-	-	0.1	-	-	-	-	-	0.1	-						
子宮頸部	C53	-	206	206	-	2.8	1.2	-	13.9	-	-	11.7	-	-	9.4	-	-	8.9	-						
子宮体部	C54	-	216	216	-	2.9	1.2	-	14.6	-	-	11.6	-	-	9.0	-	-	10.2	-						
子宮部位不明	C55	-	29	29	-	0.4	0.2	-	2.0	-	-	0.7	-	-	0.4	-	-	0.5	-						
卵巣	C56	-	163	163	-	2.2	0.9	-	11.0	-	-	8.2	-	-	6.5	-	-	6.5	-						
その他および部位不明の女性生殖器	C57	-	7	7	-	0.1	0.0	-	0.5	-	-	0.3	-	-	0.2	-	-	0.2	-						
胎盤	C58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-						
陰茎	C60	11	-	11	0.1	-	0.1	0.8	-	-	0.5	-	-	0.3	-	-	-	0.3	-						
前立腺	C61	1,319	-	1,319	12.6	-	7.4	95.1	-	-	53.7	-	-	36.1	-	-	-	46.1	-						
精巣	C62	21	-	21	0.2	-	0.1	1.5	-	-	1.7	-	-	1.5	-	-	-	1.2	-						
その他および部位不明の男性生殖器	C63	10	-	10	0.1	-	0.1	0.7	-	-	0.4	-	-	0.3	-	-	-	0.4	-						
腎盂を除く腎	C64	197	86	283	1.9	1.2	1.6	14.2	5.8	9.9	9.5	3.3	6.2	7.0	2.4	4.6	8.3	3.2	5.6						
腎盂	C65	39	18	57	0.4	0.2	0.3	2.8	1.2	2.0	1.7	0.7	1.1	1.1	0.4	0.8	1.5	0.4	0.9						
尿管	C66	47	26	73	0.4	0.4	0.4	3.4	1.8	2.5	1.9	0.8	1.3	1.2	0.6	0.8	1.2	0.6	0.9						

付表3. 受療割合詳細 (%) : 部位別
A. 上皮内がんを除く

DC0除く届出患者、男女計

2006年

部位	ICD-10	集計対象数	単独療法										併用療法 *1						不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+放射線	薬物+放射線	薬物+放射線	薬物 *2	切除+放射線+薬物	その他 *3			
全部位	C00-C96	16,721	24.0	3.4	4.8	1.3	8.0	0.1	1.4	0.7	9.1	3.3	0.3	2.4	6.8	34.6			
口腔・咽頭	C00-C14	302	15.6	0.0	0.7	6.3	3.0	0.0	0.0	3.3	5.6	22.2	0.0	12.6	3.3	27.5			
食道	C15	401	12.7	1.0	6.2	4.7	2.7	0.0	0.0	1.5	5.2	22.2	0.0	3.5	3.0	37.2			
胃	C16	2,796	30.4	3.6	12.2	0.0	7.7	0.0	0.0	0.0	9.7	0.4	0.1	0.3	2.7	32.8			
大腸 (結腸・直腸)	C18-C20	2,727	35.2	6.8	4.1	0.1	1.5	0.0	0.0	0.2	15.4	0.3	0.0	0.9	3.4	32.0			
結腸	C18	1,745	36.8	7.7	3.6	0.0	1.2	0.0	0.1	0.0	15.5	0.1	0.0	0.4	3.3	31.5			
直腸	C19-C20	982	32.5	5.2	5.1	0.4	1.9	0.0	0.0	0.6	15.4	0.6	0.0	1.7	3.7	32.9			
肝および肝内胆管	C22	1,335	10.6	0.1	0.1	0.3	11.4	0.0	0.0	0.1	1.2	1.5	0.1	0.1	42.5	32.0			
胆のう・胆管	C23-C24	395	21.8	0.8	3.0	1.0	7.6	0.0	0.0	0.0	8.9	0.0	0.0	1.0	11.4	44.6			
膵臓	C25	534	10.3	0.0	1.5	0.6	22.5	0.2	0.0	0.7	9.7	2.4	0.0	1.7	9.2	41.2			
喉頭	C32	102	5.9	0.0	3.9	6.9	1.0	0.0	0.0	3.9	1.0	21.6	0.0	25.5	5.9	24.5			
肺	C33-C34	1,867	15.4	10.3	0.0	4.3	17.5	0.0	0.0	0.4	3.5	10.2	0.7	0.7	6.4	30.5			
皮膚	C43-C44	291	47.1	0.0	0.0	1.7	0.0	0.0	0.0	0.7	3.8	1.0	0.0	1.0	0.3	44.3			
乳房	C50	1,240	37.1	0.0	0.3	0.4	3.8	0.0	0.7	3.1	18.5	0.3	0.8	14.3	0.7	20.0			
乳房 (女性のみに)	C50	1,234	37.0	0.0	0.3	0.4	3.8	0.0	0.7	3.1	18.4	0.3	0.8	14.3	0.7	20.0			
子宮	C53-C55	426	35.7	0.2	0.2	4.7	2.1	0.0	0.5	4.5	12.2	5.9	0.0	3.8	1.6	28.6			
子宮頸部	C53	203	31.0	0.0	0.5	7.9	1.0	0.0	0.0	7.4	4.9	11.8	0.0	4.9	2.0	28.6			
子宮体部	C54	214	41.6	0.5	0.0	1.4	3.3	0.0	0.9	1.9	19.6	0.5	0.0	2.3	1.4	26.6			
卵巣	C56	152	17.8	0.0	0.0	0.0	5.9	0.0	0.0	0.0	50.0	0.7	0.0	2.0	2.0	21.7			
前立腺	C61	1,283	14.1	0.5	1.5	1.8	0.2	0.3	17.0	0.2	3.1	3.0	0.5	0.3	0.2	57.3			
膀胱	C67	657	7.9	0.2	39.3	0.5	0.9	0.2	0.0	0.9	8.8	0.3	0.0	1.5	3.7	35.9			
腎・尿路 (膀胱除く)	C64-C66 C68	415	33.7	15.4	0.7	1.2	1.2	0.7	0.2	0.0	6.3	1.2	0.0	0.7	3.6	34.9			
脳・中枢神経系	C70-C72	92	16.3	1.1	0.0	1.1	0.0	0.0	0.0	8.7	0.0	5.4	0.0	26.1	0.0	41.3			
甲状腺	C73	425	53.6	0.0	0.5	0.5	0.2	0.0	0.2	0.5	17.9	0.5	0.0	0.9	0.5	24.7			
悪性リンパ腫	C81-C85 C96	519	8.1	0.4	0.2	1.2	32.6	0.0	0.0	0.2	2.9	3.7	1.0	1.0	7.9	41.0			
多発性骨髄腫	C88-C90	119	1.7	0.0	0.0	0.0	43.7	0.0	0.0	0.8	0.8	5.9	5.0	0.0	6.7	35.3			
白血病	C91-C95	203	0.0	0.0	0.0	0.0	54.7	0.0	0.0	0.0	0.5	0.0	0.0	0.0	11.8	33.0			

*1 切除は外科・体腔鏡・内視鏡の療法のいずれかの併用

*2 化学、免疫、内分泌療法のいずれかの併用

*3 単独療法および併用療法のいずれかの項目にも含まれないものを指す (1) その他の治療 (TAE、PEITなど) の実施 (2) 外科、体腔鏡、内視鏡的療法のいずれかの併用

付表3. 受療割合詳細 (%) ; 部位別
B. 上皮内がんを含む

DOC0除く届出患者、男女計

2006年

部位	ICD-10	集計対象数	単独療法										併用療法 *2						不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+放射線+薬物	薬物	薬物+放射線	薬物	*3 切除+放射線+薬物	その他*4			
全部位	000-C96 D00-D09	18,068	23.8	3.3	6.0	1.2	7.4	0.1	1.3	0.7	8.6	3.0	0.2	2.3	6.4	35.6			
食道	C15 D001	432	12.0	1.2	8.8	4.6	2.5	0.0	0.0	1.4	4.9	20.6	0.0	3.2	2.8	38.0			
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3,463	28.8	5.9	9.9	0.1	1.2	0.0	0.0	0.2	12.2	0.2	0.0	0.7	2.9	37.9			
結腸 *1	C18 D010	2,284	29.3	6.7	9.6	0.0	0.9	0.0	0.0	0.0	11.8	0.0	0.0	0.3	2.7	38.6			
直腸 *1	C19-C20 D011-D012	1,179	27.7	4.5	10.6	0.3	1.6	0.0	0.0	0.5	12.8	0.5	0.0	1.4	3.5	36.5			
肺	C33-C34 D021-D022	1,869	15.4	10.4	0.0	4.3	17.5	0.0	0.0	0.4	3.5	10.2	0.7	0.7	6.4	30.6			
皮膚	C43-C44 D030-D049	388	44.3	0.0	0.0	1.5	0.0	0.0	0.0	0.5	2.8	0.8	0.0	0.8	0.3	49.0			
乳房	C50 D05	1,347	37.3	0.0	0.4	0.5	3.5	0.0	0.7	3.4	17.6	0.3	0.7	14.6	0.7	20.3			
乳房 (女性のみ)	C50 D05	1,340	37.2	0.0	0.4	0.5	3.5	0.0	0.7	3.4	17.5	0.3	0.7	14.6	0.7	20.4			
子宮	C53-C55 D06	671	46.3	0.3	0.1	3.0	1.3	0.0	0.3	2.8	7.7	3.7	0.0	2.4	1.5	30.4			
子宮頸部	C53 D06	448	49.6	0.2	0.2	3.6	0.4	0.0	0.0	3.3	2.2	5.4	0.0	2.2	1.6	31.3			
膀胱	C67 D090	748	7.2	0.1	40.6	0.4	0.8	0.5	0.0	0.9	9.8	0.3	0.0	1.3	3.6	34.4			

*1 粘膜がんを含む

*2 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫療法・内分泌療法を指す。

*3 化学、免疫、内分泌療法のいずれかの併用

*4 単独療法および併用療法のいずれの項目にも含まれないものを指す (1) その他の治療 (TAE, PEITなど) の実施 (2) 外科、体腔鏡、内視鏡的療法のいずれかの併用

付表4. 医療圏別、保健所別罹患数； 部位別、性別

A. 上皮内がんを除く

2006年

医療圏/保健所	全部位 C00-C96		胃 C16		大腸(直腸・結腸) C18-C20		結腸 C18		直腸 C22		肺 C33-C34		乳房 C50		子宮 C53-C55		子宮頸部 C53		子宮体部 C54		前立腺 D61							
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女						
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女						
広島県	10,475	7,377	17,882	1,984	964	2,848	1,397	1,501	1,377	916	309	1,023	547	493	1,040	366	216	1,270	1,200	7	782	476	206	133	216	1,319	775	
広島広域	5,845	4,186	10,031	1,073	504	1,377	608	628	382	1,010	1,007	483	253	746	383	1,158	4	756	756	4	756	4	756	4	756	4	756	4
呉広域	1,458	925	2,383	328	138	466	227	154	381	145	101	246	82	53	135	137	63	200	189	83	272	2	152	154	44	19	178	44
備後広域	2,644	1,912	4,556	466	257	743	374	352	726	225	232	477	149	100	249	325	142	467	471	157	628	1	309	310	113	50	257	113
備北広域	528	354	882	97	65	162	65	53	118	36	39	75	29	14	43	52	25	77	55	28	83	0	50	50	10	14	109	14
広島	4,531	3,253	7,789	813	390	1,193	687	534	1,221	412	381	793	275	153	428	380	195	575	581	295	876	3	599	602	214	105	636	214
広島西	588	410	998	117	52	169	100	67	167	61	46	107	39	21	60	47	26	73	75	41	116	1	62	63	24	13	69	13
呉	1,458	925	2,383	328	138	466	227	154	381	145	101	246	82	53	135	137	63	200	189	83	272	2	152	154	44	19	178	44
広島中央	726	518	1,244	143	72	215	126	107	235	74	66	140	54	41	95	66	32	98	100	47	147	0	91	91	29	13	70	13
尾三	1,161	789	1,950	200	101	301	159	141	300	89	105	194	70	36	106	126	61	187	180	65	246	0	129	129	51	172	51	172
福山・府中	1,483	1,123	2,606	286	156	442	215	211	426	136	147	283	79	64	143	199	81	260	291	92	353	1	180	181	62	33	85	62
備北	528	354	882	97	65	162	65	53	118	36	39	75	29	14	43	52	25	77	55	28	83	0	50	50	10	14	109	14

付表4. 医療圏別、保健所別罹患数； 部位別、性別

B. 上皮内がんを含む

2006年

医療圏/保健所	全部位		大腸(結腸・直腸)		結腸		直腸		肺		乳房		子宮		子宮頸部													
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女												
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女												
広島県	11,116	8,084	19,200	2,065	1,519	3,584	1,305	1,072	2,377	760	447	1,207	1,473	651	2,124	8	1,369	1,377	696	451	451	285	285	429	60	39	106	21
広島広域	6,315	4,657	10,972	1,267	873	2,140	802	619	1,421	465	254	719	758	383	1,141	4	825	829	429	429	429	429	429	429	429	429	429	429
呉広域	1,532	1,002	2,534	294	198	492	197	133	330	97	65	162	189	83	272	2	157	159	60	60	60	60	60	60	60	60	60	60
備後広域	2,711	2,043	4,754	418	384	802	254	276	530	164	108	272	471	157	628	2	334	336	169	169	169	169	169	169	169	169	169	169
備北広域	558	382	940	86	64	150	52	44	96	34	20	54	55	28	83	0	53	53	38	38	38	38	38	38	38	38	38	38
広島	4,931	3,661	8,592	983	674	1,657	633	484	1,117	350	190	540	583	295	878	3	658	661	357	357	357	357	357	357	357	357	357	357
広島西	624	452	1,076	129	82	211	77	59	136	52	23	75	75	41	116	1	70	71	35	35	35	35	35	35	35	35	35	35
呉	1,532	1,002	2,534	294	198	492	197	133	330	97	65	162	189	83	272	2	157	159	60	60	60	60	60	60	60	60	60	60
広島中央	760	544	1,304	155	117	272	92	76	168	63	41	104	100	47	147	0	97	97	37	37	37	37	37	37	37	37	37	37
尾三	1,201	850	2,051	190	163	353	108	122	230	82	41	123	180	65	245	0	138	138	71	71	71	71	71	71	71	71	71	71
福山・府中	1,510	1,193	2,703	228	221	449	146	154	300	82	67	149	291	92	383	2	196	198	98	98	98	98	98	98	98	98	98	98
備北	558	382	940	86	64	150	52	44	96	34	20	54	55	28	83	0	53	53	38	38	38	38	38	38	38	38	38	38

*1 粘膜炎を含む

付表4-C1 標準化死亡率(全国との比較): 部位別、性別

2006年

部位	ICD-10	男			女		
		死亡数	標準化死亡率(95%信頼区間)		死亡数	標準化死亡率(95%信頼区間)	
全部位	C00-C97	4601	0.99	(0.96 - 1.02)	3012	0.95	(0.91 - 0.98)
食道	C15	192	0.86	(0.74 - 0.98)	46	1.12	(0.79 - 1.44)
胃	C16	706	0.92	(0.85 - 0.99)	411	0.95	(0.86 - 1.04)
結腸	C18	274	0.85	(0.75 - 0.95)	314	0.94	(0.84 - 1.04)
直腸	C19-C20	205	1.01	(0.87 - 1.15)	109	0.9	(0.73 - 1.06)
肝および肝内胆管	C22	740	1.42	(1.32 - 1.52)	341	1.27	(1.14 - 1.41)
胆のう・胆管	C23-C24	176	0.93	(0.80 - 1.07)	187	0.85	(0.73 - 0.97)
膵臓	C25	256	0.87	(0.77 - 0.98)	279	1.06	(0.94 - 1.18)
肺	C33-C34	1055	0.98	(0.92 - 1.04)	397	0.94	(0.85 - 1.03)
乳房	C50	0	-		201	0.77	(0.66 - 0.87)
子宮	C53-C55	0	-		126	0.96	(0.79 - 1.13)
卵巣	C56	0	-		84	0.8	(0.63 - 0.97)
前立腺	C61	191	0.83	(0.71 - 0.94)	0	-	
膀胱	C67	111	1.09	(0.89 - 1.29)	55	1.16	(0.85 - 1.46)
悪性リンパ腫	C81-C85,C96	131	1.11	(0.92 - 1.31)	82	0.91	(0.72 - 1.11)
白血病	C91-C95	91	0.9	(0.71 - 1.08)	64	0.88	(0.66 - 1.10)

付表4-C2 二次保健医療圏別標準化死亡率(広島県との比較): 部位別、性別

医療圏	部位	ICD-10	男			女		
			死亡数	標準化死亡率(95%信頼区間)		死亡数	標準化死亡率(95%信頼区間)	
広島	全部位	C00-C97	1827	0.99	(0.94 - 1.03)	1205	1.01	(0.95 - 1.06)
	胃	C16	261	0.92	(0.80 - 1.03)	162	0.98	(0.83 - 1.13)
	結腸	C18	109	0.99	(0.80 - 1.18)	111	0.90	(0.73 - 1.07)
	直腸	C19-C20	86	1.02	(0.81 - 1.24)	43	0.98	(0.69 - 1.27)
	大腸(結腸・直腸)	C18-C20	195	1.01	(0.86 - 1.15)	154	0.92	(0.78 - 1.07)
	肝および肝内胆管	C22	261	0.86	(0.75 - 0.96)	142	1.06	(0.89 - 1.23)
	肺	C33-C34	411	0.98	(0.88 - 1.07)	172	1.10	(0.93 - 1.26)
	乳房	C50				81	0.94	(0.74 - 1.15)
	子宮	C53-C55				54	1.04	(0.76 - 1.32)
	前立腺	C61	74	1.03	(0.79 - 1.26)			
	広島西	全部位	C00-C97	261	1.11	(0.97 - 1.24)	147	0.96
胃		C16	47	1.31	(0.93 - 1.68)	23	1.10	(0.65 - 1.54)
結腸		C18	11	0.79	(0.32 - 1.25)	20	1.25	(0.70 - 1.80)
直腸		C19-C20	9	0.82	(0.28 - 1.35)	5	0.83	(0.10 - 1.56)
大腸(結腸・直腸)		C18-C20	20	0.80	(0.45 - 1.15)	25	1.19	(0.72 - 1.66)
肝および肝内胆管		C22	40	1.05	(0.73 - 1.38)	20	1.18	(0.66 - 1.69)
肺		C33-C34	59	1.09	(0.81 - 1.37)	22	1.10	(0.64 - 1.56)
乳房		C50				5	0.50	(0.06 - 0.94)
子宮		C53-C55				7	1.17	(0.30 - 2.03)
前立腺		C61	6	0.60	(0.12 - 1.08)			
呉		全部位	C00-C97	599	1.13	(1.04 - 1.22)	391	1.10
	胃	C16	100	1.22	(0.98 - 1.46)	55	1.15	(0.84 - 1.45)
	結腸	C18	34	1.06	(0.71 - 1.42)	37	0.97	(0.66 - 1.29)
	直腸	C19-C20	28	1.22	(0.77 - 1.67)	14	1.08	(0.51 - 1.64)
	大腸(結腸・直腸)	C18-C20	62	1.13	(0.85 - 1.41)	51	1.00	(0.73 - 1.27)
	肝および肝内胆管	C22	103	1.21	(0.98 - 1.45)	44	1.05	(0.74 - 1.36)
	肺	C33-C34	146	1.19	(0.99 - 1.38)	52	1.11	(0.81 - 1.41)
	乳房	C50				30	1.36	(0.88 - 1.85)
	子宮	C53-C55				14	1.00	(0.48 - 1.52)
	前立腺	C61	27	1.17	(0.73 - 1.62)			
	広島中央	全部位	C00-C97	310	0.94	(0.83 - 1.04)	236	1.06
胃		C16	40	0.78	(0.54 - 1.03)	28	0.90	(0.57 - 1.24)
結腸		C18	17	0.85	(0.45 - 1.25)	26	1.08	(0.67 - 1.50)
直腸		C19-C20	16	1.07	(0.54 - 1.59)	8	1.00	(0.31 - 1.69)
大腸(結腸・直腸)		C18-C20	33	0.97	(0.64 - 1.30)	34	1.06	(0.71 - 1.42)
肝および肝内胆管		C22	51	0.96	(0.70 - 1.23)	23	0.92	(0.54 - 1.30)
肺		C33-C34	74	0.99	(0.76 - 1.21)	31	1.07	(0.69 - 1.45)
乳房		C50				15	1.00	(0.49 - 1.51)
子宮		C53-C55				11	1.22	(0.50 - 1.94)
前立腺		C61	13	0.93	(0.42 - 1.43)			
尾三		全部位	C00-C97	550	1.00	(0.92 - 1.09)	341	0.94
	胃	C16	77	0.92	(0.71 - 1.12)	40	0.82	(0.56 - 1.07)
	結腸	C18	36	1.09	(0.73 - 1.45)	39	1.00	(0.69 - 1.31)
	直腸	C19-C20	27	1.13	(0.70 - 1.55)	17	1.31	(0.69 - 1.93)
	大腸(結腸・直腸)	C18-C20	63	1.11	(0.83 - 1.38)	56	1.08	(0.79 - 1.36)
	肝および肝内胆管	C22	108	1.26	(1.02 - 1.49)	46	1.10	(0.78 - 1.41)
	肺	C33-C34	126	0.99	(0.82 - 1.17)	38	0.79	(0.54 - 1.04)
	乳房	C50				24	1.09	(0.65 - 1.53)
	子宮	C53-C55				14	0.93	(0.44 - 1.42)
	前立腺	C61	24	0.96	(0.58 - 1.34)			
	福山・府中	全部位	C00-C97	821	0.99	(0.92 - 1.06)	560	1.04
胃		C16	139	1.09	(0.91 - 1.27)	82	1.12	(0.88 - 1.37)
結腸		C18	52	1.06	(0.77 - 1.35)	63	1.13	(0.85 - 1.40)
直腸		C19-C20	30	0.81	(0.52 - 1.10)	20	1.00	(0.56 - 1.44)
大腸(結腸・直腸)		C18-C20	82	0.94	(0.74 - 1.15)	83	1.11	(0.87 - 1.34)
肝および肝内胆管		C22	146	1.08	(0.91 - 1.26)	51	0.84	(0.61 - 1.07)
肺		C33-C34	196	1.03	(0.88 - 1.17)	64	0.90	(0.68 - 1.12)
乳房		C50				42	1.17	(0.81 - 1.52)
子宮		C53-C55				16	0.70	(0.35 - 1.04)
前立腺		C61	26	0.76	(0.47 - 1.06)			
備北		全部位	C00-C97	233	0.97	(0.84 - 1.09)	132	0.80
	胃	C16	42	1.14	(0.79 - 1.48)	21	0.95	(0.55 - 1.36)
	結腸	C18	15	1.00	(0.49 - 1.51)	18	1.00	(0.54 - 1.46)
	直腸	C19-C20	9	0.90	(0.31 - 1.49)	2	0.33	(-0.13 - 0.80)
	大腸(結腸・直腸)	C18-C20	24	0.96	(0.58 - 1.34)	20	0.83	(0.47 - 1.20)
	肝および肝内胆管	C22	31	0.86	(0.56 - 1.16)	15	0.79	(0.39 - 1.19)
	肺	C33-C34	43	0.75	(0.53 - 0.98)	18	0.82	(0.44 - 1.20)
	乳房	C50				4	0.44	(0.01 - 0.88)
	子宮	C53-C55				10	1.67	(0.63 - 2.70)
	前立腺	C61	21	1.75	(1.00 - 2.50)			

付表4-D 二次保健医療圏別標準化罹患比(広島県との比較) : 部位別、性別

2006年

医療圏	部位	ICD-10	男		女	
			罹患数	標準化罹患比(95%信頼区間)	罹患数	標準化罹患比(95%信頼区間)
広島	全部位	C00-C97	4531	1.05 (1.02 - 1.08)	3258	1.06 (1.02 - 1.10)
	胃	C16	813	1.00 (0.93 - 1.07)	380	0.97 (0.87 - 1.06)
	結腸	C18	412	1.05 (0.94 - 1.15)	381	1.06 (0.95 - 1.17)
	直腸	C19-C20	275	1.04 (0.92 - 1.16)	153	0.97 (0.81 - 1.12)
	大腸(結腸・直腸)	C18-C20	687	1.04 (0.97 - 1.12)	534	1.03 (0.95 - 1.12)
	肝および肝内胆管	C22	380	0.91 (0.82 - 1.01)	195	1.01 (0.87 - 1.15)
	肺	C33-C34	581	0.98 (0.90 - 1.06)	295	1.12 (0.99 - 1.25)
	乳房	C50			599	1.08 (0.99 - 1.17)
	子宮	C53-C55			214	1.06 (0.92 - 1.21)
	子宮頸部	C53			98	1.04 (0.84 - 1.25)
	子宮体部	C54			105	1.09 (0.88 - 1.30)
	前立腺	C61	636	1.20 (1.11 - 1.29)		
広島西	全部位	C00-C97	588	1.09 (1.00 - 1.18)	410	1.08 (0.97 - 1.18)
	胃	C16	117	1.15 (0.94 - 1.35)	52	1.06 (0.77 - 1.35)
	結腸	C18	61	1.24 (0.93 - 1.56)	46	1.02 (0.73 - 1.32)
	直腸	C19-C20	39	1.18 (0.81 - 1.55)	21	1.05 (0.60 - 1.50)
	大腸(結腸・直腸)	C18-C20	100	1.22 (0.98 - 1.46)	67	1.03 (0.78 - 1.28)
	肝および肝内胆管	C22	47	0.90 (0.65 - 1.16)	26	1.04 (0.64 - 1.44)
	肺	C33-C34	75	0.99 (0.76 - 1.21)	41	1.24 (0.86 - 1.62)
	乳房	C50			62	0.94 (0.71 - 1.17)
	子宮	C53-C55			24	1.04 (0.63 - 1.46)
	子宮頸部	C53			11	1.00 (0.41 - 1.59)
	子宮体部	C54			13	1.18 (0.54 - 1.82)
	前立腺	C61	69	1.01 (0.78 - 1.25)		
呉	全部位	C00-C97	1458	1.22 (1.16 - 1.28)	925	1.10 (1.03 - 1.17)
	胃	C16	328	1.45 (1.29 - 1.61)	138	1.22 (1.02 - 1.42)
	結腸	C18	145	1.33 (1.11 - 1.55)	101	0.97 (0.78 - 1.16)
	直腸	C19-C20	82	1.17 (0.92 - 1.42)	53	1.18 (0.86 - 1.49)
	大腸(結腸・直腸)	C18-C20	227	1.27 (1.10 - 1.43)	154	1.03 (0.87 - 1.20)
	肝および肝内胆管	C22	137	1.19 (0.99 - 1.39)	63	1.09 (0.82 - 1.35)
	肺	C33-C34	189	1.11 (0.95 - 1.27)	83	1.08 (0.85 - 1.31)
	乳房	C50			152	1.13 (0.95 - 1.31)
	子宮	C53-C55			44	0.94 (0.66 - 1.21)
	子宮頸部	C53			23	1.10 (0.65 - 1.54)
	子宮体部	C54			19	0.86 (0.48 - 1.25)
	前立腺	C61	178	1.15 (0.98 - 1.32)		
広島中央	全部位	C00-C97	726	0.96 (0.89 - 1.03)	518	0.97 (0.88 - 1.05)
	胃	C16	143	1.01 (0.84 - 1.17)	72	1.03 (0.79 - 1.27)
	結腸	C18	74	1.07 (0.83 - 1.32)	66	1.02 (0.77 - 1.26)
	直腸	C19-C20	54	1.20 (0.88 - 1.52)	41	1.46 (1.02 - 1.91)
	大腸(結腸・直腸)	C18-C20	128	1.12 (0.93 - 1.32)	107	1.16 (0.94 - 1.38)
	肝および肝内胆管	C22	66	0.92 (0.70 - 1.14)	32	0.94 (0.62 - 1.27)
	肺	C33-C34	100	0.94 (0.76 - 1.13)	47	1.00 (0.71 - 1.29)
	乳房	C50			91	1.00 (0.79 - 1.21)
	子宮	C53-C55			29	0.91 (0.58 - 1.24)
	子宮頸部	C53			14	0.93 (0.44 - 1.42)
	子宮体部	C54			13	0.87 (0.40 - 1.34)
	前立腺	C61	70	0.74 (0.57 - 0.92)		
尾三	全部位	C00-C97	1161	0.95 (0.90 - 1.01)	789	0.93 (0.87 - 1.00)
	胃	C16	200	0.87 (0.75 - 0.99)	101	0.89 (0.71 - 1.06)
	結腸	C18	89	0.80 (0.64 - 0.97)	105	1.00 (0.81 - 1.19)
	直腸	C19-C20	70	0.99 (0.75 - 1.22)	36	0.80 (0.54 - 1.06)
	大腸(結腸・直腸)	C18-C20	159	0.88 (0.74 - 1.01)	141	0.94 (0.78 - 1.10)
	肝および肝内胆管	C22	126	1.08 (0.89 - 1.26)	61	1.03 (0.77 - 1.29)
	肺	C33-C34	180	1.03 (0.88 - 1.18)	65	0.83 (0.63 - 1.04)
	乳房	C50			129	0.96 (0.80 - 1.13)
	子宮	C53-C55			51	1.11 (0.80 - 1.41)
	子宮頸部	C53			17	0.85 (0.45 - 1.25)
	子宮体部	C54			29	1.32 (0.84 - 1.80)
	前立腺	C61	172	1.09 (0.93 - 1.25)		
福山・府中	全部位	C00-C97	1483	0.78 (0.74 - 0.82)	1123	0.84 (0.80 - 0.89)
	胃	C16	286	0.79 (0.70 - 0.89)	156	0.90 (0.76 - 1.04)
	結腸	C18	136	0.79 (0.65 - 0.92)	147	0.92 (0.78 - 1.07)
	直腸	C19-C20	79	0.69 (0.54 - 0.85)	64	0.93 (0.70 - 1.15)
	大腸(結腸・直腸)	C18-C20	215	0.75 (0.65 - 0.85)	211	0.93 (0.80 - 1.05)
	肝および肝内胆管	C22	199	1.08 (0.93 - 1.23)	81	0.93 (0.73 - 1.13)
	肺	C33-C34	291	1.09 (0.96 - 1.22)	92	0.79 (0.63 - 0.95)
	乳房	C50			180	0.79 (0.67 - 0.90)
	子宮	C53-C55			62	0.77 (0.57 - 0.96)
	子宮頸部	C53			33	0.89 (0.59 - 1.20)
	子宮体部	C54			23	0.59 (0.35 - 0.83)
	前立腺	C61	85	0.36 (0.28 - 0.43)		
備北	全部位	C00-C97	528	1.02 (0.94 - 1.11)	354	0.98 (0.88 - 1.09)
	胃	C16	97	1.00 (0.80 - 1.20)	65	1.30 (0.98 - 1.62)
	結腸	C18	36	0.78 (0.53 - 1.04)	39	0.85 (0.58 - 1.11)
	直腸	C19-C20	29	1.00 (0.64 - 1.36)	14	0.74 (0.35 - 1.12)
	大腸(結腸・直腸)	C18-C20	65	0.87 (0.66 - 1.08)	53	0.82 (0.60 - 1.03)
	肝および肝内胆管	C22	52	1.08 (0.79 - 1.38)	25	0.96 (0.58 - 1.34)
	肺	C33-C34	55	0.72 (0.53 - 0.91)	28	0.82 (0.52 - 1.13)
	乳房	C50			50	0.96 (0.70 - 1.23)
	子宮	C53-C55			27	1.50 (0.93 - 2.07)
	子宮頸部	C53			10	1.25 (0.48 - 2.02)
	子宮体部	C54			14	1.75 (0.83 - 2.67)
	前立腺	C61	109	1.60 (1.30 - 1.90)		

付表5. 市区町村別罹患数； 部位別、性別
A. 上皮内がんを除く

2006年

市区町村	全部位 C00-C96		胃 C16		大腸直腸・輸胆 C18-C20		結腸 C18		膵臓 C19-C20		肝臓 C22		肺 C33-C34		乳房 C50		子宮 C53-C55		子宮頸部 C53		子宮体部 C54		前立腺 C61										
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女									
広島県	10,475	7,377	17,852	1,984	964	2,949	1,581	1,397	2,848	953	885	1,539	628	382	1,010	1,007	483	1,400	1,471	651	2,122	7	1,200	1,270	481	206	14	216	12	216	1,319	54	
中区	465	370	835	71	36	113	72	56	128	43	39	82	29	17	46	45	30	75	65	35	100	0	56	55	26	14	0	12	0	0	0	0	
東区	377	297	674	58	36	62	43	105	42	28	70	20	15	35	30	18	48	50	32	82	0	60	60	27	12	60	60	14	27	14	60	60	
南区	503	366	869	96	45	141	82	57	139	45	37	82	37	20	57	48	30	78	47	31	76	1	62	63	21	11	60	9	9	21	11	73	73
西区	616	445	1,061	121	56	177	94	70	164	60	51	111	34	19	53	58	25	83	70	30	100	0	103	103	22	8	14	14	14	14	75	75	
安佐南区	637	432	1,069	114	57	171	101	73	174	62	51	113	39	22	61	47	21	68	84	44	128	1	76	77	30	16	16	12	12	100	100	100	100
安佐北区	563	394	957	91	44	135	89	64	153	53	50	103	36	14	50	36	16	52	83	38	121	0	63	63	30	11	11	19	19	72	72	72	72
安芸区	240	170	410	59	19	78	38	20	58	22	16	38	16	4	20	23	8	31	28	17	46	0	33	33	13	5	5	5	5	21	21	21	21
佐伯区	405	316	721	69	30	99	58	70	128	34	50	84	24	20	44	32	17	49	60	20	80	0	62	62	16	8	8	8	8	51	51	51	51
島市	1,275	793	2,068	283	121	404	199	130	329	124	86	210	75	44	119	124	51	175	166	72	238	0	136	136	36	21	14	14	14	157	157	157	157
竹原市	146	96	242	35	16	51	20	29	49	11	19	30	9	10	19	12	4	16	17	9	26	0	10	10	4	2	1	1	1	21	21	21	21
三原市	397	269	666	81	34	115	59	51	110	35	34	69	24	17	41	41	18	59	57	23	80	0	57	57	19	9	8	8	8	38	38	38	38
尾道市	687	480	1,167	111	63	174	90	84	174	47	67	114	43	17	60	82	38	120	111	39	150	0	68	68	30	7	20	20	113	113	113	113	113
因島市	3	1	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
福山市	1,272	947	2,219	250	134	384	182	182	364	113	126	239	69	56	125	174	64	238	251	77	328	0	167	167	54	30	19	19	63	63	63	63	63
府中市	154	118	272	27	12	39	25	20	45	18	16	34	7	4	11	17	10	27	31	7	38	1	13	14	6	3	3	3	15	15	15	15	15
三次市	297	195	492	51	33	84	41	30	71	22	20	42	19	10	29	31	17	48	33	14	47	0	28	28	10	3	7	7	7	58	58	58	58
庄原市	231	159	390	46	32	78	24	23	47	14	19	33	10	4	14	21	8	29	22	14	36	0	22	22	17	7	7	7	51	51	51	51	51
大竹市	116	88	204	21	10	31	19	13	32	11	10	21	8	3	11	11	6	17	18	9	27	0	14	14	4	3	1	1	9	9	9	9	9
東広島市	530	384	914	96	51	147	102	73	175	58	43	101	44	30	74	46	25	71	76	34	110	0	73	73	23	12	10	10	43	43	43	43	43
廿日市市	472	322	794	96	42	138	81	54	105	50	38	86	31	18	49	36	20	56	57	32	89	1	48	49	20	8	12	12	60	60	60	60	60
安芸高田市	189	122	311	30	16	46	21	21	42	14	14	28	7	7	14	12	10	22	23	9	32	0	26	26	8	4	4	4	41	41	41	41	41
江田島市	183	132	315	45	17	62	28	24	52	21	15	36	7	9	16	13	12	25	23	11	34	2	16	18	8	2	5	5	21	21	21	21	21
府中市	172	94	266	31	10	41	21	22	43	10	17	27	11	5	16	17	4	21	23	9	32	1	15	16	4	1	1	1	25	25	25	25	25
海田町	71	57	128	14	6	20	10	10	20	6	6	12	4	4	8	6	6	12	8	7	15	0	8	8	5	2	3	3	10	10	10	10	10
坂町	90	65	155	17	12	29	10	7	17	5	6	11	5	1	6	12	3	15	11	8	19	0	16	16	2	2	0	0	10	10	10	10	10
安芸太田町	60	27	87	11	3	14	8	4	12	3	3	6	5	1	6	3	1	4	8	5	13	0	1	1	2	0	0	0	5	5	5	5	5
北広島町	102	64	166	17	6	23	14	11	25	8	9	17	6	2	8	5	3	8	12	9	21	0	9	9	2	0	2	2	22	22	22	22	22
瀬戸田町	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
大崎上島町	50	38	88	12	5	17	6	5	11	5	4	9	1	1	2	8	3	11	7	4	11	0	8	8	2	0	0	2	6	6	6	6	6
世羅町	78	38	112	8	3	11	10	6	16	7	4	11	3	2	5	3	5	8	11	3	14	0	4	4	2	1	1	1	21	21	21	21	21
神辺町	15	6	21	2	0	2	3	1	4	2	1	3	1	0	1	4	1	5	3	2	5	0	0	0	0	0	0	0	0	0	0	0	0
神石高原町	42	52	94	7	10	17	5	8	13	3	4	7	2	4	6	4	6	10	6	6	12	0	0	0	2	0	1	1	7	7	7	7	7
県内市区町村不詳	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

付表5. 市区町村別罹患数； 部位別、性別

B. 上皮内がんを含む

2006年

市区町村	全部位		大腸(結腸・直腸)				結腸				直腸				肺				乳房		子宮		子宮頸部					
	男	女	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女			
	C00-C96 D01-D09	C00-C96 D01-D09	C18-C20 D010-D012 *1	C18 D010 *1	C18 D010 *1	C19-C20 D011-D012 *1	C19-C20 D011-D012 *1	C19-C20 D011-D012 *1	C33-C34 D021-D022	C33-C34 D021-D022	C50 D05	C50 D05	C53-C55 D06	C53-C55 D06	C53 D06	C53 D06												
広島県	11,116	8,084	19,200	2,065	1,519	3,584	1,305	1,072	2,377	760	447	1,207	1,473	651	2,124	8	1,369	1,377	696	451								
中区	502	412	914	114	73	187	72	51	123	42	22	64	65	35	100	0	57	57	42	28								
東区	396	333	729	75	51	126	51	34	85	24	17	41	50	32	82	0	66	66	45	30								
南区	539	404	943	104	65	169	60	42	102	44	23	67	48	31	79	1	69	70	39	29								
西区	671	504	1,175	132	95	227	91	71	162	41	24	65	70	30	100	0	111	111	40	26								
安佐南区	705	506	1,211	154	98	252	106	70	176	48	28	76	84	44	128	1	87	88	59	45								
安佐北区	639	446	1,085	148	91	239	94	66	160	54	25	79	83	38	121	0	68	68	45	26								
安芸区	257	188	445	50	26	76	31	20	51	19	6	25	28	17	45	0	36	36	18	12								
佐伯区	444	350	794	87	79	166	58	58	116	29	21	50	61	20	81	0	69	69	29	21								
呉市	1,338	863	2,201	257	170	427	168	115	283	89	55	144	166	72	238	0	140	140	51	36								
竹原市	158	101	259	31	31	62	16	21	37	15	10	25	17	9	26	0	10	10	7	5								
三原市	418	295	713	76	64	140	45	46	91	31	18	49	57	23	80	0	63	63	21	11								
尾道市	706	513	1,219	104	92	196	56	71	127	48	21	69	111	39	150	0	70	70	48	25								
因島市	3	1	4	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0								
福山市	1,292	1,010	2,302	189	189	378	118	131	249	71	58	129	251	77	328	1	182	183	87	63								
府中市	158	122	280	29	23	52	21	18	39	8	5	13	31	7	38	1	14	15	6	3								
三次市	312	214	526	49	37	86	29	23	52	20	14	34	33	14	47	0	31	31	18	11								
庄原市	246	168	414	37	27	64	23	21	44	14	6	20	22	14	36	0	22	22	20	10								
大竹市	123	95	218	25	15	40	13	12	25	12	3	15	18	9	27	0	16	16	6	5								
東広島市	552	404	956	118	80	198	71	50	121	47	30	77	76	34	110	0	79	79	28	17								
廿日市市	501	357	858	104	67	171	64	47	111	40	20	60	57	32	89	1	54	55	29	17								
安芸高田市	203	139	342	28	27	55	18	18	36	10	9	19	23	9	32	0	29	29	13	9								
江田島市	194	139	333	37	28	65	29	18	47	8	10	18	23	11	34	2	17	19	9	3								
府中町	183	101	284	31	24	55	17	19	36	14	5	19	23	9	32	1	15	16	6	3								
海田町	72	62	134	11	12	23	6	8	14	5	4	9	8	7	15	0	10	10	6	3								
熊野町	95	73	168	13	8	21	7	7	14	6	1	7	11	8	19	0	19	19	4	4								
坂町	50	45	95	7	7	14	5	5	10	2	2	4	9	1	10	0	11	11	7	4								
安芸太田町	63	30	93	8	6	14	3	5	8	5	1	6	8	5	13	0	1	1	2	1								
北広島町	111	68	179	21	12	33	14	10	24	7	2	9	12	9	21	0	10	10	2	0								
瀬戸田町	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0								
大崎上島町	50	39	89	6	6	12	5	5	10	1	1	2	7	4	11	0	8	8	2	0								
世羅町	74	40	114	10	7	17	7	5	12	3	2	5	11	3	14	0	5	5	2	1								
神辺町	15	6	21	3	1	4	2	1	3	1	0	1	3	2	5	0	0	0	0	0								
神石高原町	45	55	100	7	8	15	5	4	9	2	4	6	6	6	12	0	0	0	5	3								
県内市区町村不定	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0								

*1 粘膜炎を含む