

V 付 表

平成 19年(2007)

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)および累積罹患率(人口100対) ; 部位別、性別
 A. 上皮内がんを除く

2007年

部位	罹患数						罹患割合(%)						粗罹患率						年齢調整罹患率						世界人口						累積罹患率(0-74歳)											
	ICD-10			部位			男			女			男女計			男			女			男女計			男			女			男女計			男			女			男女計		
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計						
全部位	10,876	7,910	18,786	100.0	100.0	100.0	100.0	100.0	100.0	786.1	534.1	655.8	470.9	302.4	374.1	332.6	224.3	270.9	39.4	24.6	31.4	9.1	2.5	5.7	1.1	0.2	0.7	1.1	0.2	0.7	1.1	0.2	0.7	1.1	0.2	0.7						
口腔・咽頭	258	105	363	2.4	1.3	1.9	18.6	7.1	12.7	12.2	3.5	7.6	12.2	3.5	7.6	9.1	2.5	5.7	1.1	0.2	0.7	12.2	3.5	7.6	12.2	3.5	7.6	9.1	2.5	5.7	1.1	0.2	0.7	12.2	3.5	7.6	1.1	0.2	0.7			
食道	384	65	449	3.5	0.8	2.4	27.8	4.4	15.7	16.8	1.9	8.7	16.8	1.9	8.7	12.2	1.2	6.3	1.6	0.2	0.9	16.8	1.9	8.7	16.8	1.9	8.7	12.2	1.2	6.3	1.6	0.2	0.9	16.8	1.9	8.7	1.6	0.2	0.9			
胃	2,153	1,006	3,159	19.8	12.7	16.8	155.6	67.9	110.3	93.6	31.9	59.9	93.6	31.9	59.9	66.1	22.4	42.5	8.0	2.4	5.1	93.6	31.9	59.9	93.6	31.9	59.9	66.1	22.4	42.5	8.0	2.4	5.1	93.6	31.9	59.9	8.0	2.4	5.1			
大腸(結腸・直腸)	1,537	1,243	2,780	14.1	15.7	14.8	111.1	83.9	97.0	67.1	41.2	52.9	67.1	41.2	52.9	47.5	29.4	37.7	5.8	3.4	4.5	67.1	41.2	52.9	67.1	41.2	52.9	47.5	29.4	37.7	5.8	3.4	4.5	67.1	41.2	52.9	5.8	3.4	4.5			
結腸	904	876	1,780	8.3	11.1	9.5	65.3	59.2	62.1	38.0	27.5	32.1	38.0	27.5	32.1	26.4	19.3	22.5	3.2	2.2	2.7	38.0	27.5	32.1	38.0	27.5	32.1	26.4	19.3	22.5	3.2	2.2	2.7	38.0	27.5	32.1	3.2	2.2	2.7			
直腸	633	367	1,000	5.8	4.6	5.3	45.8	24.8	34.9	29.1	13.6	20.8	29.1	13.6	20.8	21.2	10.1	15.2	2.6	1.2	1.8	29.1	13.6	20.8	29.1	13.6	20.8	21.2	10.1	15.2	2.6	1.2	1.8	29.1	13.6	20.8	2.6	1.2	1.8			
肝および肝内胆管	1,030	493	1,523	9.5	6.2	8.1	74.4	33.3	53.2	45.5	14.6	28.9	45.5	14.6	28.9	32.3	9.8	20.4	4.0	1.2	2.6	45.5	14.6	28.9	45.5	14.6	28.9	32.3	9.8	20.4	4.0	1.2	2.6	45.5	14.6	28.9	4.0	1.2	2.6			
胆のう・胆管	223	239	462	2.1	3.0	2.5	16.1	16.1	16.1	9.1	5.9	7.4	9.1	5.9	7.4	6.1	3.9	5.0	0.7	0.4	0.5	9.1	5.9	7.4	9.1	5.9	7.4	6.1	3.9	5.0	0.7	0.4	0.5	9.1	5.9	7.4	0.7	0.4	0.5			
膵臓	351	332	683	3.2	4.2	3.6	25.4	22.4	23.8	14.9	10.0	12.2	14.9	10.0	12.2	10.4	7.0	8.6	1.2	0.8	1.0	14.9	10.0	12.2	14.9	10.0	12.2	10.4	7.0	8.6	1.2	0.8	1.0	14.9	10.0	12.2	1.2	0.8	1.0			
喉頭	107	8	115	1.0	0.1	0.6	7.7	0.5	4.0	4.7	0.3	2.3	4.7	0.3	2.3	3.4	0.2	1.7	0.4	0.0	0.2	4.7	0.3	2.3	4.7	0.3	2.3	3.4	0.2	1.7	0.4	0.0	0.2	4.7	0.3	2.3	0.4	0.0	0.2			
肺	1,647	773	2,420	15.1	9.8	12.9	119.0	52.2	84.5	67.7	25.3	43.6	67.7	25.3	43.6	45.8	17.9	30.2	5.1	2.2	3.6	67.7	25.3	43.6	67.7	25.3	43.6	45.8	17.9	30.2	5.1	2.2	3.6	67.7	25.3	43.6	5.1	2.2	3.6			
皮膚	184	160	344	1.7	2.0	1.8	13.3	10.8	12.0	7.4	4.4	5.6	7.4	4.4	5.6	5.0	3.1	3.9	0.5	0.3	0.4	7.4	4.4	5.6	7.4	4.4	5.6	5.0	3.1	3.9	0.5	0.3	0.4	7.4	4.4	5.6	0.5	0.3	0.4			
乳房	7	1,448	1,455	0.1	18.3	7.7	0.5	97.8	50.8	0.3	73.2	38.0	0.3	73.2	38.0	0.2	56.3	29.1	0.0	6.2	3.2	0.3	73.2	38.0	38.0	0.3	73.2	38.0	0.2	56.3	29.1	0.0	6.2	3.2	0.3	73.2	38.0	38.0	0.0	6.2	3.2	
子宮	-	496	496	-	6.3	2.6	-	33.5	-	-	27.2	-	-	27.2	-	-	21.2	-	-	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
子宮頸部	-	221	221	-	2.8	1.2	-	14.9	-	-	13.3	-	-	13.3	-	-	10.4	-	-	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
子宮体部	-	260	260	-	3.3	1.4	-	17.6	-	-	13.6	-	-	13.6	-	-	10.5	-	-	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
卵巣	-	192	192	-	2.4	1.0	-	13.0	-	-	10.4	-	-	10.4	-	-	8.3	-	-	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
前立腺	1,320	-	1,320	12.1	-	7.0	95.4	-	-	52.7	-	-	52.7	-	-	35.5	-	-	4.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
膀胱	398	128	526	3.7	1.6	2.8	28.8	8.6	18.4	16.4	3.3	9.1	16.4	3.3	9.1	11.3	2.1	6.2	1.3	0.2	0.7	16.4	3.3	9.1	16.4	3.3	9.1	11.3	2.1	6.2	1.3	0.2	0.7	16.4	3.3	9.1	1.3	0.2	0.7			
腎・尿路(膀胱除く)	323	167	490	3.0	2.1	2.6	23.3	11.3	17.1	15.2	5.8	10.2	15.2	5.8	10.2	11.0	4.3	7.4	1.3	0.5	0.9	15.2	5.8	10.2	15.2	5.8	10.2	11.0	4.3	7.4	1.3	0.5	0.9	15.2	5.8	10.2	1.3	0.5	0.9			
脳・中枢神経系	59	40	99	0.5	0.5	0.5	4.3	2.7	3.5	3.4	2.1	2.7	3.4	2.1	2.7	2.7	2.1	2.4	0.2	0.2	0.2	3.4	2.1	2.7	3.4	2.1	2.7	2.7	2.1	2.4	0.2	0.2	0.2	3.4	2.1	2.7	0.2	0.2	0.2			
甲状腺	98	388	486	0.9	4.9	2.6	7.1	26.2	17.0	5.2	18.8	12.2	5.2	18.8	12.2	4.0	14.4	9.3	0.4	1.6	1.0	5.2	18.8	12.2	12.2	5.2	18.8	12.2	4.0	14.4	9.3	0.4	1.6	1.0	5.2	18.8	12.2	0.4	1.6	1.0		
悪性リンパ腫	326	267	593	3.0	3.4	3.2	23.6	18.0	20.7	15.5	9.7	12.4	15.5	9.7	12.4	11.5	7.2	9.2	1.2	0.8	1.0	15.5	9.7	12.4	15.5	9.7	12.4	11.5	7.2	9.2	1.2	0.8	1.0	15.5	9.7	12.4	1.2	0.8	1.0			
多発性骨髄腫	54	62	116	0.5	0.8	0.6	3.9	4.2	4.0	2.2	1.8	1.9	2.2	1.8	1.9	1.5	1.1	1.3	0.2	0.1	0.1	2.2	1.8	1.9	2.2	1.8	1.9	1.5	1.1	1.3	0.2	0.1	0.1	2.2	1.8	1.9	0.2	0.1	0.1			
白血病	128	72	200	1.2	0.9	1.1	9.3	4.9	7.0	6.6	3.6	4.9	6.6	3.6	4.9	5.5	3.6	4.4	0.5	0.3	0.4	6.6	3.6	4.9	6.6	3.6	4.9	5.5	3.6	4.4	0.5	0.3	0.4	6.6	3.6	4.9	0.5	0.3	0.4			

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)および累積罹患率(人口100対) ; 部位別、性別
 B. 上皮内がんを含む

2007年

部位	罹患数		罹患割合(%)				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
	ICD-10		男		女		男		女		男		女		男		女	
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	11,854	8,876	20,730	100.0	100.0	100.0	100.0	100.0	723.7	514.2	353.9	420.6	363.5	265.1	306.1	43.2	28.5	35.3
食道	414	68	482	3.5	0.8	2.3	29.9	4.6	16.8	18.1	2.0	9.5	13.2	1.4	6.9	1.8	0.2	0.9
大腸(結腸・直腸)*1	2,143	1,578	3,721	18.1	17.8	17.9	154.9	106.6	129.9	94.8	54.4	72.8	67.5	39.1	52.2	8.4	4.6	6.4
結腸*1	1,360	1,128	2,488	11.5	12.7	12.0	98.3	76.2	86.9	58.6	37.6	47.1	41.1	26.8	33.3	5.1	3.2	4.1
直腸*1	783	450	1,233	6.6	5.1	5.9	56.6	30.4	43.0	36.2	16.8	25.8	26.3	12.3	18.9	3.2	1.4	2.3
肺	1,647	773	2,420	13.9	8.7	11.7	119.0	52.2	84.5	67.7	25.3	43.6	45.8	17.9	30.2	5.1	2.2	3.6
皮膚	222	213	435	1.9	2.4	2.1	16.0	14.4	15.2	8.9	5.9	7.1	6.0	4.1	4.9	0.6	0.4	0.5
乳房	7	1,616	1,623	0.1	18.2	7.8	0.5	109.1	56.7	0.3	82.3	42.7	0.2	63.4	32.7	0.0	7.0	3.6
子宮	-	825	825	-	9.3	4.0	-	55.7	-	-	52.2	-	-	42.3	-	-	3.9	-
子宮頸部	-	550	550	-	6.2	2.7	-	37.1	-	-	38.2	-	-	31.6	-	-	2.7	-
膀胱	647	184	831	5.5	2.1	4.0	46.8	12.4	29.0	26.8	5.0	14.7	18.5	3.3	10.1	2.1	0.3	1.2

*1 粘膜がんを含む

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

B. 上皮内がんを含む

2007年

性別	部位	10D-10																																					
		0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上																				
男	全部位	6	100.0	8	100.0	7	100.0	9	100.0	9	100.0	9	100.0	25	100.0	47	100.0	74	100.0	121	100.0	241	100.0	475	100.0	1,419	100.0	1,697	100.0	2,122	100.0	2,084	100.0	1,402	100.0	987	100.0		
	食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.7	4	1.7	18	3.8	49	4.4	71	5.0	79	4.7	86	4.1	56	2.7	26	1.9	23	2.3
	大腸(結腸・直腸)*1	0	0.0	0	0.0	0	0.0	0	0.0	1	11.1	2	8.0	2	4.3	8	10.8	32	26.4	45	18.7	104	21.9	275	24.5	274	19.3	326	19.2	380	17.9	337	16.2	221	15.8	136	13.8		
	結腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.3	2	2.7	14	11.6	22	9.1	49	10.3	169	15.1	161	11.3	246	11.6	230	11.0	154	11.0	93	9.4	4	4.4		
	直腸*1	0	0.0	0	0.0	0	0.0	0	0.0	1	11.1	1	4.0	0	0.0	6	8.1	18	14.9	23	9.5	55	11.6	106	9.5	113	8.0	209	6.4	134	6.3	107	5.1	67	4.8	43	4.4		
	肺	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.3	11	14.9	12	9.9	17	7.1	59	12.4	114	10.2	155	10.9	225	13.3	272	12.8	331	15.9	265	18.9	184	18.6		
	皮膚	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	6.4	1	1.4	4	3.3	3	1.2	2	0.4	15	1.3	14	1.0	24	1.4	40	1.9	38	1.8	38	2.7	40	4.1		
	乳房	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	1	0.1	1	0.1	0	0.0	2	0.1	1	0.1	0	0.0	0	0.0
	膀胱	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.0	0	0.0	4	3.3	14	5.8	17	3.6	62	5.5	65	4.6	86	5.1	112	5.3	132	6.3	73	3.6	73	5.2	81	8.2		
	女	全部位	13	100.0	6	100.0	4	100.0	8	100.0	18	100.0	78	100.0	149	100.0	246	100.0	396	100.0	501	100.0	863	100.0	865	100.0	867	100.0	1,099	100.0	1,208	100.0	1,034	100.0	1,034	100.0	1,235	100.0	
	食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	8	0.9	3	0.3	15	1.4	11	0.9	14	1.4	10	0.8
	大腸(結腸・直腸)*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	5.1	1	0.7	12	4.9	26	8.8	34	8.6	72	14.4	158	13.3	157	13.3	188	21.7	225	20.5	225	18.6	221	21.4	285	20.7	255	20.7
	結腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	1	0.7	8	3.3	15	5.1	19	4.8	44	8.8	108	12.5	105	12.3	134	15.5	164	13.6	164	13.6	173	16.7	189	15.3	189	15.3
	直腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0	4	1.6	11	3.7	15	3.8	28	5.6	50	5.8	52	6.1	54	6.2	60	5.5	61	5.1	48	4.6	66	5.3	66	5.3
肺	0	0.0	0	0.0	0	0.0	1	12.5	0	0.0	1	0.7	3	1.2	4	1.4	22	5.6	19	3.8	66	7.6	70	8.2	85	9.8	144	13.1	128	10.6	99	9.6	131	10.6	131	10.6	131	10.6	
皮膚	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	1	0.7	1	0.4	0	0.0	5	1.3	4	0.8	11	1.3	8	0.9	18	2.1	26	2.4	41	3.4	26	2.5	70	5.7	70	5.7	
乳房	0	0.0	0	0.0	0	0.0	0	0.0	2	11.1	4	5.1	25	16.8	59	24.0	108	38.6	173	43.7	173	34.5	231	26.8	220	25.7	161	18.6	168	15.3	130	10.8	100	9.7	62	5.0	62	5.0	
子宮	0	0.0	0	0.0	0	0.0	2	25.0	11	61.1	53	67.9	82	55.0	116	47.2	89	30.2	72	18.2	73	14.6	78	9.0	69	8.1	48	5.5	47	4.3	40	3.3	28	2.7	17	1.4	17	1.4	
子宮頸部	0	0.0	0	0.0	0	0.0	2	25.0	11	61.1	52	66.7	76	51.0	108	43.9	76	25.8	52	13.1	32	6.4	32	3.7	26	3.0	16	1.8	26	2.4	14	1.2	17	1.6	10	0.8	10	0.8	
膀胱	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	3	0.6	11	1.3	11	1.3	15	1.7	23	2.1	45	3.7	36	3.5	39	3.2	39	3.2	
男女計全部位		19	100.0	14	100.0	11	100.0	17	100.0	27	100.0	103	100.0	196	100.0	320	100.0	416	100.0	637	100.0	976	100.0	1,384	100.0	2,275	100.0	2,564	100.0	3,221	100.0	3,292	100.0	2,436	100.0	2,222	100.0	2,222	100.0
食道		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	2	0.5	4	0.6	18	1.8	55	2.8	79	3.5	82	3.2	101	3.1	67	2.0	40	1.6	33	1.5		
大腸(結腸・直腸)*1		0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	6	5.8	3	1.5	20	6.3	58	13.9	79	12.4	176	18.0	433	21.8	431	18.9	514	20.0	605	18.8	562	17.1	442	18.1	391	17.6	391	17.6
結腸*1		0	0.0	0	0.0	0	0.0	0	0.0	4	3.9	3	1.5	10	3.1	29	7.0	41	6.4	93	9.5	277	14.0	266	11.7	351	13.7	411	12.8	394	12.0	327	13.4	282	12.7	282	12.7		
直腸*1		0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	2	1.9	0	0.0	10	3.1	29	7.0	38	6.0	83	8.5	156	7.9	165	7.3	163	6.4	194	6.0	168	5.1	115	4.7	109	4.9	109	4.9
肺		0	0.0	0	0.0	0	0.0	1	5.9	0	0.0	0	0.0	3	1.5	14	4.4	16	3.8	39	6.1	78	8.0	180	9.1	225	9.9	310	12.1	416	12.9	459	13.9	364	14.9	315	14.2	315	14.2
皮膚		0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	4	3.9	25	12.8	59	18.4	108	26.0	173	27.2	174	17.8	232	11.7	221	9.7	161	6.3	170	5.3	131	4.0	101	4.2	62	2.8	62	2.8
乳房		0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	4	3.9	25	12.8	59	18.4	108	26.0	173	27.2	174	17.8	232	11.7	221	9.7	161	6.3	170	5.3	131	4.0	101	4.2	62	2.8	62	2.8
子宮		0	0.0	0	0.0	0	0.0	2	11.8	11	40.7	53	51.5	82	41.8	116	36.3	89	21.4	72	11.3	73	7.5	78	3.9	69	3.0	48	1.9	47	1.5	40	1.2	28	1.2	17	0.8	17	0.8
子宮頸部		0	0.0	0	0.0	0	0.0	2	11.8	11	40.7	52	50.5	76	38.8	108	33.8	76	18.3	52	8.2	32	3.3	32	1.6	26	1.1	16	0.6	26	0.8	14	0.4	17	0.7	10	0.5	10	0.5
膀胱		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	0	0.0	4	1.0	15	2.4	20	2.0	73	3.7	76	3.3	101	3.9	135	4.2	177	5.4	109	4.5	120	5.4	120	5.4		

*1 粘膜炎を含む

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

B. 上皮内がんを含む

性別	部位	I CD-10																	2007年	
		0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳		85歳以上
男	全部位	9.5	11.5	9.9	12.5	11.4	30.3	45.1	72.7	141.5	288.5	534.8	956.9	1,442.7	2,048.5	3,027.1	3,799.1	3,997.5	4,049.2	
	食道	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	4.8	20.3	41.8	72.2	95.4	122.7	102.1	74.1	94.4	
	大腸（結腸・直腸）*1	0.0	0.0	0.0	0.0	1.3	2.4	1.9	7.9	37.4	53.9	117.1	234.7	278.6	393.5	542.1	614.3	630.1	557.9	
	結腸 *1	0.0	0.0	0.0	0.0	0.0	1.2	1.9	2.0	16.4	26.3	55.2	144.3	163.7	261.9	350.9	419.3	439.1	381.5	
	直腸 *1	0.0	0.0	0.0	0.0	1.3	1.2	0.0	5.9	21.1	27.5	61.9	90.5	114.9	131.6	191.2	195.1	191.0	176.4	
	肺	0.0	0.0	0.0	0.0	0.0	0.0	1.9	10.8	14.0	20.3	66.4	97.3	157.6	271.6	388.0	603.4	755.6	754.9	
	皮膚	0.0	0.0	0.0	0.0	0.0	0.0	2.9	1.0	4.7	3.6	2.3	12.8	14.2	29.0	57.1	69.3	108.3	164.1	
	乳房	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.9	1.0	0.0	2.9	1.8	2.9	0.0	
	膀胱	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	4.7	16.8	19.1	52.9	66.1	103.8	159.8	240.6	208.1	332.3	
	女	全部位	21.6	9.2	6.0	11.7	24.0	95.9	144.1	238.4	339.9	466.6	559.3	718.2	833.3	950.2	1,290.6	1,615.8	1,754.5	1,960.3
		食道	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	5.0	7.8	3.3	17.6	14.7	23.8
		大腸（結腸・直腸）*1	0.0	0.0	0.0	0.0	0.0	4.9	1.0	11.6	30.0	40.1	80.4	131.5	152.8	206.0	284.2	301.0	375.0	404.8
		結腸 *1	0.0	0.0	0.0	0.0	0.0	3.7	1.0	7.8	17.3	22.4	49.1	89.9	102.2	146.9	193.8	219.4	293.5	300.0
直腸 *1		0.0	0.0	0.0	0.0	0.0	1.2	0.0	3.9	12.7	17.7	31.3	41.6	50.6	59.2	70.5	81.6	81.4	104.8	
肺		0.0	0.0	0.0	1.5	0.0	0.0	1.0	2.9	4.6	25.9	21.2	54.9	68.1	93.2	169.1	171.2	168.0	207.9	
皮膚		0.0	0.0	0.0	0.0	0.0	2.5	1.0	1.0	0.0	5.9	4.5	9.2	7.8	19.7	30.5	54.8	44.1	111.1	
乳房		0.0	0.0	0.0	0.0	2.7	4.9	24.2	57.2	124.4	203.8	193.1	192.2	214.2	176.4	197.3	173.9	169.7	98.4	
子宮		0.0	0.0	0.0	2.9	14.7	65.2	79.3	112.4	102.6	84.8	81.5	64.9	67.2	52.6	55.2	53.5	47.5	27.0	
子宮頸部		0.0	0.0	0.0	2.9	14.7	63.9	73.5	104.7	87.6	61.3	35.7	26.6	25.3	17.5	30.5	18.7	28.8	15.9	
膀胱		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.3	9.2	10.7	16.4	27.0	60.2	61.1	61.9	
男女計		全部位	15.4	10.4	8.0	12.1	17.6	62.8	94.4	156.1	241.5	378.2	547.1	836.0	1,131.4	1,472.8	2,074.7	2,539.8	2,591.3	2,543.1
		食道	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.2	2.4	10.1	23.2	39.3	47.1	65.1	51.7	42.6	37.8
	大腸（結腸・直腸）*1	0.0	0.0	0.0	0.0	0.7	3.7	1.4	9.8	33.7	46.9	98.7	182.5	214.3	295.2	389.7	433.6	470.2	447.5	
	結腸 *1	0.0	0.0	0.0	0.0	0.0	2.4	1.4	4.9	16.8	24.3	52.1	116.7	132.3	201.6	284.7	304.0	347.8	322.7	
	直腸 *1	0.0	0.0	0.0	0.0	0.7	1.2	0.0	4.9	16.8	22.6	46.5	65.7	82.1	93.6	125.0	129.6	122.3	124.7	
	肺	0.0	0.0	0.0	0.7	0.0	0.0	1.4	6.8	9.3	23.2	43.7	75.8	111.9	178.1	288.0	354.1	387.2	360.5	
	皮膚	0.0	0.0	0.0	0.0	0.0	1.2	1.9	1.0	2.3	4.8	3.4	11.0	10.9	24.1	42.5	60.9	68.1	125.9	
	乳房	0.0	0.0	0.0	0.0	1.3	2.4	12.0	28.8	62.7	102.7	97.5	97.8	109.9	92.5	109.5	101.1	107.4	71.0	
	膀胱	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	2.3	8.9	11.2	30.8	37.8	58.0	87.0	136.6	115.9	137.3	

*1 粘膜がんを含む

表4. 発見経緯 (%) : 部位別
A. 上皮内がんを除く

国内D00を除く届出患者、男女計 2007年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	17,763	4.5	7.7	23.0	0.1	64.6
口腔・咽頭	C00-C14	356	0.0	0.6	14.9	0.0	84.6
食道	C15	426	0.5	10.8	22.3	0.2	66.2
胃	C16	3,041	6.8	11.2	21.6	0.0	60.4
大腸(結腸・直腸)	C18-C20	2,660	5.8	6.6	18.3	0.2	69.1
結腸	C18	1,682	6.5	7.1	20.8	0.2	65.3
直腸	C19-C20	978	4.7	5.6	14.0	0.1	75.6
肝および肝内胆管	C22	1,373	0.9	2.5	48.7	0.1	47.9
胆のう・胆管	C23-C24	417	0.0	3.4	27.8	0.0	68.8
膵臓	C25	602	0.0	2.7	30.7	0.2	66.4
喉頭	C32	113	0.0	0.0	9.7	0.0	90.3
肺	C33-C34	2,211	5.8	10.0	31.3	0.1	52.8
皮膚	C43-C44	340	0.0	0.0	9.1	0.0	90.9
乳房	C50	1,431	16.4	4.1	8.6	0.0	70.9
乳房(女性のみ)	C50	1,424	16.4	4.1	8.6	0.0	70.9
子宮	C53-C55	485	9.7	8.9	10.3	0.0	71.1
子宮頸部	C53	219	21.0	5.5	9.1	0.0	64.4
子宮体部	C54	259	0.4	12.0	11.2	0.0	76.4
卵巣	C56	180	0.0	5.6	12.8	0.0	81.7
前立腺	C61	1,282	0.8	15.5	21.2	0.4	62.1
膀胱	C67	497	0.0	2.4	17.9	0.0	79.7
腎・尿路(膀胱除く)	C64-C66 C68	461	0.0	12.8	32.1	0.0	55.1
脳・中枢神経系	C70-C72	96	0.0	2.1	14.6	0.0	83.3
甲状腺	C73	481	0.4	18.9	27.2	0.2	53.2
悪性リンパ腫	C81-C85 C96	558	0.5	3.6	19.5	0.2	76.2
多発性骨髄腫	C88-C90	99	0.0	4.0	29.3	0.0	66.7
白血病	C91-C95	186	0.0	2.7	19.4	0.0	78.0

表4. 発見経緯 (%) ; 部位別

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計 2007年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96 D00-D09	19,707	5.5	7.7	22.4	0.1	64.2
食道	C15 D001	459	0.4	11.5	22.9	0.2	64.9
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3,601	6.8	7.4	17.9	0.1	67.8
結腸 *1	C18 D010	2,390	7.7	8.1	20.1	0.2	64.0
直腸 *1	C19-C20 D011-D012	1,211	5.0	6.0	13.6	0.1	75.2
肺	C33-C34 D021-D022	2,211	5.8	10.0	31.3	0.1	52.8
皮膚	C43-C44 D030-D049	431	0.0	0.0	8.8	0.0	91.2
乳房	C50 D05	1,599	18.8	4.3	8.6	0.0	68.4
乳房 (女性のみ)	C50 D05	1,592	18.9	4.3	8.5	0.0	68.3
子宮	C53-C55 D06	814	21.7	8.0	10.8	0.0	59.5
子宮頸部	C53 D06	548	32.1	6.2	10.6	0.0	51.1
膀胱	C67 D090	802	0.0	3.7	20.9	0.0	75.3

*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別

A. 上皮内がんを除く 国内D00を除く届出患者、男女計 2007年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	17,763	42.9	9.6	14.8	15.9	16.9
口腔・咽頭	C00-C14	356	34.6	20.2	26.7	2.8	15.7
食道	C15	426	31.0	7.0	28.9	18.8	14.3
胃	C16	3,041	51.6	10.2	10.3	16.5	11.5
大腸 (結腸・直腸)	C18-C20	2,660	43.2	17.4	15.3	15.5	8.7
結腸	C18	1,682	43.5	15.9	15.6	17.1	7.8
直腸	C19-C20	978	42.5	19.9	14.8	12.6	10.1
肝および肝内胆管	C22	1,373	56.5	1.3	16.8	7.9	17.5
胆のう・胆管	C23-C24	417	13.9	2.9	44.1	25.7	13.4
膵臓	C25	602	5.8	4.5	30.6	46.5	12.6
喉頭	C32	113	61.1	10.6	15.0	0.0	13.3
肺	C33-C34	2,211	30.6	8.6	15.0	34.3	11.5
皮膚	C43-C44	340	62.6	1.5	3.8	0.6	31.5
乳房	C50	1,431	58.6	23.4	6.3	4.8	7.0
乳房 (女性のみ)	C50	1,424	58.7	23.4	6.2	4.8	7.0
子宮	C53-C55	485	54.0	5.6	21.6	8.9	9.9
子宮頸部	C53	219	46.6	6.8	23.7	10.5	12.3
子宮体部	C54	259	61.4	4.6	20.5	7.3	6.2
卵巣	C56	180	22.2	0.6	50.0	15.0	12.2
前立腺	C61	1,282	43.7	0.6	11.1	8.7	36.0
膀胱	C67	497	68.8	1.2	8.7	2.4	18.9
腎・尿路 (膀胱除く)	C64-C66 C68	461	59.4	2.2	16.3	12.4	9.8
脳・中枢神経系	C70-C72	96	49.0	0.0	4.2	1.0	45.8
甲状腺	C73	481	42.4	30.4	13.7	2.5	11.0
悪性リンパ腫	C81-C85 C96	558	20.6	0.9	7.7	30.5	40.3
多発性骨髄腫	C88-C90	99	5.1	0.0	0.0	2.0	92.9
白血病	C91-C95	186	0.0	0.0	0.0	0.5	99.5

表5. 臨床進行度分布 (%) ; 部位別
 B. 上皮内がんを含む

国内DC0を除く届出患者、男女計 2007年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96 D00-D09	19,707	9.9	38.6	8.6	13.3	14.3	15.3
食道	C15 D001	459	7.2	28.8	6.5	26.8	17.4	13.3
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3,601	26.1	31.9	12.9	11.3	11.4	6.4
結腸 *1	C18 D010	2,390	29.6	30.6	11.2	11.0	12.1	5.5
直腸 *1	C19-C20 D011-D012	1,211	19.2	34.4	16.1	12.0	10.2	8.2
肺	C33-C34 D021-D022	2,211	0.0	30.6	8.6	15.0	34.3	11.5
皮膚	C43-C44 D030-D049	431	20.9	49.4	1.2	3.0	0.5	25.1
乳房	C50 D05	1,599	10.5	52.4	21.0	5.6	4.3	6.3
乳房 (女性のみ)	C50 D05	1,592	10.6	52.5	20.9	5.5	4.3	6.2
子宮	C53-C55 D06	814	40.4	32.2	3.3	12.9	5.3	5.9
子宮頸部	C53 D06	548	60.0	18.6	2.7	9.5	4.2	4.9
膀胱	C67 D090	802	37.9	42.6	0.7	5.4	1.5	11.8

*1 粘膜がんを含む

表6. 受療割合 (%) ; 部位別 *1

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	外科・内視鏡的治療	放射線療法	化学・免疫・内分泌療法	特異療法なしまたは治療方法不明
全部位	000-096	17,763	53.4	10.1	34.5	24.9
口腔・咽頭	000-C14	356	44.7	55.6	51.4	16.3
食道	C15	426	40.8	43.2	48.4	18.3
胃	C16	3,041	68.5	0.8	22.1	22.0
大腸 (結腸・直腸)	C18-C20	2,660	77.0	1.5	26.8	20.1
結腸	C18	1,682	78.0	0.3	25.4	19.4
直腸	C19-C20	978	75.3	3.7	29.1	21.4
肝および肝内胆管	C22	1,373	19.3	2.5	38.4	27.4
胆のう・胆管	C23-C24	417	49.6	2.9	24.0	28.1
膵臓	C25	602	34.6	7.1	53.0	27.1
喉頭	C32	113	33.6	72.6	53.1	12.4
肺	C33-C34	2,211	37.1	16.2	38.0	26.1
皮膚	C43-C44	340	58.8	2.6	6.8	38.8
乳房	C50	1,431	80.6	28.0	60.7	13.3
乳房 (女性のみ)	C50	1,424	80.7	28.0	60.8	13.2
子宮	C53-C55	485	69.3	21.4	35.5	16.3
子宮頸部	C53	219	54.8	37.4	37.4	16.9
子宮体部	C54	259	83.0	8.5	34.7	13.9
卵巣	C56	180	71.1	2.2	66.1	17.2
前立腺	C61	1,282	22.5	7.3	32.5	46.1
膀胱	C67	497	73.2	3.6	18.5	25.6
腎・尿路 (膀胱除く)	C64-C66 C68	461	68.8	3.3	16.9	21.7
脳・中枢神経系	C70-C72	96	63.5	44.8	37.5	33.3
甲状腺	C73	481	77.3	1.0	23.5	21.4
悪性リンパ腫	C81-C85 C96	558	11.8	6.5	49.3	36.2
多発性骨髄腫	C88-C90	99	2.0	10.1	47.5	37.4
白血病	C91-C95	186	0.0	3.2	75.8	19.9

*1 重複を含むため合計は100%にならない

表6. 受療割合 (%) ; 部位別 *1

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96 D00-D09	19,707	54.7	9.4	31.8	25.7
食道	C15 D001	459	42.9	40.5	45.5	18.7
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,601	71.2	1.1	19.9	26.7
結腸 *2	C18 D010	2,390	71.5	0.2	18.0	26.6
直腸 *2	C19-C20 D011-D012	1,211	70.4	3.0	23.6	26.8
肺	C33-C34 D021-D022	2,211	37.1	16.2	38.0	26.1
皮膚	C43-C44 D030-D049	431	58.9	2.1	5.8	38.7
乳房	C50 D05	1,599	81.5	28.2	57.7	13.0
乳房 (女性のみ)	C50 D05	1,592	81.6	28.3	57.7	12.9
子宮	C53-C55 D06	814	74.2	12.9	21.5	16.7
子宮頸部	C53 D06	548	70.8	15.1	15.5	17.2
膀胱	C67 D090	802	73.9	2.4	19.8	23.9

*1 重複を含むため合計は100%にならない

*2 粘膜がんを含む

表7. 切除内容 (%) ; 部位別
A. 上皮内がんを除く

国内D00を除く届出患者、男女計 2007年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96	9,493	72.8	7.9	3.7	3.6	11.9
口腔・咽頭	C00-C14	159	64.2	8.2	3.1	8.8	15.7
食道	C15	174	79.9	4.0	4.0	2.3	9.8
胃	C16	2,084	76.0	7.6	2.5	3.3	10.7
大腸 (結腸・直腸)	C18-C20	2,048	71.9	10.2	2.2	4.1	11.6
結腸	C18	1,312	71.5	11.2	2.1	3.7	11.6
直腸	C19-C20	736	72.6	8.3	2.6	4.9	11.7
肝および肝内胆管	C22	265	66.8	6.8	3.0	3.8	19.6
胆のう・胆管	C23-C24	207	51.2	13.5	3.4	20.3	11.6
膵臓	C25	208	43.8	9.1	4.8	30.3	12.0
喉頭	C32	38	50.0	31.6	2.6	2.6	13.2
肺	C33-C34	820	76.8	4.0	2.8	3.2	13.2
皮膚	C43-C44	200	87.5	1.5	2.0	0.0	9.0
乳房	C50	1,153	84.2	2.2	1.8	0.3	11.5
乳房 (女性のみ)	C50	1,149	84.2	2.2	1.8	0.3	11.6
子宮	C53-C55	336	78.6	4.8	7.1	0.3	9.2
子宮頸部	C53	120	75.8	5.8	7.5	0.0	10.8
子宮体部	C54	215	80.0	4.2	7.0	0.5	8.4
卵巣	C56	128	49.2	22.7	14.1	3.9	10.2
前立腺	C61	288	78.5	9.4	4.2	2.1	5.9
膀胱	C67	364	57.1	14.8	11.0	0.5	16.5
腎・尿路 (膀胱除く)	C64-C66 C68	317	82.0	5.0	5.4	0.9	6.6
脳・中枢神経系	C70-C72	61	34.4	47.5	3.3	4.9	9.8
甲状腺	C73	372	68.5	3.5	8.3	0.0	19.6
悪性リンパ腫	C81-C85 C96	66	42.4	22.7	7.6	3.0	24.2
多発性骨髄腫	C88-C90	2	50.0	50.0	0.0	0.0	0.0
白血病	C91-C95	0

表7. 切除内容 (%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計 2007年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移集切除	不明
全部位	C00-C96 D00-D09	10,776	74.3	7.2	3.8	3.2	11.5
食道	C15 D001	197	81.2	3.6	3.6	2.0	9.6
大腸 (結腸・直腸) *1	C18-C20 D010-D012	2,563	75.1	8.2	2.5	3.3	10.9
結腸 *1	C18 D010	1,710	75.2	8.7	2.5	2.8	10.8
直腸 *1	C19-C20 D011-D012	853	74.9	7.3	2.6	4.2	11.0
肺	C33-C34 D021-D022	820	76.8	4.0	2.8	3.2	13.2
皮膚	C43-C44 D030-D049	254	87.4	1.2	1.6	0.0	9.8
乳房	C50 D05	1,303	84.6	2.0	1.8	0.2	11.4
乳房 (女性のみ)	C50 D05	1,299	84.5	2.0	1.8	0.2	11.5
子宮	C53-C55 D06	604	81.6	3.1	6.3	0.2	8.8
子宮頸部	C53 D06	388	82.5	2.6	5.9	0.0	9.0
膀胱	C67 D090	593	64.6	12.8	9.6	0.5	12.5

*1 粘膜がんを含む

表8. 精度指標：部位別、性別
A. 上皮内がんを除く

2007年

部位	罹患/死亡比 (ID比)										死亡情報で初めて把握された症例 DCN (%)				死亡情報のみの症例 DCO (%)				国際 DCO (%)				病理学的裏付けのある症例 MV (%)				組織学的裏付けのある症例 MV (%)				
	男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計		男		女		男女計		
	ICD-10	男	女	男	女	男女計	男	女	男	女	男女計	男	女	男	女	男女計	男	女	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	
全部位	C00-C96	2.37	2.52	2.43	10.7	12.2	11.3	4.6	6.6	5.4	4.2	6.1	5.0	90.0	89.2	89.7	83.5	84.2	83.8	83.5	84.2	83.8	83.5	84.2	83.8	83.5	84.2	83.8	83.5	84.2	83.8
口腔・咽頭	C00-C14	3.31	2.02	2.79	2.3	6.7	3.6	0.8	4.8	1.9	0.8	4.8	1.9	98.4	94.3	97.2	97.3	94.3	96.4	97.3	94.3	96.4	97.3	94.3	96.4	97.3	94.3	96.4	97.3	94.3	96.4
食道	C15	1.83	1.76	1.82	7.0	7.7	7.1	4.9	6.2	5.1	4.2	6.2	4.5	95.6	93.8	95.3	95.6	93.8	95.3	95.6	93.8	95.3	95.6	93.8	95.3	95.6	93.8	95.3	95.6	93.8	95.3
胃	C16	3.13	2.36	2.83	4.8	10.7	6.7	2.3	6.9	3.7	2.1	6.4	3.5	97.8	93.3	96.4	97.3	93.2	96.0	97.3	93.2	96.0	97.3	93.2	96.0	97.3	93.2	96.0	97.3	93.2	96.0
大腸(結腸・直腸)	C18-C20	3.41	2.92	3.17	6.4	9.3	7.7	3.0	6.0	4.3	2.9	5.6	4.1	96.9	94.0	95.6	96.7	93.5	95.3	96.7	93.5	95.3	96.7	93.5	95.3	96.7	93.5	95.3	96.7	93.5	95.3
結腸	C18	3.11	2.79	2.94	6.4	11.2	8.8	3.4	7.6	5.5	3.3	7.3	5.3	96.5	92.2	94.4	96.2	91.9	94.1	96.2	91.9	94.1	96.2	91.9	94.1	96.2	91.9	94.1	96.2	91.9	94.1
直腸	C19-C20	3.96	3.31	3.69	6.3	4.6	5.7	2.4	1.9	2.2	2.2	1.6	2.0	97.6	98.1	97.8	97.5	97.3	97.4	97.5	97.3	97.4	97.5	97.3	97.4	97.5	97.3	97.4	97.5	97.3	97.4
肝および肝内胆管	C22	1.47	1.26	1.40	20.9	27.0	22.8	8.6	12.4	9.8	8.6	12.4	9.8	39.0	31.8	36.7	38.0	30.8	35.7	38.0	30.8	35.7	38.0	30.8	35.7	38.0	30.8	35.7	38.0	30.8	35.7
胆のう・胆管	C23-C24	1.64	1.21	1.39	15.7	30.5	23.4	2.7	16.3	9.7	2.7	15.1	9.1	94.2	82.8	88.3	81.2	73.6	77.3	81.2	73.6	77.3	81.2	73.6	77.3	81.2	73.6	77.3	81.2	73.6	77.3
膵臓	C25	1.16	1.26	1.21	23.9	27.7	25.8	9.7	14.2	11.9	9.4	14.2	11.7	88.0	83.1	85.7	78.6	75.9	77.3	78.6	75.9	77.3	78.6	75.9	77.3	78.6	75.9	77.3	78.6	75.9	77.3
喉頭	C32	3.69	2.00	3.48	2.8	0.0	2.6	1.9	0.0	1.7	1.9	0.0	1.7	98.1	100.0	98.3	98.1	100.0	98.3	98.1	100.0	98.3	98.1	100.0	98.3	98.1	100.0	98.3	98.1	100.0	98.3
肺	C33-C34	1.50	1.88	1.60	20.3	19.7	20.1	8.3	9.3	8.6	7.2	8.0	7.5	91.5	89.7	90.9	59.0	61.6	59.8	59.0	61.6	59.8	59.0	61.6	59.8	59.0	61.6	59.8	59.0	61.6	59.8
皮膚	C43-C44	16.73	10.67	13.23	1.6	3.1	2.3	1.1	1.3	1.2	0.5	0.6	0.6	98.9	99.4	99.1	98.9	99.4	99.1	98.9	99.4	99.1	98.9	99.4	99.1	98.9	99.4	99.1	98.9	99.4	99.1
乳房	C50	...	6.41	6.44	0.0	3.7	3.6	0.0	1.7	1.6	0.0	1.6	1.6	100.0	98.2	98.2	85.7	96.3	96.3	85.7	96.3	96.3	85.7	96.3	96.3	85.7	96.3	96.3	85.7	96.3	96.3
子宮	C53-C55	-	5.01	5.01	-	5.0	5.0	-	2.2	2.2	-	1.8	1.8	-	-	97.4	-	-	94.2	-	-	97.4	-	-	94.2	-	-	94.2			
子宮頸部	C53	-	4.80	4.80	-	2.7	2.7	-	0.9	0.9	-	0.9	0.9	-	-	98.6	-	-	94.6	-	-	98.6	-	-	94.6	-	-	94.6			
子宮体部	C54	-	13.00	13.00	-	2.3	2.3	-	0.4	0.4	-	0.4	0.4	-	-	98.8	-	-	96.2	-	-	98.8	-	-	96.2	-	-	96.2			
卵巣	C56	-	2.40	2.40	-	10.4	10.4	-	6.3	6.3	-	5.7	5.7	-	-	94.3	-	-	90.6	-	-	94.3	-	-	90.6	-	-	90.6			
前立腺	C61	5.87	-	5.87	5.5	-	5.5	2.9	-	2.9	2.9	-	2.9	96.4	-	96.4	96.2	-	96.2	96.4	-	96.4	96.2	-	96.2	96.4	-	96.2			
膀胱	C67	3.86	2.56	3.44	4.8	13.3	6.8	3.5	11.7	5.5	3.0	10.9	4.9	96.2	87.5	94.1	93.7	85.2	91.6	93.7	85.2	91.6	93.7	85.2	91.6	93.7	85.2	91.6			
腎・尿路(膀胱除く)	C64-C66 C68	3.08	2.98	3.04	9.3	11.4	10.0	6.2	5.4	5.9	5.6	5.4	5.5	92.3	91.0	91.8	88.2	86.8	87.8	88.2	86.8	87.8	88.2	86.8	87.8	88.2	86.8	87.8			
脳・中枢神経系	C70-C72	2.95	6.67	3.81	16.9	10.0	14.1	5.1	0.0	3.0	3.4	0.0	2.0	88.1	85.0	86.9	88.1	85.0	86.9	88.1	85.0	86.9	88.1	85.0	86.9	88.1	85.0	86.9			
甲状腺	C73	16.33	10.49	11.30	2.0	2.6	2.5	0.0	1.3	1.0	0.0	1.3	1.0	100.0	98.5	98.8	98.0	95.4	95.9	98.0	95.4	95.9	98.0	95.4	95.9	98.0	95.4	95.9			
悪性リンパ腫	C81-C85 C96	2.36	2.41	2.38	8.9	14.6	11.5	2.1	10.5	5.9	1.5	10.1	5.4	94.8	86.5	91.1	93.6	83.9	89.2	93.6	83.9	89.2	93.6	83.9	89.2	93.6	83.9	89.2			
多発性骨髄腫	C88-C90	1.42	1.27	1.33	24.1	24.2	24.1	22.2	8.1	14.7	22.2	8.1	14.7	72.2	69.4	70.7	68.5	64.5	66.4	68.5	64.5	66.4	68.5	64.5	66.4	68.5	64.5	66.4			
白血病	C91-C95	1.28	1.03	1.18	21.9	19.4	21.0	6.3	8.3	7.0	0.8	0.0	0.5	99.2	100.0	99.5	75.0	72.2	74.0	75.0	72.2	74.0	75.0	72.2	74.0	75.0	72.2	74.0			

表8. 精度指標； 部位別、性別
B. 上皮内がんを含む

2007年

部位	罹患/死亡比 (ID比)		死亡情報で初めて把握された症例 DCN(%)		死亡情報のみの症例 DCO(%)		国際 DCO(%)		病理学的裏付けのある症例 MV(%)		組織学的裏付けのある症例 HV(%)									
	男	女	男	女	男	女	男	女	男	女	男	女								
	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計								
ICD-10	2.58	2.82	2.68	9.8	10.8	10.2	4.3	5.8	4.9	3.9	5.4	4.5	4.5	90.8	90.4	90.6	84.8	85.9	85.3	
C00-C96 D00-D09	1.97	1.84	1.95	6.5	7.4	6.6	4.6	5.9	4.8	3.9	5.9	4.1	4.1	95.9	94.1	95.6	95.9	94.1	95.6	
食道	4.75	3.71	4.25	4.6	7.3	5.7	2.1	4.7	3.2	2.1	4.4	3.1	3.1	97.8	95.2	96.7	97.7	94.9	96.5	
大腸(結腸・直腸)*1	4.67	3.59	4.11	4.3	8.7	6.3	2.3	5.9	3.9	2.2	5.7	3.8	3.8	97.6	94.0	96.0	97.5	93.7	95.8	
結腸*1	4.89	4.05	4.55	5.1	3.8	4.6	1.9	1.6	1.8	1.8	1.3	1.6	1.6	98.1	98.4	98.2	98.0	97.8	97.9	
直腸*1	1.50	1.88	1.60	20.3	19.7	20.1	8.3	9.3	8.6	7.2	8.0	7.5	7.5	91.5	89.7	90.9	59.0	61.6	59.8	
肺	20.18	14.20	16.73	1.4	2.3	1.8	0.9	0.9	0.9	0.5	0.5	0.5	0.5	99.1	99.5	99.3	99.1	99.5	99.3	
皮膚	...	7.15	7.18	0.0	3.3	3.3	0.0	1.5	1.5	0.0	1.4	1.4	1.4	100.0	98.4	98.4	85.7	96.7	96.7	
乳房	-	8.33	8.33	-	3.0	3.0	-	1.3	1.3	-	1.1	1.1	1.1	-	98.4	98.4	-	95.8	95.8	
子宮	-	11.96	11.96	-	1.1	1.1	-	0.4	0.4	-	0.4	0.4	0.4	-	99.5	99.5	-	96.7	96.7	
子宮頸部	6.28	3.68	5.43	3.1	9.2	4.5	2.2	8.2	3.5	1.9	7.6	3.1	3.1	97.7	91.3	96.3	94.9	89.7	93.7	
膀胱																				

*1 粘膜がんを含む

表9. 死亡数、死亡割合(%)、粗死亡率、年齢調整死亡率(人口10万対)、および累積死亡率(人口100対)：部位別、性別 2007年

部位	死亡数				死亡割合(%)				粗死亡率				年齢調整死亡率				累積死亡率(0-74歳)														
	10D-10		10D-10		100.0		100.0		212.4		270.2		185.3		89.0		130.6		126.6		62.2		90.4		13.8		6.6		10.0		
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	
全部位	4,593	3,146	7,739	100.0	100.0	100.0	332.0	212.4	270.2	185.3	89.0	130.6	126.6	62.2	90.4	13.8	6.6	10.0													
口腔・咽頭	78	52	130	1.7	1.7	1.7	5.6	3.5	4.5	3.2	1.3	2.2	2.3	0.9	1.5	0.3	0.1	0.2													
食道	210	37	247	4.6	1.2	3.2	15.2	2.5	8.6	8.9	1.0	4.6	6.3	0.7	3.3	0.8	0.1	0.4													
胃	688	427	1,115	15.0	13.6	14.4	49.7	28.8	38.9	28.0	11.1	18.6	19.3	7.8	13.0	2.2	0.8	1.5													
大腸(結腸・直腸)	451	425	876	9.8	13.5	11.3	32.6	28.7	30.6	18.4	11.5	14.6	12.9	8.1	10.3	1.5	0.8	1.1													
結腸	291	314	605	6.3	10.0	7.8	21.0	21.2	21.1	11.7	8.0	9.7	8.1	5.5	6.7	0.9	0.6	0.7													
直腸	160	111	271	3.5	3.5	3.5	11.6	7.5	9.5	6.7	3.5	4.9	4.7	2.6	3.6	0.6	0.3	0.4													
肝および肝内胆管	699	391	1,090	15.2	12.4	14.1	50.5	26.4	38.1	29.6	10.6	19.3	20.5	6.9	13.2	2.5	0.8	1.6													
胆のう・胆管	136	197	333	3.0	6.3	4.3	9.8	13.3	11.6	5.1	4.6	4.8	3.2	3.0	3.1	0.3	0.3	0.3													
膵臓	303	263	566	6.6	8.4	7.3	21.9	17.8	19.8	12.7	6.9	9.6	8.8	4.7	6.6	1.0	0.5	0.7													
喉頭	29	4	33	0.6	0.1	0.4	2.1	0.3	1.2	1.1	0.1	0.6	0.8	0.1	0.4	0.1	0.0	0.1													
肺	1,098	412	1,510	23.9	13.1	19.5	79.4	27.8	52.7	42.8	10.9	24.5	28.2	7.5	16.4	2.9	0.8	1.8													
皮膚	11	15	26	0.2	0.5	0.3	0.8	1.0	0.9	0.5	0.3	0.4	0.3	0.3	0.3	0.0	0.0	0.0													
乳房	0	226	226	0.0	7.2	2.9	0.0	15.3	7.9	0.0	9.9	5.2	0.0	7.5	3.9	0.0	0.8	0.4													
子宮	-	99	99	-	3.1	1.3	-	6.7	-	-	3.6	-	-	2.7	-	-	0.3	-													
子宮頸部	-	46	46	-	1.5	0.6	-	3.1	-	-	2.0	-	-	1.5	-	-	0.2	-													
子宮体部	-	20	20	-	0.6	0.3	-	1.4	-	-	0.7	-	-	0.5	-	-	0.1	-													
卵巣	-	80	80	-	2.5	1.0	-	5.4	-	-	3.2	-	-	2.4	-	-	0.3	-													
前立腺	225	-	225	4.9	-	2.9	16.3	-	-	7.7	-	-	4.9	-	-	0.4	-	-													
膀胱	103	50	153	2.2	1.6	2.0	7.4	3.4	5.3	3.7	1.0	2.1	2.3	0.6	1.3	0.1	0.0	0.1													
腎・尿路(膀胱除く)	105	56	161	2.3	1.8	2.1	7.6	3.8	5.6	4.2	1.2	2.5	2.8	0.8	1.7	0.3	0.1	0.2													
脳・中枢神経系	20	6	26	0.4	0.2	0.3	1.4	0.4	0.9	1.1	0.3	0.7	0.9	0.2	0.5	0.1	0.0	0.1													
甲状腺	6	37	43	0.1	1.2	0.6	0.4	2.5	1.5	0.3	1.1	0.7	0.2	0.8	0.5	0.0	0.1	0.1													
悪性リンパ腫	138	111	249	3.0	3.5	3.2	10.0	7.5	8.7	5.6	2.7	4.0	3.7	1.8	2.7	0.4	0.2	0.3													
多発性骨髄腫	38	49	87	0.8	1.6	1.1	2.7	3.3	3.0	1.4	1.4	1.4	1.0	0.9	0.9	0.1	0.1	0.1													
白血病	100	70	170	2.2	2.2	2.2	7.2	4.7	5.9	4.4	2.4	3.3	3.2	1.9	2.5	0.3	0.2	0.3													

表10. 年齢階級別死亡数、死亡割合(%)； 部位別、性別

性別	部位	100-10		0-4歳		5-9歳		10-14歳		15-19歳		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80-84歳		85歳以上								
		死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)					
男	全部位	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0	1	100.0			
	口肥・咽頭	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0			
	食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0			
	女	全部位	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0	2	100.0
		口肥・咽頭	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
		食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

付表1. がん罹患数および罹患率； 詳細部位別、性別

2007年

部位	国際疾病 分類 ICD-10	罹患数									割合(%)									粗罹患率						年齢調整罹患率						累積罹患率(0-74歳)					
		男			女			男女計			男			女			男女計			男			女			男女計			男			女			男女計		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計			
上皮内がん																																					
全部位	D00-D09	978	966	1,944	9.0	12.2	10.3	70.7	65.2	67.9	43.4	51.5	46.5	30.8	40.8	35.2	3.9	4.0	3.9																		
口腔、食道および胃	D00	34	10	44	0.3	0.1	0.2	2.5	0.7	1.5	1.6	0.4	0.9	1.2	0.3	0.7	0.2	0.0	0.1																		
食道	D001	30	3	33	0.3	0.0	0.2	2.2	0.2	1.2	1.3	0.2	0.7	1.0	0.1	0.5	0.1	0.0	0.1																		
その他および部位不明の消化器	D01	614	339	953	5.6	4.3	5.1	44.4	22.9	33.3	28.0	13.3	20.1	20.2	9.8	14.6	2.6	1.2	1.9																		
経腸	D010	456	252	708	4.2	3.2	3.8	33.0	17.0	24.7	20.6	10.1	14.9	14.8	7.4	10.9	1.9	0.9	1.4																		
直腸S状結腸移行部	D011	21	11	32	0.2	0.1	0.2	1.5	0.7	1.1	1.0	0.3	0.6	0.7	0.2	0.4	0.1	0.0	0.0																		
直腸	D012	129	72	201	1.2	0.9	1.1	9.3	4.9	7.0	6.1	2.8	4.4	4.5	2.1	3.2	0.6	0.3	0.4																		
中耳および呼吸器系	D02	7	0	7	0.1	0.0	0.0	0.5	0.0	0.2	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0																		
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0																		
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0																		
上皮内黒色腫	D03	4	5	9	0.0	0.1	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0																		
皮膚のその他	D04	34	48	82	0.3	0.6	0.4	2.5	3.2	2.9	1.3	1.2	1.2	0.8	0.8	0.8	0.1	0.1	0.1																		
乳房	D05	0	168	168	0.0	2.1	0.9	0.0	11.3	5.9	0.0	9.1	4.7	0.0	7.1	3.6	0.0	0.7	0.4																		
子宮頸部	D06	-	329	329	-	4.2	1.8	-	22.2	11.5	-	25.0	12.5	-	21.1	10.6	-	1.7	0.9																		
その他および部位不明の性器	D07	11	4	15	0.1	0.1	0.1	0.8	0.3	0.5	0.5	0.2	0.3	0.3	0.2	0.3	0.0	0.0	0.0																		
その他および部位不明	D09	274	63	337	2.5	0.8	1.8	19.8	4.3	11.8	11.5	1.9	6.2	8.0	1.3	4.3	0.9	0.1	0.5																		
膀胱	D090	249	56	305	2.3	0.7	1.6	18.0	3.8	10.6	10.4	1.7	5.6	7.3	1.1	3.9	0.8	0.1	0.5																		
良性腫瘍																																					
膵臓	D32	20	59	79	0.2	0.7	0.4	1.4	4.0	2.8	1.1	2.7	1.9	0.9	2.1	1.5	0.1	0.2	0.2																		
脳および中枢神経系	D33	2	8	10	0.0	0.1	0.1	0.1	0.5	0.3	0.1	0.5	0.3	0.1	0.5	0.3	0.0	0.0	0.0																		
下垂体、頭蓋咽頭管、松果体	D352-D354	22	46	68	0.2	0.6	0.4	1.6	3.1	2.4	1.3	3.1	2.2	1.1	2.8	1.9	0.1	0.3	0.2																		
性状不詳または不明の腫瘍																																					
膵臓	D42	1	8	9	0.0	0.1	0.0	0.1	0.5	0.3	0.0	0.4	0.2	0.0	0.3	0.2	0.0	0.0	0.0																		
脳および中枢神経系	D43	18	24	42	0.2	0.3	0.2	1.3	1.6	1.5	0.7	1.0	0.8	0.4	1.0	0.7	0.0	0.1	0.0																		
下垂体、頭蓋咽頭管、松果体	D443-D445	3	5	8	0.0	0.1	0.0	0.2	0.3	0.3	0.2	0.3	0.2	0.1	0.2	0.2	0.0	0.0	0.0																		
真正赤血球増多症	D45	5	1	6	0.0	0.0	0.0	0.4	0.1	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0																		
骨髄異形成症候群	D46	55	47	102	0.5	0.6	0.5	4.0	3.2	3.6	2.1	1.4	1.7	1.4	1.1	1.2	0.1	0.1	0.1																		
慢性骨髄性疾患他 *1	D47	7	5	12	0.1	0.1	0.1	0.5	0.3	0.4	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0																		

*1 ICD-0-3により性状3に分類される形態

付表2. がん死亡数および死亡率； 詳細部位別、性別

2007年

部位	国際疾病 分類 ICD-10	死亡数		割合(%)			粗死亡率			年齢調整死亡率			累積死亡率(0-74歳)				
										日本人人口			世界人口				
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	
良性腫瘍																	
膵臓	D32	0	3	3	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の内分泌腺	D35	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳または不明の腫瘍																	
膵臓	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	31	31	62	0.7	1.0	0.8	2.2	2.1	2.2	1.4	0.9	1.1	1.0	0.8	0.9	0.1
内分泌腺	D44	2	2	4	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	1	2	3	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	36	34	70	0.8	1.1	0.9	2.6	2.3	2.4	1.3	0.8	1.0	0.8	0.5	0.6	0.1
リンパ組織、造血組織および関連組織	D47	2	2	4	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0

付表3. 受療割合詳細 (%) ; 部位別
A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	単独療法										併用療法 *1					不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+放射線	薬物 *2	切除+放射線+薬物	薬物	薬物+放射線	その他*3		
全部位	C00-C96	17,763	23.0	4.0	5.7	1.4	8.3	0.1	1.8	1.0	13.5	4.0	0.2	3.2	8.9	24.9		
口腔・咽頭	C00-C14	356	18.5	0.0	0.0	5.6	1.1	0.0	0.0	6.2	6.2	30.1	0.0	12.4	3.7	16.3		
食道	C15	426	13.6	1.4	8.0	6.8	2.1	0.0	0.0	0.5	10.1	28.4	0.0	5.6	5.2	18.3		
胃	C16	3,041	26.7	5.1	20.7	0.1	7.6	0.1	0.0	0.0	13.3	0.4	0.0	0.2	3.9	22.0		
大腸 (結腸・直腸)	C18-C20	2,660	36.0	6.7	4.5	0.0	1.8	0.0	0.0	0.3	23.3	0.3	0.0	0.7	6.2	20.1		
結腸	C18	1,682	37.3	7.1	4.3	0.0	1.8	0.0	0.0	0.1	22.8	0.1	0.0	0.1	7.1	19.4		
直腸	C19-C20	978	33.7	6.1	4.8	0.1	1.7	0.0	0.0	0.6	24.2	0.8	0.0	1.8	4.6	21.4		
肝および肝内胆管	C22	1,373	11.5	0.0	0.4	0.1	7.3	0.1	0.0	0.0	2.1	0.9	0.1	0.2	50.0	27.4		
胆のう・胆管	C23-C24	417	24.9	1.4	5.5	1.0	8.2	0.0	0.0	0.7	10.3	1.2	0.2	0.0	18.5	28.1		
膵臓	C25	602	9.3	0.0	3.0	0.5	24.4	0.0	0.0	0.5	17.6	4.0	0.2	2.2	11.3	27.1		
喉頭	C32	113	8.8	0.9	0.9	11.5	0.0	0.0	0.0	10.6	1.8	35.4	0.0	8.0	9.7	12.4		
肺	C33-C34	2,211	14.1	11.0	0.0	3.7	17.9	0.1	0.0	0.3	6.7	10.4	0.3	0.9	8.5	26.1		
皮膚	C43-C44	340	52.9	0.0	0.0	0.9	0.3	0.0	0.0	0.3	4.7	0.9	0.3	0.6	0.3	38.8		
乳房	C50	1,431	21.5	0.0	0.0	0.1	3.4	0.0	1.2	3.7	30.7	0.4	0.6	22.8	2.3	13.3		
乳房 (女性のみに)	C50	1,424	21.5	0.0	0.0	0.1	3.4	0.0	1.2	3.7	30.7	0.4	0.6	22.8	2.3	13.2		
子宮	C53-C55	485	40.0	0.0	0.0	4.5	1.4	0.0	0.0	3.3	20.4	7.8	0.0	5.4	0.8	16.3		
子宮頸部	C53	219	32.9	0.0	0.0	9.1	0.9	0.0	0.0	2.7	11.0	16.9	0.0	7.8	1.8	16.9		
子宮体部	C54	259	46.7	0.0	0.0	0.8	1.9	0.0	0.0	3.9	29.0	0.4	0.0	3.5	0.0	13.9		
卵巣	C56	180	13.3	0.0	0.0	0.6	8.3	0.0	0.0	1.1	55.0	0.0	0.6	0.6	3.3	17.2		
前立腺	C61	1,282	16.2	1.0	0.8	2.6	0.5	0.5	23.0	0.3	3.4	3.7	0.6	0.5	0.6	46.1		
膀胱	C67	497	17.5	0.2	31.8	0.2	0.4	0.4	0.0	0.8	14.7	0.0	0.0	2.4	6.0	25.6		
腎・尿路 (膀胱除く)	C64-C66 C68	461	31.2	22.1	1.5	0.7	2.4	2.2	0.0	0.2	8.9	1.3	0.2	0.9	6.7	21.7		
脳・中枢神経系	C70-C72	96	13.5	0.0	0.0	1.0	0.0	0.0	0.0	12.5	6.3	1.0	0.0	28.1	4.2	33.3		
甲状腺	C73	481	52.4	0.0	0.0	0.4	0.0	0.0	0.4	0.4	22.9	0.0	0.0	0.0	2.1	21.4		
悪性リンパ腫	C81-C85 C96	558	5.4	0.2	0.5	1.4	39.8	0.0	0.0	0.5	3.9	3.4	0.2	0.5	7.9	36.2		
多発性骨髄腫	C88-C90	99	1.0	0.0	0.0	7.1	42.4	0.0	0.0	1.0	0.0	1.0	1.0	0.0	9.1	37.4		
白血病	C91-C95	186	0.0	0.0	0.0	0.0	65.6	0.0	0.0	0.0	0.0	1.1	0.5	0.0	12.9	19.9		

*1 切除は外科・体腔鏡・内視鏡の療法、薬物は化学・免疫・内分泌療法を指す。

*2 化学、免疫、内分泌療法のいずれかの併用

*3 単独療法および併用療法のいずれかの項目にも含まれないものを指す (1) その他の治療 (TAE、PEITなど) の実施 (2) 外科、体腔鏡、内視鏡的療法のいずれかの併用

付表3. 受療割合詳細 (%) ; 部位別
B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	単独療法										併用療法 *2					不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+放射線+薬物	薬物+放射線	薬物	*3 切除+放射線+薬物	その他*4			
全部位	C00-C96 D00-D09	19,707	23.2	3.8	8.1	1.3	7.5	0.2	1.6	1.0	12.7	3.6	0.2	3.0	8.2	25.7		
食道	C15 D001	459	12.6	1.3	11.8	6.3	2.2	0.0	0.0	0.7	9.6	26.6	0.0	5.2	5.0	18.7		
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3,601	27.9	5.7	14.9	0.0	1.3	0.0	0.0	0.2	17.3	0.2	0.0	0.5	5.2	26.7		
結腸 *1	C18 D010	2,390	27.6	5.8	16.5	0.0	1.3	0.0	0.0	0.1	16.2	0.0	0.0	0.0	5.9	26.6		
直腸 *1	C19-C20 D011-D012	1,211	28.5	5.5	11.6	0.1	1.4	0.0	0.0	0.5	19.7	0.7	0.0	1.5	3.8	26.8		
肺	C33-C34 D021-D022	2,211	14.1	11.0	0.0	3.7	17.9	0.1	0.0	0.3	6.7	10.4	0.3	0.9	8.5	26.1		
皮膚	C43-C44 D030-D049	431	54.1	0.0	0.0	0.7	0.5	0.0	0.0	0.2	3.9	0.7	0.2	0.5	0.5	38.7		
乳房	C50 D05	1,599	23.6	0.0	0.0	0.1	3.1	0.0	1.1	4.7	29.1	0.4	0.6	22.0	2.3	13.0		
乳房 (女性のみ)	C50 D05	1,592	23.7	0.0	0.0	0.1	3.1	0.0	1.1	4.7	29.1	0.4	0.6	22.0	2.3	12.9		
子宮	C53-C55 D06	814	56.1	0.0	0.1	2.7	0.9	0.0	0.0	2.1	12.3	4.7	0.0	3.2	1.2	16.7		
子宮頸部	C53 D06	548	61.1	0.0	0.2	3.6	0.4	0.0	0.0	1.3	4.6	6.8	0.0	3.1	1.8	17.2		
膀胱	C67 D090	802	13.6	0.2	36.9	0.1	0.4	1.2	0.0	0.6	16.2	0.0	0.0	1.5	5.2	23.9		

*1 粘膜がんを含む

*2 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫療法・内分泌療法を指す。

*3 化学、免疫、内分泌療法のいずれかの併用

*4 単独療法および併用療法のいずれの項目にも含まれないものを指す (1) その他の治療 (TAE, PEITなど) の実施 (2) 外科、体腔鏡、内視鏡的療法のいずれかの併用

付表4. 医療圏別、保健所別罹患数； 部位別、性別

A. 上皮内がんを除く

2007年

医療圏/保健所	全部位 C00-C96																		子宮頸部 C53 女	子宮体部 C54 女	前立腺 C61 男							
	胃 C16				大腸(直腸・横断) C18-C20				結腸 C18				直腸 C22				肺 C33-C34					乳房 C50		子宮 C55-C55				
	男	女	男女計	男女計	男	女	男女計	男女計	男	女	男女計	男女計	男	女	男女計	男女計	男	女				男女計	男	女	男女計			
広島県	10,876	7,910	18,786	2,153	1,006	3,159	1,537	1,243	2,780	904	978	1,780	633	367	1,000	1,030	443	1,523	1,847	773	2,420	7	1,448	1,455	496	221	260	1,320
広島広域	6,190	4,500	10,690	1,208	559	1,768	895	694	1,598	528	468	1,016	367	206	573	530	244	774	891	471	1,362	7	888	875	287	121	160	794
呉広域	1,317	963	2,280	257	136	393	178	146	324	102	111	213	76	35	111	134	70	204	203	82	286	0	148	148	64	29	32	157
備後広域	2,771	2,093	4,864	557	264	821	337	345	732	216	236	462	171	109	280	309	157	466	471	184	655	0	337	337	126	65	51	261
備北広域	608	354	962	131	56	187	77	58	135	58	41	99	19	17	36	57	22	79	82	36	118	0	45	45	19	6	11	108
広島	4,935	3,566	8,501	959	435	1,394	707	533	1,240	410	333	793	297	150	447	434	199	633	692	384	1,076	6	703	709	227	91	132	663
広島西	533	388	921	104	56	160	80	75	155	54	53	107	26	22	48	40	19	59	55	45	130	1	61	62	22	9	13	67
呉	1,317	963	2,280	257	136	393	178	146	324	102	111	213	76	35	111	134	70	204	203	82	286	0	148	148	64	29	32	157
広島中央	712	546	1,258	145	59	204	108	86	194	64	52	116	44	34	78	56	26	82	114	42	156	0	104	104	39	21	15	64
尾三	1,181	818	1,999	240	111	351	144	125	269	88	91	179	56	34	90	120	61	181	206	69	275	0	130	130	42	23	18	157
福山・府中	1,590	1,275	2,865	317	153	470	243	220	463	128	145	273	115	75	190	189	96	285	265	115	380	0	257	257	84	42	39	104
備北	608	354	962	131	56	187	77	58	135	58	41	99	19	17	36	57	22	79	82	36	118	0	45	45	19	6	11	108

付表4. 医療圏別、保健所別罹患数； 部位別、性別

B. 上皮内がんを含む

2007年

医療圏/保健所	全部位																		子宮頸部 C53 D06 女	子宮 C55-C55 D06 女						
	C00-C96 D01-D09				大腸(結腸・直腸) C18-C20 D010-D012 *1				結腸 C18 D010 *1				直腸 C19-C20 D011-D012 *1				肺 C33-C34 D021-D022				乳房 C50 D05		子宮 C53-C55 D06			
	男	女	男女計	男女計	男	女	男女計	男女計	男	女	男女計	男女計	男	女	男女計	男女計	男	女			男女計	男女計	男	女	男女計	
広島県	11,854	8,876	20,730	2,143	1,578	3,721	1,360	1,128	2,488	783	450	1,233	1,647	773	2,420	7	1,616	1,623	825	550						
広島広域	6,830	5,150	11,980	1,295	918	2,213	835	665	1,500	460	253	713	891	471	1,362	7	980	987	502	336						
呉広域	1,450	1,036	2,486	275	189	464	173	141	314	102	48	150	203	82	285	0	158	158	75	40						
備後広域	2,905	2,290	5,195	464	394	858	269	269	538	195	125	320	471	184	655	0	427	427	218	157						
備北広域	669	400	1,069	109	77	186	83	53	136	26	24	50	82	36	118	0	51	51	30	17						
広島	5,478	4,112	9,590	1,044	719	1,763	670	526	1,196	374	193	567	692	384	1,076	6	794	800	419	283						
広島西	588	440	1,028	114	95	209	81	71	152	33	24	57	85	45	130	1	73	74	32	19						
呉	1,450	1,036	2,486	275	189	464	173	141	314	102	48	150	203	82	285	0	158	158	75	40						
広島中央	764	598	1,362	137	104	241	84	68	152	53	36	89	114	42	156	0	113	113	51	34						
尾三	1,265	912	2,177	199	157	356	128	116	244	71	41	112	206	69	275	0	149	149	77	58						
福山・府中	1,640	1,378	3,018	265	237	502	141	153	294	124	84	208	265	115	380	0	278	278	141	99						
備北	669	400	1,069	109	77	186	83	53	136	26	24	50	82	36	118	0	51	51	30	17						

*1 粘膜炎を含む

付表4-C1 標準化死亡率(全国との比較):部位別、性別

2007年

部位	ICD-10	男			女		
		死亡数	標準化死亡率(95%信頼区間)		死亡数	標準化死亡率(95%信頼区間)	
全部位	C00-C97	4593	0.97	(0.94 - 1.00)	3146	0.97	(0.94 - 1.01)
食道	C15	210	0.92	(0.79 - 1.04)	37	0.87	(0.59 - 1.15)
胃	C16	688	0.89	(0.82 - 0.96)	427	1.00	(0.91 - 1.10)
結腸	C18	291	0.88	(0.78 - 0.99)	314	0.93	(0.82 - 1.03)
直腸	C19-C20	160	0.78	(0.66 - 0.91)	111	0.90	(0.73 - 1.06)
肝および肝内胆管	C22	699	1.36	(1.26 - 1.46)	391	1.43	(1.29 - 1.58)
胆のう・胆管	C23-C24	136	0.73	(0.61 - 0.85)	197	0.90	(0.77 - 1.02)
膵臓	C25	303	1.00	(0.89 - 1.11)	263	0.94	(0.82 - 1.05)
肺	C33-C34	1098	0.99	(0.93 - 1.04)	412	0.95	(0.86 - 1.04)
乳房	C50	0	-		226	0.85	(0.74 - 0.96)
子宮	C53-C55	0	-		99	0.74	(0.60 - 0.89)
卵巣	C56	0	-		80	0.76	(0.59 - 0.92)
前立腺	C61	225	0.96	(0.83 - 1.08)	0	-	
膀胱	C67	103	1.01	(0.82 - 1.21)	50	1.06	(0.77 - 1.35)
悪性リンパ腫	C81-C85,C96	138	1.12	(0.94 - 1.31)	111	1.16	(0.94 - 1.37)
白血病	C91-C95	100	0.95	(0.76 - 1.14)	70	0.96	(0.74 - 1.19)

付表4-C2 二次保健医療圏別標準化死亡率(広島県との比較):部位別、性別

医療圏	部位	ICD-10	男			女		
			死亡数	標準化死亡率(95%信頼区間)		死亡数	標準化死亡率(95%信頼区間)	
広島	全部位	C00-C97	1842	0.99	(0.95 - 1.04)	1255	1.00	(0.94 - 1.05)
	胃	C16	258	0.92	(0.81 - 1.04)	159	0.94	(0.79 - 1.09)
	結腸	C18	117	0.99	(0.81 - 1.17)	127	1.02	(0.85 - 1.20)
	直腸	C19-C20	69	1.05	(0.80 - 1.29)	38	0.84	(0.58 - 1.11)
	大腸(結腸・直腸)	C18-C20	186	1.01	(0.87 - 1.16)	165	0.98	(0.83 - 1.13)
	肝および肝内胆管	C22	276	0.96	(0.85 - 1.07)	150	0.97	(0.82 - 1.13)
	肺	C33-C34	425	0.97	(0.88 - 1.06)	184	1.13	(0.97 - 1.29)
	乳房	C50				111	1.13	(0.92 - 1.34)
	子宮	C53-C55				34	0.83	(0.55 - 1.11)
	前立腺	C61	101	1.19	(0.96 - 1.42)			
広島西	全部位	C00-C97	238	1.00	(0.88 - 1.13)	171	1.06	(0.90 - 1.22)
	胃	C16	34	0.97	(0.64 - 1.30)	17	0.77	(0.41 - 1.14)
	結腸	C18	11	0.73	(0.30 - 1.17)	16	1.00	(0.51 - 1.49)
	直腸	C19-C20	8	1.00	(0.31 - 1.69)	8	1.33	(0.41 - 2.26)
	大腸(結腸・直腸)	C18-C20	19	0.83	(0.45 - 1.20)	24	1.09	(0.65 - 1.53)
	肝および肝内胆管	C22	39	1.08	(0.74 - 1.42)	25	1.25	(0.76 - 1.74)
	肺	C33-C34	77	1.35	(1.05 - 1.65)	28	1.33	(0.84 - 1.83)
	乳房	C50				11	0.92	(0.37 - 1.46)
	子宮	C53-C55				8	1.60	(0.49 - 2.71)
	前立腺	C61	13	1.18	(0.54 - 1.82)			
呉	全部位	C00-C97	594	1.13	(1.03 - 1.22)	427	1.15	(1.04 - 1.26)
	胃	C16	95	1.20	(0.96 - 1.44)	55	1.10	(0.81 - 1.39)
	結腸	C18	35	1.06	(0.71 - 1.41)	42	1.14	(0.79 - 1.48)
	直腸	C19-C20	20	1.11	(0.62 - 1.60)	12	0.92	(0.40 - 1.45)
	大腸(結腸・直腸)	C18-C20	55	1.08	(0.79 - 1.36)	54	1.08	(0.79 - 1.37)
	肝および肝内胆管	C22	95	1.19	(0.95 - 1.43)	59	1.26	(0.93 - 1.58)
	肺	C33-C34	145	1.14	(0.96 - 1.33)	53	1.08	(0.79 - 1.37)
	乳房	C50				23	0.92	(0.54 - 1.30)
	子宮	C53-C55				12	1.09	(0.47 - 1.71)
	前立腺	C61	30	1.11	(0.71 - 1.51)			
広島中央	全部位	C00-C97	306	0.93	(0.82 - 1.03)	212	0.91	(0.79 - 1.04)
	胃	C16	40	0.82	(0.56 - 1.07)	40	1.25	(0.86 - 1.64)
	結腸	C18	25	1.19	(0.72 - 1.66)	17	0.74	(0.39 - 1.09)
	直腸	C19-C20	10	0.83	(0.32 - 1.35)	14	1.75	(0.83 - 2.67)
	大腸(結腸・直腸)	C18-C20	35	1.09	(0.73 - 1.46)	31	0.97	(0.63 - 1.31)
	肝および肝内胆管	C22	42	0.84	(0.59 - 1.09)	16	0.57	(0.29 - 0.85)
	肺	C33-C34	74	0.94	(0.72 - 1.15)	28	0.93	(0.59 - 1.28)
	乳房	C50				15	0.94	(0.46 - 1.41)
	子宮	C53-C55				8	1.14	(0.35 - 1.93)
	前立腺	C61	9	0.56	(0.20 - 0.93)			
尾三	全部位	C00-C97	589	1.08	(1.00 - 1.17)	384	1.01	(0.91 - 1.11)
	胃	C16	95	1.17	(0.94 - 1.41)	56	1.08	(0.79 - 1.36)
	結腸	C18	27	0.79	(0.49 - 1.09)	33	0.87	(0.57 - 1.16)
	直腸	C19-C20	19	1.06	(0.58 - 1.53)	14	1.08	(0.51 - 1.64)
	大腸(結腸・直腸)	C18-C20	46	0.88	(0.63 - 1.14)	47	0.92	(0.66 - 1.19)
	肝および肝内胆管	C22	94	1.16	(0.93 - 1.40)	57	1.19	(0.88 - 1.50)
	肺	C33-C34	137	1.04	(0.86 - 1.21)	43	0.86	(0.60 - 1.12)
	乳房	C50				23	0.92	(0.54 - 1.30)
	子宮	C53-C55				12	1.09	(0.47 - 1.71)
	前立腺	C61	32	1.14	(0.75 - 1.54)			
福山・府中	全部位	C00-C97	772	0.93	(0.86 - 0.99)	548	0.97	(0.89 - 1.05)
	胃	C16	122	0.98	(0.80 - 1.15)	72	0.95	(0.73 - 1.17)
	結腸	C18	50	0.94	(0.68 - 1.20)	67	1.20	(0.91 - 1.48)
	直腸	C19-C20	28	0.97	(0.61 - 1.32)	17	0.85	(0.45 - 1.25)
	大腸(結腸・直腸)	C18-C20	78	0.95	(0.74 - 1.16)	84	1.11	(0.87 - 1.34)
	肝および肝内胆管	C22	124	0.98	(0.80 - 1.15)	72	1.03	(0.79 - 1.27)
	肺	C33-C34	179	0.90	(0.77 - 1.04)	58	0.78	(0.58 - 0.99)
	乳房	C50				37	0.90	(0.61 - 1.19)
	子宮	C53-C55				21	1.17	(0.67 - 1.67)
	前立腺	C61	24	0.60	(0.36 - 0.84)			
備北	全部位	C00-C97	252	1.06	(0.93 - 1.19)	149	0.87	(0.73 - 1.01)
	胃	C16	44	1.26	(0.89 - 1.63)	28	1.17	(0.73 - 1.60)
	結腸	C18	26	1.73	(1.07 - 2.40)	12	0.67	(0.29 - 1.04)
	直腸	C19-C20	6	0.75	(0.15 - 1.35)	8	1.33	(0.41 - 2.26)
	大腸(結腸・直腸)	C18-C20	32	1.45	(0.95 - 1.96)	20	0.87	(0.49 - 1.25)
	肝および肝内胆管	C22	29	0.85	(0.54 - 1.16)	12	0.55	(0.24 - 0.85)
	肺	C33-C34	61	1.03	(0.77 - 1.29)	18	0.78	(0.42 - 1.14)
	乳房	C50				6	0.60	(0.12 - 1.08)
	子宮	C53-C55				4	0.80	(0.02 - 1.58)
	前立腺	C61	16	1.14	(0.58 - 1.70)			

付表4-D 二次保健医療圏別標準化罹患比(広島県との比較) : 部位別、性別

2007年

医療圏	部位	ICD-10	男		女	
			罹患数	標準化罹患比(95%信頼区間)	罹患数	標準化罹患比(95%信頼区間)
広島	全部位	C00-C97	4935	1.09 (1.06 - 1.13)	3566	1.08 (1.04 - 1.11)
	胃	C16	959	1.07 (1.00 - 1.14)	435	1.06 (0.96 - 1.16)
	結腸	C18	410	1.10 (0.99 - 1.21)	383	1.08 (0.97 - 1.18)
	直腸	C19-C20	297	1.11 (0.98 - 1.23)	150	0.97 (0.82 - 1.13)
	大腸(結腸・直腸)	C18-C20	707	1.10 (1.02 - 1.18)	533	1.05 (0.96 - 1.13)
	肝および肝内胆管	C22	434	1.00 (0.91 - 1.10)	199	1.01 (0.87 - 1.15)
	肺	C33-C34	692	1.03 (0.96 - 1.11)	384	1.22 (1.09 - 1.34)
	乳房	C50			703	1.10 (1.02 - 1.18)
	子宮	C53-C55			227	1.01 (0.88 - 1.15)
	子宮頸部	C53			91	0.90 (0.72 - 1.09)
	子宮体部	C54			132	1.13 (0.94 - 1.32)
前立腺	C61	663	1.24 (1.15 - 1.34)			
広島西	全部位	C00-C97	533	0.95 (0.87 - 1.03)	388	0.95 (0.85 - 1.04)
	胃	C16	104	0.94 (0.76 - 1.12)	56	1.08 (0.79 - 1.36)
	結腸	C18	54	1.15 (0.84 - 1.46)	53	1.18 (0.86 - 1.49)
	直腸	C19-C20	26	0.79 (0.49 - 1.09)	22	1.16 (0.67 - 1.64)
	大腸(結腸・直腸)	C18-C20	80	1.00 (0.78 - 1.22)	75	1.17 (0.91 - 1.44)
	肝および肝内胆管	C22	40	0.74 (0.51 - 0.97)	19	0.76 (0.42 - 1.10)
	肺	C33-C34	85	1.00 (0.79 - 1.21)	45	1.13 (0.80 - 1.45)
	乳房	C50			61	0.80 (0.60 - 1.00)
	子宮	C53-C55			22	0.85 (0.49 - 1.20)
	子宮頸部	C53			9	0.82 (0.28 - 1.35)
	子宮体部	C54			13	0.93 (0.42 - 1.43)
前立腺	C61	67	0.99 (0.75 - 1.22)			
呉	全部位	C00-C97	1317	1.07 (1.01 - 1.13)	963	1.07 (1.01 - 1.14)
	胃	C16	257	1.06 (0.93 - 1.19)	136	1.15 (0.96 - 1.35)
	結腸	C18	102	0.99 (0.80 - 1.18)	111	1.08 (0.88 - 1.28)
	直腸	C19-C20	76	1.09 (0.84 - 1.33)	35	0.83 (0.56 - 1.11)
	大腸(結腸・直腸)	C18-C20	178	1.03 (0.88 - 1.18)	146	1.01 (0.85 - 1.18)
	肝および肝内胆管	C22	134	1.16 (0.96 - 1.35)	70	1.19 (0.91 - 1.46)
	肺	C33-C34	203	1.08 (0.93 - 1.23)	82	0.90 (0.71 - 1.10)
	乳房	C50			148	0.97 (0.81 - 1.12)
	子宮	C53-C55			64	1.25 (0.95 - 1.56)
	子宮頸部	C53			29	1.32 (0.84 - 1.80)
	子宮体部	C54			32	1.19 (0.77 - 1.60)
前立腺	C61	157	1.03 (0.87 - 1.19)			
広島中央	全部位	C00-C97	712	0.91 (0.84 - 0.97)	546	0.95 (0.87 - 1.03)
	胃	C16	145	0.94 (0.78 - 1.09)	59	0.80 (0.59 - 1.00)
	結腸	C18	64	0.98 (0.74 - 1.23)	52	0.81 (0.59 - 1.03)
	直腸	C19-C20	44	0.96 (0.67 - 1.24)	34	1.26 (0.84 - 1.68)
	大腸(結腸・直腸)	C18-C20	108	0.97 (0.79 - 1.16)	86	0.96 (0.75 - 1.16)
	肝および肝内胆管	C22	56	0.76 (0.56 - 0.95)	26	0.74 (0.46 - 1.03)
	肺	C33-C34	114	0.97 (0.79 - 1.14)	42	0.75 (0.52 - 0.98)
	乳房	C50			104	1.00 (0.81 - 1.19)
	子宮	C53-C55			38	1.06 (0.72 - 1.39)
	子宮頸部	C53			21	1.31 (0.75 - 1.87)
	子宮体部	C54			15	0.79 (0.39 - 1.19)
前立腺	C61	64	0.68 (0.51 - 0.85)			
尾三	全部位	C00-C97	1181	0.94 (0.89 - 1.00)	818	0.91 (0.84 - 0.97)
	胃	C16	240	0.97 (0.85 - 1.09)	111	0.93 (0.75 - 1.10)
	結腸	C18	88	0.84 (0.66 - 1.01)	91	0.88 (0.70 - 1.05)
	直腸	C19-C20	56	0.79 (0.58 - 1.00)	34	0.81 (0.54 - 1.08)
	大腸(結腸・直腸)	C18-C20	144	0.82 (0.68 - 0.95)	125	0.86 (0.71 - 1.01)
	肝および肝内胆管	C22	120	1.03 (0.84 - 1.21)	61	1.02 (0.76 - 1.27)
	肺	C33-C34	206	1.06 (0.92 - 1.21)	69	0.76 (0.58 - 0.94)
	乳房	C50			130	0.85 (0.70 - 1.00)
	子宮	C53-C55			42	0.84 (0.59 - 1.09)
	子宮頸部	C53			23	1.10 (0.65 - 1.54)
	子宮体部	C54			18	0.67 (0.36 - 0.97)
前立腺	C61	157	1.01 (0.85 - 1.16)			
福山・府中	全部位	C00-C97	1590	0.80 (0.76 - 0.84)	1275	0.89 (0.84 - 0.94)
	胃	C16	317	0.81 (0.72 - 0.90)	153	0.84 (0.71 - 0.97)
	結腸	C18	128	0.78 (0.64 - 0.91)	145	0.92 (0.77 - 1.07)
	直腸	C19-C20	115	0.99 (0.81 - 1.17)	75	1.12 (0.87 - 1.37)
	大腸(結腸・直腸)	C18-C20	243	0.87 (0.76 - 0.98)	220	0.98 (0.85 - 1.11)
	肝および肝内胆管	C22	189	1.01 (0.86 - 1.15)	96	1.08 (0.86 - 1.29)
	肺	C33-C34	265	0.89 (0.78 - 0.99)	115	0.82 (0.67 - 0.97)
	乳房	C50			257	0.97 (0.85 - 1.09)
	子宮	C53-C55			84	0.93 (0.73 - 1.13)
	子宮頸部	C53			42	1.05 (0.73 - 1.37)
	子宮体部	C54			39	0.81 (0.56 - 1.07)
前立腺	C61	104	0.43 (0.35 - 0.52)			
備北	全部位	C00-C97	608	1.17 (1.07 - 1.26)	354	0.93 (0.83 - 1.02)
	胃	C16	131	1.28 (1.06 - 1.50)	56	1.06 (0.78 - 1.33)
	結腸	C18	58	1.32 (0.98 - 1.66)	41	0.89 (0.62 - 1.16)
	直腸	C19-C20	19	0.66 (0.36 - 0.95)	17	0.94 (0.50 - 1.39)
	大腸(結腸・直腸)	C18-C20	77	1.07 (0.83 - 1.31)	58	0.92 (0.68 - 1.16)
	肝および肝内胆管	C22	57	1.19 (0.88 - 1.50)	22	0.81 (0.47 - 1.16)
	肺	C33-C34	82	0.99 (0.77 - 1.20)	36	0.90 (0.61 - 1.19)
	乳房	C50			45	0.76 (0.54 - 0.99)
	子宮	C53-C55			19	1.00 (0.55 - 1.45)
	子宮頸部	C53			6	0.75 (0.15 - 1.35)
	子宮体部	C54			11	1.10 (0.45 - 1.75)
前立腺	C61	108	1.64 (1.33 - 1.94)			

付表5. 市区町村別罹患数：部位別、性別

B. 上皮内がんを含む

2007年

市区町村	全部位		大腸(結腸・直腸)				結腸				直腸				肺				乳房		子宮		子宮頸部	
	C00-C96 D01-D09		C18-C20 D010-D012 *1		C18 D010 *1		C19-C20 D011-D012 *1		C33-C34 D021-D022		C50 D05		C53-C55 D06		C53 D06		C50 D05		C53-C55 D06		C53 D06			
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女		
広島県	11,854	8,876	20,730	2,143	1,578	3,721	1,360	1,128	2,488	783	450	1,233	1,647	773	2,420	7	1,616	1,623	825	825	550	550		
中区	570	466	1,036	120	80	200	73	51	124	47	29	76	71	38	109	0	86	86	53	53	33	33		
東区	498	367	865	89	61	150	63	44	107	26	17	43	70	36	106	0	76	76	50	50	36	36		
南区	591	458	1,049	114	79	193	68	58	126	46	21	67	74	46	120	0	86	86	43	43	32	32		
西区	738	604	1,342	149	99	248	107	74	181	42	25	67	106	63	169	1	133	134	68	68	50	50		
安佐南区	766	545	1,311	148	105	253	97	75	172	51	30	81	93	39	132	1	112	113	57	57	40	40		
安佐北区	620	513	1,133	117	82	199	77	66	143	40	16	56	71	55	126	0	87	87	47	47	32	32		
安芸区	318	182	500	66	32	98	42	25	67	24	7	31	38	14	52	0	35	35	16	16	12	12		
佐伯区	513	371	884	90	56	146	51	46	97	39	10	49	68	38	106	1	91	92	33	33	19	19		
呉市	1,257	904	2,161	240	161	401	153	121	274	87	40	127	176	74	250	0	139	139	71	71	36	36		
竹原市	138	120	258	27	27	54	14	18	32	13	9	22	24	11	35	0	19	19	10	10	5	5		
三原市	455	298	753	69	49	118	46	38	84	23	11	34	67	24	91	0	54	54	11	11	8	8		
尾道市	729	548	1,277	119	100	219	73	71	144	46	29	75	117	39	156	0	85	85	59	59	43	43		
因島市	1	5	6	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	2	2	2	2		
福山市	1,410	1,187	2,597	233	190	423	129	117	246	104	73	177	231	102	333	0	243	243	127	127	92	92		
府中市	159	145	304	22	37	59	8	27	35	14	10	24	20	8	28	0	29	29	10	10	5	5		
三次市	385	239	624	60	45	105	47	29	76	13	16	29	50	20	70	0	26	26	23	23	14	14		
庄原市	284	161	445	49	32	81	36	24	60	13	8	21	32	16	48	0	25	25	7	7	3	3		
大竹市	128	103	231	24	27	51	16	21	37	8	6	14	20	9	29	0	9	9	4	4	3	3		
東広島市	571	435	1,006	104	73	177	65	47	112	39	26	65	78	26	104	0	91	91	40	40	28	28		
廿日市市	460	337	797	90	68	158	65	50	115	25	18	43	65	36	101	1	64	65	28	28	16	16		
安芸高田市	199	133	332	34	30	64	22	21	43	12	9	21	20	10	30	1	14	15	11	11	4	4		
江田島市	193	132	325	35	28	63	20	20	40	15	8	23	27	8	35	0	19	19	4	4	4	4		
府中町	210	145	355	33	35	68	15	25	40	18	10	28	29	16	45	0	22	22	13	13	8	8		
海田町	102	72	174	22	12	34	10	8	18	12	4	16	11	9	20	0	13	13	9	9	6	6		
熊野町	122	94	216	24	18	42	16	12	28	8	6	14	18	7	25	1	14	15	6	6	2	2		
坂町	62	52	114	11	11	22	8	7	15	3	4	7	6	5	11	0	4	4	6	6	3	3		
安芸太田町	59	38	97	10	10	20	7	9	16	3	1	4	4	3	7	1	8	9	0	0	0	0		
北広島町	110	72	182	17	9	26	14	5	19	3	4	7	13	5	18	0	13	13	7	7	6	6		
瀬戸田町	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0		
大崎上島町	55	43	98	6	4	10	5	3	8	1	1	2	12	5	17	0	3	3	1	1	1	1		
世羅町	79	61	140	11	7	18	9	6	15	2	1	3	21	6	27	0	10	10	5	5	5	5		
神辺町	6	3	9	3	0	3	1	0	1	2	0	2	0	1	1	0	0	0	0	0	0	0		
神石高原町	65	43	108	7	10	17	3	9	12	4	1	5	14	4	18	0	6	6	4	4	2	2		

*1 粘膜がんを含む

付表6-1. 広島県地域がん登録における罹患数に対する資料源ごとの数(詳細)

診断年	資料源									合計
	届出票 病理登録 採録票	届出票 病理登録	届出票 採録票	届出票 のみ	病理登録 採録票	病理登録 のみ	採録のみ	死亡票 補充票	死亡票 のみ (DCO)	
2003	925	2,432	405	1,294	1,334	6,999	426	0	4,675	18,490
2004	1,835	2,861	447	1,379	2,271	4,580	531	0	3,993	17,897
2005	2,464	4,424	510	2,226	1,678	3,672	452	1,428	1,672	18,526
2006	615	7,655	194	3,057	828	3,154	245	1,540	1,096	18,384
2007	833	8,952	195	3,812	397	2,339	136	1,099	1,023	18,786

※上皮内がんを除く

※届出票＝広島県地域がん登録届出票情報、病理登録＝広島県腫瘍登録情報、採録票＝広島市地域がん登録採録票情報

付表6-2. 広島県地域がん登録における罹患数に対する資料源ごとの割合(%) (詳細)

診断年	資料源									合計
	届出票 病理登録 採録票	届出票 病理登録	届出票 採録票	届出票 のみ	病理登録 採録票	病理登録 のみ	採録のみ	死亡票 補充票	死亡票 のみ	
2003	5.0	13.2	2.2	7.0	7.2	37.9	2.3	0.0	25.3	18,490
2004	10.3	16.0	2.5	7.7	12.7	25.6	3.0	0.0	22.3	17,897
2005	13.3	23.9	2.8	12.0	9.1	19.8	2.4	7.7	9.0	18,526
2006	3.3	41.6	1.1	16.6	4.5	17.2	1.3	8.4	6.0	18,384
2007	4.4	47.7	1.0	20.3	2.1	12.5	0.7	5.9	5.4	18,786

※上皮内がんを除く

※届出票＝広島県地域がん登録届出票情報、病理登録＝広島県腫瘍登録情報、採録票＝広島市地域がん登録採録票情報

付表6-3. 広島県地域がん登録における罹患数に対する資料源の数

診断年	届出票	病理登録	採録	死亡票 補充票	死亡票の み	罹患数
2003	5,056	11,690	3,090	0	4,675	18,490
2004	6,522	11,547	5,084	0	3,993	17,897
2005	9,624	12,238	5,104	1,428	1,672	18,526
2006	11,521	12,252	1,882	1,540	1,096	18,384
2007	13,792	12,521	1,561	1,099	1,023	18,786

※上皮内がんを除く

※届出票＝広島県地域がん登録届出票情報、病理登録＝広島県腫瘍登録情報、採録票＝広島市地域がん登録採録票情報

付表6-4. 広島県地域がん登録における罹患数に対する資料源の割合(%)

診断年	届出票	病理登録	採録	死亡票 補充票	死亡票の み
2003	27.3	63.2	9.5	0.0	25.3
2004	36.4	64.5	15.7	0.0	22.3
2005	51.9	66.1	18.5	7.7	9.0
2006	62.7	66.6	5.7	8.4	6.0
2007	73.4	66.7	6.2	5.9	5.4

※上皮内がんを除く

※届出票＝広島県地域がん登録届出票情報、病理登録＝広島県腫瘍登録情報、採録票＝広島市地域がん登録採録票情報