

V 付 表

平成20年(2008)

表1. 罹患数、罹患割合（％）、粗罹患率、年齢調整罹患率（人口10万対）および累積罹患率（人口100対）； 部位別、性別
A. 上皮内がんを除く

2008年

部位	ICD-10	罹患数				罹患割合(%)				粗罹患率				年齢調整罹患率				世界人口				累積罹患率(0-74歳)			
		男		女		男女計		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計			
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計			
全部位	C00-C96	10,753	8,143	18,896	100.0	100.0	100.0	779.5	551.3	661.5	453.3	313.2	371.4	320.8	234.1	270.3	37.4	25.5	31.0						
口腔・咽頭 食道 胃 大腸（結腸・直腸） 結腸 直腸 肝および肝内胆管 胆のう・胆管 膀胱 喉頭 肺 皮膚 乳房 子宮 子宮頸部 子宮体部 卵巣 前立腺 膀胱 腎・尿管（膀胱除く） 脳・中枢神経系 甲状腺 悪性リンパ腫 多発性骨髄腫 白血病	C00-C14	244	118	362	2.3	1.4	1.9	17.7	8.0	12.7	11.2	3.9	7.3	8.2	2.9	5.4	1.0	0.3	0.7						
	C15	369	67	436	3.4	0.8	2.3	26.7	4.5	15.3	16.2	2.5	8.9	11.9	1.9	6.6	1.6	0.2	0.9						
	C16	2,081	1,020	3,101	19.4	12.5	16.4	150.8	69.1	108.6	87.2	33.3	57.5	61.0	23.6	40.6	7.3	2.6	4.8						
	C18-C20	1,526	1,216	2,742	14.2	14.9	14.5	110.6	82.3	96.0	66.6	40.1	52.3	47.4	28.8	37.5	5.8	3.3	4.5						
	C18	946	861	1,807	8.8	10.6	9.6	68.6	58.3	63.3	40.1	26.8	32.9	28.1	18.9	23.2	3.5	2.1	2.7						
	C19-C20	580	355	935	5.4	4.4	4.9	42.0	24.0	32.7	26.5	13.2	19.4	19.3	9.9	14.3	2.4	1.2	1.8						
	C22	927	466	1,393	8.6	5.7	7.4	67.2	31.6	48.8	38.7	13.7	25.1	27.1	9.5	17.6	3.3	1.2	2.2						
	C23-C24	224	233	457	2.1	2.9	2.4	16.2	15.8	16.0	8.7	5.7	7.0	7.0	5.8	3.8	4.7	0.6	0.4	0.5					
	C25	357	334	691	3.3	4.1	3.7	25.9	22.6	24.2	14.6	9.2	11.7	10.2	6.3	8.1	1.2	0.6	0.9						
	C32	125	8	133	1.2	0.1	0.7	9.1	0.5	4.7	5.4	0.3	2.6	3.9	0.2	1.9	0.5	0.0	0.2						
	C33-C34	1,648	810	2,458	15.3	9.9	13.0	119.5	54.8	86.0	66.0	26.5	43.6	45.4	18.9	30.5	5.2	2.3	3.6						
	C43-C44	210	201	411	2.0	2.5	2.2	15.2	13.6	14.4	8.8	5.0	6.7	6.1	3.4	4.6	0.6	0.3	0.4						
	C50	11	1,585	1,596	0.1	19.5	8.4	0.8	107.3	55.9	0.5	80.6	41.9	0.4	62.2	32.2	0.0	6.8	3.5						
	C53-C55	-	484	484	-	5.9	2.6	-	32.8	-	-	26.4	-	-	20.8	-	-	2.1	-	-					
	C53	-	214	214	-	2.6	1.1	-	14.5	-	-	12.4	-	-	10.0	-	-	0.9	-	-					
	C54	-	251	251	-	3.1	1.3	-	17.0	-	-	13.5	-	-	10.5	-	-	1.1	-	-					
	C56	-	162	162	-	2.0	0.9	-	11.0	-	-	8.5	-	-	6.8	-	-	0.7	-	-					
	C61	1,345	-	1,345	12.5	-	7.1	97.5	-	-	-	51.8	-	-	34.7	-	-	4.4	-	-					
	C67	363	131	494	3.4	1.6	2.6	26.3	8.9	17.3	17.3	14.2	3.1	8.0	9.8	2.0	5.5	1.0	0.2	0.6					
	C64-C66 C68	350	171	521	3.3	2.1	2.8	25.4	11.6	18.2	18.2	15.7	6.1	10.5	11.4	4.5	7.7	1.3	0.5	0.9					
C70-C72	50	39	89	0.5	0.5	0.5	3.6	2.6	3.1	3.1	3.0	2.3	2.6	2.3	2.3	2.3	0.2	0.2	0.2						
C73	98	405	503	0.9	5.0	2.7	7.1	27.4	17.6	17.6	5.4	21.4	13.6	4.2	16.9	10.7	0.4	1.8	1.1						
C81-C85 C96	297	294	591	2.8	3.6	3.1	21.5	19.9	20.7	20.7	13.8	11.0	12.2	10.4	8.1	9.1	1.1	0.9	1.0						
C88-C90	73	76	149	0.7	0.9	0.8	5.3	5.1	5.2	5.2	2.8	2.1	2.4	1.9	1.4	1.6	0.2	0.2	0.2						
C91-C95	147	97	244	1.4	1.2	1.3	10.7	6.6	8.5	8.5	7.3	4.0	5.5	6.1	3.7	4.8	0.5	0.3	0.4						

表1. 罹患数、罹患割合（％）、粗罹患率、年齢調整罹患率（人口10万対）および累積罹患率（人口100対）； 部位別、性別
B. 上皮内がんを含む

2008年

部位	ICD-10	罹患数		罹患割合(%)				粗罹患率				年齢調整罹患率				世界人口				累積罹患率(0-74歳)			
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	
全部位	C00-C96 D00-D09	11,820	9,152	20,972	100.0	100.0	100.0	856.8	619.7	734.2	500.5	367.0	420.9	354.8	276.7	308.0	41.7	29.8	35.2				
食道	C15 D001	383	74	457	3.2	0.8	2.2	27.8	5.0	16.0	16.9	2.8	9.3	12.4	2.0	6.9	1.7	0.3	0.9				
大腸（結腸・直腸）*1	C18-C20 D010-D012	2,207	1,562	3,769	18.7	17.1	18.0	160.0	105.8	131.9	98.1	53.2	74.1	70.5	38.4	53.4	8.8	4.6	6.6				
結腸 *1	C18 D010	1,430	1,107	2,537	12.1	12.1	12.1	103.7	75.0	88.8	62.3	36.1	48.2	44.2	25.5	34.3	5.5	3.0	4.2				
直腸 *1	C19-C20 D011-D012	777	455	1,232	6.6	5.0	5.9	56.3	30.8	43.1	35.8	17.1	25.8	26.2	12.8	19.2	3.3	1.6	2.4				
肺	C33-C34 D021-D022	1,648	812	2,460	13.9	8.9	11.7	119.5	55.0	86.1	66.0	26.5	43.6	45.4	18.9	30.6	5.2	2.3	3.7				
皮膚	C43-C44 D030-D049	259	260	519	2.2	2.8	2.5	18.8	17.6	18.2	10.7	6.5	8.4	7.3	4.4	5.7	0.7	0.4	0.5				
乳房	C50 D05	13	1,773	1,786	0.1	19.4	8.5	0.9	120.0	62.5	0.6	91.6	47.5	0.4	70.9	36.6	0.0	7.7	4.0				
子宮	C53-C55 D06	-	789	789	-	8.6	3.8	-	53.4	-	-	50.0	-	-	40.9	-	-	3.7	-				
子宮頸部	C53 D06	-	519	519	-	5.7	2.5	-	35.1	-	-	36.0	-	-	30.1	-	-	2.6	-				
膀胱	C67 D090	613	204	817	5.2	2.2	3.9	44.4	13.8	28.6	24.3	5.5	13.8	16.7	3.7	9.5	1.8	0.4	1.1				

*1 粘膜がんを含む

表2. 年齢階級別罹患数、罹患割合(%)； 部位別、性別

B. 上皮内がんを含む

2008年

性別	部位	10歳以下	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
		罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)
男	全部位	14 100.0	13 100.0	9 100.0	8 100.0	26 100.0	41 100.0	83 100.0	98 100.0	230 100.0	412 100.0	1,017 100.0	1,515 100.0	1,752 100.0	1,992 100.0	2,046 100.0	1,511 100.0	1,047 100.0
	食道	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 1.2	2 2.0	6 2.6	21 5.1	46 4.5	66 4.4	81 4.6	69 3.5	47 2.3	26 1.7	18 1.7
	大腸 (結腸・直腸)*1	0 0.0	0 0.0	0 0.0	0 0.0	2 7.7	5 12.2	17 20.5	33 33.7	57 24.8	115 27.9	266 26.2	321 21.2	339 19.3	384 19.3	327 16.0	223 14.8	118 11.3
	結腸 *1	0 0.0	0 0.0	0 0.0	0 0.0	1 3.8	2 4.9	12 14.5	17 17.3	31 13.5	68 16.5	159 15.6	189 12.5	225 12.8	251 12.6	229 11.2	160 10.6	86 8.2
	直腸 *1	0 0.0	0 0.0	0 0.0	0 0.0	1 3.8	3 7.3	5 6.0	16 16.3	26 11.3	47 11.4	107 10.8	132 8.7	114 6.5	133 6.7	98 4.8	63 4.2	32 3.1
	肺	0 0.0	0 0.0	0 0.0	0 0.0	1 3.8	0 0.0	7 8.4	7 7.1	21 9.1	41 10.0	110 10.8	209 13.8	237 13.5	280 13.1	296 14.5	263 17.4	194 18.5
	皮膚	0 0.0	0 0.0	1 7.7	0 0.0	0 0.0	2 7.7	2 4.9	2 2.4	6 6.1	7 3.0	8 1.9	14 1.4	15 1.0	26 1.5	35 1.8	48 2.4	51 3.4
	乳房	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 0.9	0 0.0	1 0.1	0 0.0	2 0.1	3 0.2	2 0.1	3 0.2	2 0.1
	膀胱	0 0.0	0 0.0	0 0.0	1 12.5	1 3.8	2 4.9	1 1.2	1 1.0	4 1.7	13 3.2	45 4.4	75 5.0	82 4.7	91 4.6	129 6.3	88 5.8	79 7.6
女	全部位	6 100.0	3 100.0	15 100.0	23 100.0	94 100.0	185 100.0	242 100.0	296 100.0	438 100.0	573 100.0	769 100.0	901 100.0	955 100.0	1,102 100.0	1,132 100.0	1,091 100.0	1,318 100.0
	食道	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 0.7	0 0.0	7 1.2	8 1.0	8 0.9	12 1.3	14 1.3	8 0.7	3 0.3	12 0.9
	大腸 (結腸・直腸)*1	0 0.0	0 0.0	0 0.0	1 6.7	1 4.3	3 3.2	13 5.4	19 6.4	38 8.7	68 11.9	116 15.1	167 18.5	195 20.4	235 21.3	233 20.6	221 20.3	245 18.6
	結腸 *1	0 0.0	0 0.0	0 0.0	1 6.7	0 0.0	2 2.1	4 2.2	11 4.5	14 4.7	19 4.3	42 7.3	76 9.9	99 11.0	127 13.3	167 15.2	185 16.3	176 16.1
	直腸 *1	0 0.0	0 0.0	0 0.0	1 4.3	1 1.1	3 1.6	2 0.8	5 1.7	19 4.3	26 4.5	40 5.2	68 7.5	68 7.1	68 6.2	48 4.2	45 4.1	61 4.6
	肺	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 1.1	4 1.7	6 2.0	18 4.1	32 5.6	69 9.0	84 9.3	90 9.4	129 11.7	118 10.4	117 10.7
	皮膚	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 1.1	1 0.4	3 1.0	4 0.9	6 0.8	9 1.0	26 2.7	22 2.0	41 3.6	51 4.7	92 7.0
	乳房	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	39 21.1	66 27.3	125 42.2	205 46.8	189 33.0	234 30.4	228 25.3	190 19.9	175 15.9	133 11.8	94 8.6	86 6.5
	子宮	0 0.0	0 0.0	0 0.0	1 6.7	10 43.5	60 63.8	93 50.3	92 38.0	76 25.7	74 16.9	77 13.4	65 8.5	67 7.4	35 3.7	48 4.4	38 3.4	21 1.9
	子宮頸部	0 0.0	0 0.0	0 0.0	1 6.7	10 43.5	57 60.6	87 47.0	84 34.7	63 21.3	47 10.7	33 5.8	25 3.3	36 4.0	12 1.3	23 2.1	14 1.2	9 0.8
	膀胱	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 0.5	0 0.0	0 0.0	3 0.7	3 0.5	13 1.7	12 1.3	13 1.4	33 3.0	31 2.7	45 4.1	50 3.8
男+計	全部位	20 100.0	16 100.0	24 100.0	31 100.0	120 100.0	226 100.0	325 100.0	394 100.0	668 100.0	985 100.0	1,786 100.0	2,416 100.0	2,707 100.0	3,094 100.0	3,178 100.0	2,602 100.0	2,365 100.0
	食道	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 0.3	4 1.0	6 0.9	28 2.8	54 3.0	74 3.1	93 3.4	83 2.7	55 1.7	29 1.1	30 1.3
	大腸 (結腸・直腸)*1	0 0.0	0 0.0	0 0.0	1 3.2	5 4.2	12 5.3	30 9.2	52 13.2	95 14.2	183 18.6	382 21.4	488 20.2	534 19.7	619 20.0	560 17.6	444 17.1	363 15.4
	結腸 *1	0 0.0	0 0.0	0 0.0	1 4.2	0 0.0	3 2.5	6 2.7	23 7.1	31 7.9	50 7.5	110 11.2	235 13.2	288 11.9	352 13.0	418 13.5	414 13.0	336 12.9
	直腸 *1	0 0.0	0 0.0	0 0.0	0 0.0	1 3.2	2 1.7	6 2.7	7 2.2	21 5.3	45 6.7	73 7.4	147 8.2	200 8.3	182 6.7	201 6.5	146 4.6	108 4.2
	肺	0 0.0	1 7.1	0 0.0	0 0.0	1 0.8	2 0.9	11 3.4	13 3.3	39 5.8	73 7.4	179 10.0	283 12.1	327 12.1	389 12.6	414 13.0	380 14.6	337 14.3
	皮膚	0 0.0	0 0.0	1 6.3	0 0.0	0 0.0	2 1.7	4 1.8	3 0.9	9 2.3	11 1.6	11 1.1	24 1.0	52 1.9	57 1.8	89 2.8	102 3.9	134 5.7
	乳房	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	9 7.5	39 17.3	66 20.3	125 31.7	207 31.0	189 19.2	235 13.2	228 9.4	192 7.1	177 5.7	136 4.3	96 3.7
	子宮	0 0.0	0 0.0	0 0.0	1 4.2	10 32.3	60 50.0	93 41.2	92 28.3	76 19.3	74 11.1	77 7.8	65 3.6	67 2.8	35 1.3	48 1.6	38 1.2	21 0.8
	子宮頸部	0 0.0	0 0.0	0 0.0	1 4.2	10 32.3	57 47.5	87 38.5	84 25.8	63 16.0	47 7.0	33 3.4	25 1.4	36 1.5	12 0.4	23 0.7	14 0.4	9 0.4
	膀胱	0 0.0	1 7.1	0 0.0	1 3.2	1 0.8	3 1.3	1 0.3	1 0.3	7 1.0	16 1.6	58 3.2	87 3.6	95 3.5	124 4.0	160 5.0	133 5.1	129 5.5

*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

A. 上皮内がんを除く

2008年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
男	全部位	C00-C96	22.7	7.3	18.5	12.6	10.4	31.0	39.4	72.1	99.1	245.8	420.6	793.6	1,298.5	1,843.2	2,570.8	3,369.6	3,822.8	3,929.9
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	1.3	1.2	1.0	3.8	2.3	7.2	18.6	30.8	33.5	54.9	45.4	53.8	67.6	39.5
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.3	7.2	23.3	39.9	60.3	91.1	90.9	84.2	70.3	71.1
	胃	C16	0.0	0.0	0.0	1.4	0.0	2.5	5.0	10.4	12.5	59.0	75.7	171.4	243.0	375.9	499.7	652.4	738.1	722.8
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	2.5	4.0	10.4	26.2	41.0	85.1	137.9	205.7	268.5	383.3	424.8	473.1	395.0
	結腸	C18	0.0	0.0	0.0	0.0	0.0	1.2	2.0	6.6	12.5	18.1	43.1	75.3	115.8	170.4	245.6	277.8	332.5	284.4
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	1.2	2.0	3.8	13.7	22.9	41.9	62.6	89.9	98.1	137.7	147.0	140.6	110.6
	肝および肝内胆管	C22	1.6	0.0	0.0	0.0	0.0	0.0	2.0	2.8	8.0	14.5	38.4	75.3	122.5	159.9	230.0	306.5	316.3	280.4
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	3.6	5.8	11.8	20.1	29.2	52.5	66.3	113.5	154.0
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	1.2	2.0	0.9	1.1	3.6	11.7	29.9	44.0	56.0	96.5	116.5	116.3	142.2
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.2	8.2	6.3	25.8	26.8	27.0	35.8	27.0	35.5
	肺	C33-C34	0.0	1.5	0.0	0.0	0.0	1.2	0.0	6.6	8.0	25.3	47.8	99.8	200.0	276.7	369.1	530.5	711.0	766.2
	皮膚	C43-C44	0.0	0.0	1.4	0.0	0.0	2.5	2.0	1.9	6.8	8.4	8.2	11.8	9.6	21.0	41.2	66.3	110.8	138.2
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.9	0.0	2.3	2.8	3.6	5.4	0.0
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	11.7	57.1	132.0	253.3	415.9	525.2	521.8	541.1
	膀胱	C67	0.0	1.5	0.0	0.0	1.3	0.0	1.0	0.0	0.0	4.8	9.3	24.5	44.0	45.5	71.0	132.6	148.7	225.1
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	2.0	7.6	1.1	16.9	26.8	24.5	60.3	53.7	76.7	87.8	105.4	94.8
	脳・中枢神経系	C70-C72	0.0	0.0	1.4	0.0	1.3	1.2	5.0	4.7	5.7	1.2	5.8	5.4	1.0	3.5	5.7	10.8	8.1	11.8
	甲状腺	C73	0.0	0.0	1.4	0.0	0.0	2.5	4.0	5.7	4.6	9.6	7.0	11.8	16.3	15.2	11.4	21.5	8.1	3.9
	悪性リンパ腫	C81-C85 C96	3.2	2.9	1.4	1.4	1.3	3.7	1.0	1.9	8.0	15.7	18.6	21.8	26.8	50.2	55.4	96.8	91.9	102.7
	多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.5	9.6	14.0	11.4	34.1	29.7	27.6
	白血病	C91-C95	4.9	1.5	5.7	4.2	2.6	3.7	3.0	4.7	3.4	3.6	5.8	8.2	11.5	16.3	24.1	52.0	48.7	51.3
女	全部位	C00-C96	10.3	13.9	4.5	19.5	20.6	56.9	108.5	156.9	252.3	425.2	593.1	606.3	762.5	909.0	1,156.4	1,373.5	1,688.4	1,911.8
	口腔・咽頭	C00-C14	0.0	0.0	0.0	1.5	0.0	0.0	2.0	0.0	2.2	2.4	5.7	7.9	10.2	11.6	24.9	17.1	26.4	37.9
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	6.9	7.0	6.5	11.6	15.4	7.9	3.3	18.2
	胃	C16	0.0	0.0	0.0	0.0	1.4	0.0	6.1	10.4	19.1	24.9	60.8	57.3	76.7	115.2	150.3	203.0	286.6	301.5
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	1.5	1.4	3.8	6.1	10.4	13.5	32.1	61.9	69.6	120.2	149.0	185.8	241.2	309.7	337.8
	結腸	C18	0.0	0.0	0.0	1.5	0.0	2.5	3.0	8.5	10.1	14.3	35.6	46.7	73.9	92.0	127.8	192.4	250.4	254.5
	直腸	C19-C20	0.0	0.0	0.0	0.0	1.4	1.3	3.0	1.9	3.4	17.8	26.4	22.9	46.2	57.1	58.0	48.8	59.3	83.3
	肝および肝内胆管	C22	1.7	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.1	2.4	4.6	15.9	36.0	74.0	100.6	114.7	141.7	107.6
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.9	1.1	1.2	2.3	8.8	11.1	13.7	34.3	47.5	75.8	121.2
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.1	7.1	10.3	13.2	25.9	32.8	33.1	81.7	98.8	140.9
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	1.1	0.0	2.6	0.0	1.5
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.8	6.7	21.4	36.7	60.8	77.6	94.1	151.5	155.5	192.7	216.6
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.9	2.2	3.6	3.4	3.5	5.5	18.0	23.7	42.2	62.6	110.6
	乳房	C50	0.0	0.0	0.0	0.0	0.0	10.1	35.5	56.7	120.0	199.6	191.6	183.3	192.2	183.9	181.1	160.8	151.5	125.7
	子宮	C53-C55	0.0	0.0	0.0	0.0	2.7	16.4	23.3	27.4	38.1	58.2	71.1	48.5	53.6	31.7	48.5	50.1	29.7	48.5
	子宮頸部	C53	0.0	0.0	0.0	0.0	2.7	12.6	17.2	19.8	23.5	26.1	20.6	13.2	25.0	7.4	18.9	18.5	9.9	27.3
	子宮体部	C54	0.0	0.0	0.0	0.0	0.0	3.8	6.1	7.6	14.6	32.1	50.5	33.5	27.7	22.2	28.4	27.7	14.8	10.6
	卵巣	C56	0.0	0.0	1.5	4.5	0.0	3.8	5.1	2.8	5.6	17.8	33.3	21.1	15.7	12.7	14.2	13.2	23.1	13.6
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	6.2	5.5	7.4	24.9	21.1	52.7	62.1
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	1.5	0.0	2.5	3.0	0.0	2.2	2.4	10.3	16.7	16.6	15.9	30.8	31.6	39.5	39.4
	脳・中枢神経系	C70-C72	3.4	4.6	0.0	0.0	0.0	3.8	1.0	2.8	0.0	3.6	1.1	1.8	2.8	7.4	5.9	5.3	3.3	0.0
	甲状腺	C73	0.0	0.0	1.5	1.5	6.9	11.4	13.2	26.5	24.7	32.1	51.6	45.8	49.0	53.9	36.7	43.5	32.9	21.2
悪性リンパ腫	C81-C85 C96	0.0	1.5	0.0	1.5	2.7	1.3	5.1	6.6	7.8	4.8	21.8	22.0	25.0	30.7	45.0	67.2	62.6	59.1	
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	1.8	5.5	9.5	15.4	18.5	21.4	25.8	
白血病	C91-C95	1.7	4.6	1.5	6.0	2.7	1.3	0.0	2.8	1.1	2.4	4.6	3.5	7.4	13.7	9.5	11.9	21.4	30.3	
男女計	全部位	C00-C96	16.7	10.5	11.7	16.0	15.4	43.8	73.9	114.6	176.3	336.2	507.5	698.6	1,025.8	1,353.0	1,799.5	2,219.4	2,496.5	2,471.3
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.7	0.7	0.6	1.5	1.9	2.3	4.8	12.1	19.2	21.6	32.2	34.2	32.7	42.0	38.3
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.3	3.6	15.0	23.2	32.9	49.4	49.7	40.3	28.7	32.8
	胃	C16	0.0	0.0	0.0	0.7	0.7	1.3	5.6	10.4	15.8	41.9	68.2	113.5	158.4	239.1	309.2	393.4	457.5	418.3
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.7	0.7	3.1	5.1	10.4	19.8	36.5	73.4	103.2	162.2	205.8	275.6	319.0	371.6	353.7
	結腸	C18	0.0	0.0	0.0	0.7	0.0	1.9	2.5	7.6	11.3	16.2	39.3	60.8	94.5	129.3	181.4	228.6	281.5	262.8
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.7	1.3	2.5	2.8	8.5	20.3	34.1	42.5	67.7	76.6	94.2	90.4	90.1	90.9
	肝および肝内胆管	C22	1.7	0.0	0.0	0.0	0.0	0.0	1.0	2.4	4.5	8.4	21.4	45.1	78.5	114.8	159.4	196.0	207.8	155.5
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.4	1.1	2.4	4.0	10.3	15.5	21.1	42.6	55.4	90.1	130.3
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.6	1.5	0.5	1.1	5.4	11.0	21.5	34.8	43.8	62.0	96.5	105.4	141.2
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.6	4.0	3.1	14.6	13.3	12.3	16.7	10.2	10.9
	肺	C33-C34	0.0	0.7	0.0	0.0	0.0	0.6	1.0	5.2	7.3	23.3	42.2	80.0	137.8	180.8	250.4	314.5	389.0	369.0
	皮膚	C43-C44	0.0	0.0	0.7	0.0	0.0	1.3	2.0	1.4	4.5	6.0	5.8	7.6	7.5	19.4	31.6	52.4	80.9	

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別
B. 上皮内がんを含む

2008年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
男	全部位	000-096 D00-D09	22.7	7.3	18.5	12.6	10.4	32.2	41.4	78.7	111.6	277.2	480.0	922.4	1,449.7	2,045.2	2,827.7	3,667.1	4,085.0	4,135.2
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	7.2	24.5	41.7	63.2	94.6	97.9	84.2	70.3	71.1
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	2.5	5.0	16.1	37.6	68.7	134.0	241.3	307.2	395.7	545.1	586.1	602.9	466.1
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	1.2	2.0	11.4	19.4	37.4	79.2	144.2	180.8	262.7	356.3	410.4	432.6	339.7
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	1.2	3.0	4.7	18.2	31.3	54.8	97.0	126.3	133.1	188.8	175.6	170.3	126.4
	肺	C33-C34 D021-D022	0.0	1.5	0.0	0.0	0.0	1.2	0.0	6.6	8.0	25.3	47.8	99.8	200.0	276.7	369.1	530.5	711.0	766.2
	皮膚	C43-C44 D030-D049	0.0	0.0	1.4	0.0	0.0	2.5	2.0	1.9	6.8	8.4	9.3	12.7	14.4	30.4	49.7	86.0	137.9	165.9
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	2.3	2.8	5.4	5.4	3.9
	膀胱	C67 D090	0.0	1.5	0.0	0.0	1.3	1.2	2.0	0.9	1.1	4.8	15.1	40.8	71.8	95.7	129.2	231.2	237.9	312.0
女	全部位	000-096 D00-D09	10.3	13.9	4.5	22.5	31.6	118.9	187.6	228.7	331.9	520.3	657.3	677.6	832.7	1,009.5	1,304.4	1,492.1	1,797.2	1,996.6
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	8.0	7.0	7.4	12.7	16.6	10.5	4.9	18.2
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	1.5	1.4	3.8	7.1	12.3	21.3	45.1	78.0	102.2	154.3	206.1	278.2	307.1	364.0	371.2
	結腸 *1	C18 D010	0.0	0.0	0.0	1.5	0.0	2.5	4.1	10.4	15.7	22.6	48.2	67.0	91.5	134.2	197.7	243.9	289.9	278.7
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	1.4	1.3	3.0	1.9	5.6	22.6	29.8	35.2	62.8	71.9	80.5	63.3	74.1	92.4
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.8	6.7	21.4	36.7	60.8	77.6	95.1	152.7	155.5	192.7	216.6
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.9	3.4	4.8	3.4	5.3	8.3	27.5	26.0	54.0	84.0	139.4
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	11.4	39.6	62.4	140.2	243.5	216.8	206.2	210.7	200.8	207.1	175.3	154.8	130.3
	子宮	C53-C55 D06	0.0	0.0	0.0	1.5	13.7	75.9	94.3	87.0	85.2	87.9	88.3	57.3	61.9	37.0	56.8	50.1	34.6	48.5
	子宮頸部	C53 D06	0.0	0.0	0.0	1.5	13.7	72.1	88.2	79.4	70.6	55.8	37.9	22.0	33.3	12.7	27.2	18.5	14.8	27.3
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	3.6	3.4	11.5	11.1	13.7	39.1	40.9	74.1	75.7
男女計	全部位	000-096 D00-D09	16.7	10.5	11.7	17.4	20.7	75.1	114.3	153.8	222.6	399.6	569.4	798.3	1,135.9	1,501.6	1,997.0	2,413.8	2,863.4	2,589.5
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.3	3.6	16.2	24.1	34.8	51.6	53.6	41.8	29.7	32.8
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.7	0.7	3.1	6.1	14.2	29.4	56.8	105.8	170.7	229.4	296.2	399.5	425.3	454.5	397.5
	結腸 *1	C18 D010	0.0	0.0	0.0	0.7	0.0	1.9	3.0	10.9	17.5	29.9	63.6	105.0	135.4	195.3	269.8	314.5	343.9	295.6
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.7	1.3	3.0	3.3	11.9	26.9	42.2	65.7	94.0	101.0	129.7	110.9	110.5	101.8
	肺	C33-C34 D021-D022	0.0	0.7	0.0	0.0	0.0	0.6	1.0	5.2	7.3	23.3	42.2	80.0	137.8	181.4	251.1	314.5	389.0	369.0
	皮膚	C43-C44 D030-D049	0.0	0.0	0.7	0.0	0.0	1.3	2.0	1.4	5.1	6.6	6.4	8.9	11.3	28.8	36.8	67.6	104.4	146.7
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	5.6	19.7	31.2	70.6	123.8	109.2	105.0	107.2	106.5	114.2	103.3	98.3	95.3
	膀胱	C67 D090	0.0	0.7	0.0	0.0	0.7	0.6	1.5	0.5	0.6	4.2	9.2	25.9	40.9	52.7	80.0	121.5	136.1	141.2
	*1 粘膜がんを含む																			

表4.発見経緯(%)：部位別
A. 上皮内がんを除く

国内D00を除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	17,905	4.7	7.7	25.1	0.1	62.4
口腔・咽頭	C00-C14	354	0.0	0.6	12.4	0.0	87.0
食道	C15	429	0.0	12.1	25.6	0.0	62.2
胃	C16	3,008	7.3	10.9	23.1	0.0	58.6
大腸(結腸・直腸)	C18-C20	2,649	5.8	6.2	23.1	0.0	64.9
結腸	C18	1,738	5.9	5.9	26.0	0.0	62.2
直腸	C19-C20	911	5.6	6.7	17.7	0.0	70.0
肝および肝内胆管	C22	1,257	0.4	2.5	56.2	0.1	40.8
胆のう・胆管	C23-C24	388	0.0	4.1	31.7	0.5	63.7
膵臓	C25	612	0.0	2.8	30.4	0.0	66.8
喉頭	C32	133	0.0	0.0	13.5	0.0	86.5
肺	C33-C34	2,217	4.9	9.9	34.2	0.2	50.8
皮膚	C43-C44	406	0.0	0.2	5.9	0.0	93.8
乳房	C50	1,570	18.0	4.3	9.5	0.0	68.2
乳房(女性のみ)	C50	1,559	18.1	4.4	9.4	0.0	68.1
子宮	C53-C55	469	13.9	6.8	9.6	0.2	69.5
子宮頸部	C53	211	28.9	1.9	8.5	0.5	60.2
子宮体部	C54	248	1.6	11.3	10.5	0.0	76.6
卵巣	C56	154	0.0	8.4	17.5	0.0	74.0
前立腺	C61	1,305	0.4	15.3	23.6	0.1	60.6
膀胱	C67	471	0.2	4.0	15.5	0.0	80.3
腎・尿路(膀胱除く)	C64-C66 C68	499	0.0	10.0	30.5	0.4	59.1
脳・中枢神経系	C70-C72	86	0.0	3.5	12.8	0.0	83.7
甲状腺	C73	494	0.4	20.2	25.7	0.4	53.2
悪性リンパ腫	C81-C85 C96	563	0.5	3.6	17.1	0.2	78.7
多発性骨髄腫	C88-C90	137	0.0	4.4	43.8	0.0	51.8
白血病	C91-C95	216	0.5	4.2	30.6	0.0	64.8

表4. 発見経緯 (%) ; 部位別

B. 上皮内がんを含む

		国内D00を除く届出患者、男女計					2008年
部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96 D00-D09	19,981	5.5	7.8	24.6	0.1	62.0
食道	C15 D001	450	0.0	12.0	27.6	0.0	60.4
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3,676	6.6	7.6	22.7	0.0	63.1
結腸 *1	C18 D010	2,468	6.8	7.4	24.9	0.0	60.8
直腸 *1	C19-C20 D011-D012	1,208	6.0	7.9	18.1	0.0	68.0
肺	C33-C34 D021-D022	2,219	4.9	9.9	34.2	0.2	50.8
皮膚	C43-C44 D030-D049	514	0.0	0.2	6.4	0.0	93.4
乳房	C50 D05	1,760	19.4	4.7	9.8	0.0	66.1
乳房 (女性のみ)	C50 D05	1,747	19.5	4.8	9.7	0.0	66.0
子宮	C53-C55 D06	774	22.7	6.7	11.2	0.1	59.2
子宮頸部	C53 D06	516	33.3	4.7	11.6	0.2	50.2
膀胱	C67 D090	794	0.1	4.0	18.9	0.0	77.0

*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別
A. 上皮内がんを除く

国内D00を除く届出患者、男女計 2008年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	17,905	43.2	8.7	15.8	16.4	15.9
口腔・咽頭	C00-C14	354	41.0	15.3	27.1	5.4	11.3
食道	C15	429	32.4	7.9	29.1	19.3	11.2
胃	C16	3,008	52.5	10.3	10.6	16.0	10.6
大腸（結腸・直腸）	C18-C20	2,649	43.8	16.1	14.3	18.1	7.8
結腸	C18	1,738	42.9	15.4	16.1	19.1	6.5
直腸	C19-C20	911	45.3	17.3	10.9	16.1	10.3
肝および肝内胆管	C22	1,257	59.3	1.2	17.4	7.1	15.0
胆のう・胆管	C23-C24	388	11.1	1.3	44.3	27.3	16.0
膵臓	C25	612	3.8	2.1	36.9	45.6	11.6
喉頭	C32	133	69.9	4.5	8.3	1.5	15.8
肺	C33-C34	2,217	30.1	7.2	17.3	35.4	10.1
皮膚	C43-C44	406	67.7	1.0	4.2	1.2	25.9
乳房	C50	1,570	58.6	21.1	6.8	5.2	8.3
乳房（女性のみ）	C50	1,559	58.6	21.0	6.9	5.2	8.3
子宮	C53-C55	469	56.5	1.1	26.7	7.5	8.3
子宮頸部	C53	211	42.7	1.9	37.4	8.5	9.5
子宮体部	C54	248	70.6	0.4	18.5	6.0	4.4
卵巣	C56	154	22.7	1.3	45.5	18.8	11.7
前立腺	C61	1,305	43.8	0.6	13.6	9.5	32.5
膀胱	C67	471	60.7	0.8	13.0	2.8	22.7
腎・尿路（膀胱除く）	C64-C66 C68	499	60.3	1.0	21.4	11.2	6.0
脳・中枢神経系	C70-C72	86	58.1	0.0	5.8	0.0	36.0
甲状腺	C73	494	44.1	30.4	13.8	2.2	9.5
悪性リンパ腫	C81-C85 C96	563	17.4	0.2	12.8	35.5	34.1
多発性骨髄腫	C88-C90	137	0.0	0.0	0.0	0.0	100.0
白血病	C91-C95	216	0.0	0.0	0.5	0.9	98.6

表5. 臨床進行度分布 (%) ; 部位別
B. 上皮内がんを含む

国内D00を除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96 D00-D09	19,981	10.3	38.7	7.8	14.1	14.7	14.3
食道	C15 D001	450	4.7	30.9	7.6	27.8	18.4	10.7
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3,676	27.9	31.5	11.6	10.3	13.0	5.7
結腸 *1	C18 D010	2,468	29.6	30.2	10.9	11.3	13.5	4.6
直腸 *1	C19-C20 D011-D012	1,208	24.5	34.2	13.1	8.2	12.2	7.9
肺	C33-C34 D021-D022	2,219	0.1	30.1	7.2	17.3	35.3	10.0
皮膚	C43-C44 D030-D049	514	20.8	53.5	0.8	3.3	1.0	20.6
乳房	C50 D05	1,760	10.7	52.3	18.9	6.1	4.6	7.4
乳房 (女性のみ)	C50 D05	1,747	10.7	52.3	18.8	6.1	4.6	7.4
子宮	C53-C55 D06	774	39.1	34.2	0.6	16.1	4.5	5.3
子宮頸部	C53 D06	516	58.7	17.4	0.8	15.3	3.5	4.3
膀胱	C67 D090	794	40.1	36.0	0.5	7.7	1.6	14.1

*1 粘膜がんを含む

表6. 受療割合 (%) ; 部位別 *1

A. 上皮内がんを除く

国内DOCを除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	外科・内視鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96	17,905	53.8	10.8	36.2	24.6
口腔・咽頭	C00-C14	354	42.7	51.1	51.4	16.1
食道	C15	429	49.0	39.4	48.3	17.2
胃	C16	3,008	69.3	0.9	23.3	21.7
大腸（結腸・直腸）	C18-C20	2,649	77.2	2.1	29.4	19.4
結腸	C18	1,738	77.4	0.5	28.9	19.1
直腸	C19-C20	911	76.9	5.2	30.3	19.9
肝および肝内胆管	C22	1,257	22.9	2.1	36.2	25.8
胆のう・胆管	C23-C24	388	51.3	4.1	33.2	26.5
膵臓	C25	612	37.6	6.2	53.3	26.3
喉頭	C32	133	24.1	73.7	42.1	16.5
肺	C33-C34	2,217	37.4	16.6	41.3	24.2
皮膚	C43-C44	406	58.4	1.7	4.4	39.7
乳房	C50	1,570	80.3	32.7	60.4	14.9
乳房（女性のみ）	C50	1,559	80.2	32.8	60.4	14.9
子宮	C53-C55	469	71.2	26.4	37.7	11.5
子宮頸部	C53	211	55.0	41.2	40.3	13.3
子宮体部	C54	248	87.1	14.9	37.1	7.7
卵巣	C56	154	79.2	0.6	66.9	14.9
前立腺	C61	1,305	21.8	7.5	36.5	43.3
膀胱	C67	471	65.6	5.3	23.8	30.4
腎・尿路（膀胱除く）	C64-C66 C68	499	65.9	3.2	16.2	25.3
脳・中枢神経系	C70-C72	86	57.0	43.0	46.5	31.4
甲状腺	C73	494	76.5	0.8	20.9	23.3
悪性リンパ腫	C81-C85 C96	563	9.9	7.1	56.0	35.2
多発性骨髄腫	C88-C90	137	0.7	5.8	53.3	42.3
白血病	C91-C95	216	0.0	3.2	63.9	33.8

*1 重複を含むため合計は100%にならない

表6. 受療割合 (%) ; 部位別 *1

B. 上皮内がんを含む

国内D00を除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96 D00-D09	19,981	55.3	10.1	33.1	25.3
食道	C15 D001	450	51.1	37.6	46.0	16.7
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,676	72.9	1.5	21.3	24.6
結腸 *2	C18 D010	2,468	72.7	0.3	20.4	24.8
直腸 *2	C19-C20 D011-D012	1,208	73.4	4.0	23.0	24.2
肺	C33-C34 D021-D022	2,219	37.4	16.6	41.3	24.2
皮膚	C43-C44 D030-D049	514	56.6	1.4	3.9	41.4
乳房	C50 D05	1,760	80.6	33.4	57.7	14.9
乳房 (女性のみ)	C50 D05	1,747	80.5	33.5	57.6	15.0
子宮	C53-C55 D06	774	74.7	16.1	23.0	14.5
子宮頸部	C53 D06	516	69.8	17.1	16.7	16.7
膀胱	C67 D090	794	68.5	3.1	20.4	28.3

*1 重複を含むため合計は100%にならない

*2 粘膜がんを含む

表7. 切除内容 (%) ; 部位別
A. 上皮内がんを除く

A. 上皮内がんを除く		国内D00を除く届出患者、男女計					2008年
部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96	9,636	79.4	8.1	4.8	4.0	3.7
口腔・咽頭	C00-C14	151	76.8	7.9	4.0	7.3	4.0
食道	C15	210	80.0	6.2	4.3	9.0	0.5
胃	C16	2,085	81.8	7.4	4.6	2.8	3.5
大腸（結腸・直腸）	C18-C20	2,046	79.7	10.5	3.5	3.4	2.9
結腸	C18	1,345	78.9	11.6	3.1	3.0	3.4
直腸	C19-C20	701	81.2	8.4	4.1	4.3	2.0
肝および肝内胆管	C22	288	78.5	7.3	4.9	5.6	3.8
胆のう・胆管	C23-C24	199	54.3	9.0	6.0	26.6	4.0
膵臓	C25	230	42.6	13.9	7.0	33.5	3.0
喉頭	C32	32	56.3	21.9	12.5	6.3	3.1
肺	C33-C34	829	86.0	5.3	2.2	2.8	3.7
皮膚	C43-C44	237	85.7	2.1	6.3	1.3	4.6
乳房	C50	1,261	91.3	2.8	2.2	0.3	3.4
乳房（女性のみ）	C50	1,251	91.2	2.8	2.2	0.3	3.4
子宮	C53-C55	334	82.6	3.9	10.5	1.5	1.5
子宮頸部	C53	116	83.6	5.2	8.6	0.9	1.7
子宮体部	C54	216	82.9	3.2	11.1	1.4	1.4
卵巣	C56	122	63.1	18.9	10.7	1.6	5.7
前立腺	C61	284	79.2	9.2	5.6	2.5	3.5
膀胱	C67	309	61.8	16.5	11.3	1.3	9.1
腎・尿路（膀胱除く）	C64-C66 C68	329	83.9	4.3	6.7	0.9	4.3
脳・中枢神経系	C70-C72	49	30.6	61.2	6.1	0.0	2.0
甲状腺	C73	378	79.4	5.8	8.7	0.0	6.1
悪性リンパ腫	C81-C85 C96	56	41.1	23.2	16.1	3.6	16.1
多発性骨髄腫	C88-C90	1	0.0	0.0	0.0	100.0	0.0
白血病	C91-C95	0	...	...	...	...	...

表7. 切除内容 (%) ; 部位別
B. 上皮内がんを含む

		国内D00を除く届出患者、男女計					2008年
部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96 D00-D09	11,042	80.7	7.2	5.1	3.5	3.6
食道	C15 D001	230	81.7	5.7	3.9	8.3	0.4
大腸（結腸・直腸）*1	C18-C20 D010-D012	2,681	82.4	8.1	4.0	2.6	3.0
結腸 *1	C18 D010	1,794	82.1	8.8	3.8	2.2	3.2
直腸 *1	C19-C20 D011-D012	887	83.0	6.7	4.4	3.4	2.6
肺	C33-C34 D021-D022	831	86.0	5.3	2.2	2.8	3.7
皮膚	C43-C44 D030-D049	291	86.6	1.7	5.8	1.0	4.8
乳房	C50 D05	1,418	91.7	2.7	2.0	0.3	3.2
乳房（女性のみ）	C50 D05	1,406	91.7	2.7	2.1	0.3	3.3
子宮	C53-C55 D06	578	87.0	2.4	7.8	0.9	1.9
子宮頸部	C53 D06	360	90.0	1.9	5.6	0.3	2.2
膀胱	C67 D090	544	68.8	11.0	13.8	0.7	5.7

*1 粘膜がんを含む

表8. 精度指標： 部位別、性別
A. 上皮内がんを除く

A. 上皮内がんを除く										2008年																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
部位	ICD-10		罹患／死亡比 (ID比)				死亡情報で初めて 把握された症例 D0N (%)				死亡情報のみの 症例 D0O (%)				国際 D0O (%)				病理学的裏付けの ある症例 MV (%)				組織学的裏付けの ある症例 HV (%)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	男	女	2.24	2.52	2.36	2.36	9.4	10.7	9.9	9.9	4.5	6.2	5.2	2.6	3.7	3.1	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3	91.3

表8. 精度指標； 部位別、性別
A'. 上皮内がんを除く

2008年

部位	ICD-10	死亡情報で初めて 把握された症例 DCN (%)				死亡情報のみの 症例 DC0 (%)				国際 DC0 (%)				病理性的裏付けの ある症例 MV (%)				組織学的裏付けの ある症例 HV (%)			
		男		女		男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
		男	女	男	女																
全部位	C00-C96	9.4	10.7	9.9	9.9	4.5	6.2	5.2	3.1	2.6	3.7	3.1	91.3	91.3	91.3	84.7	86.4	85.4			
口腔・咽頭	C00-C14	3.3	5.1	3.9		2.0	2.5	2.2	1.4	1.2	1.7	1.4	98.4	98.3	98.3	98.0	96.6	97.5			
食道	C15	3.0	6.0	3.4		1.4	3.0	1.6	1.1	1.1	1.5	1.1	98.1	95.5	97.7	98.1	95.5	97.7			
胃	C16	3.9	8.5	5.4		1.8	5.5	3.0	1.7	1.2	2.7	1.7	98.4	97.1	98.0	98.3	96.9	97.8			
大腸（結腸・直腸）	C18-C20	4.4	6.8	5.5		2.2	4.9	3.4	1.7	0.9	2.8	1.7	98.7	96.1	97.6	98.6	96.1	97.4			
結腸	C18	4.8	7.5	6.1		2.3	5.5	3.8	2.0	0.8	3.4	2.0	98.5	95.7	97.2	98.3	95.6	97.0			
直腸	C19-C20	3.8	5.1	4.3		2.1	3.4	2.6	1.1	0.9	1.4	1.1	99.0	97.2	98.3	99.0	97.2	98.3			
肝および肝内胆管	C22	19.8	22.3	20.7		9.0	11.4	9.8	6.9	6.5	7.7	6.9	41.7	37.1	40.2	40.1	36.1	38.8			
胆のう・胆管	C23-C24	21.9	33.0	27.6		10.7	19.3	15.1	10.7	8.0	13.3	10.7	86.2	82.8	84.5	74.6	73.8	74.2			
膵臓	C25	19.6	28.4	23.9		8.1	15.0	11.4	6.4	3.6	9.3	6.4	87.4	83.8	85.7	75.9	72.2	74.1			
喉頭	C32	0.8	0.0	0.8		0.0	0.0	0.0	0.0	0.0	0.0	0.0	99.2	100.0	99.2	99.2	100.0	99.2			
肺	C33-C34	18.3	19.1	18.6		8.8	11.9	9.8	5.3	4.6	6.9	5.3	93.1	91.0	92.4	60.0	61.4	60.5			
皮膚	C43-C44	1.4	1.5	1.5		1.4	1.0	1.2	0.5	0.5	0.5	0.5	99.0	99.5	99.3	98.6	99.0	98.8			
乳房	C50	0.0	3.8	3.8		0.0	1.6	1.6	1.0	0.0	1.0	1.0	100.0	98.6	98.6	100.0	97.9	97.9			
子宮	C53-C55	-	4.8	4.8		-	3.1	3.1	1.9	-	1.9	1.9	-	97.5	97.5	-	96.3	96.3			
子宮頸部	C53	-	2.3	2.3		-	1.4	1.4	0.9	-	0.9	0.9	-	99.1	99.1	-	97.7	97.7			
子宮体部	C54	-	2.0	2.0		-	1.2	1.2	0.8	-	0.8	0.8	-	99.2	99.2	-	98.4	98.4			
卵巢	C56	-	10.5	10.5		-	4.9	4.9	2.5	-	2.5	2.5	-	96.9	96.9	-	93.8	93.8			
前立腺	C61	4.8	-	4.8		3.0	-	3.0	1.6	1.6	-	1.6	96.7	-	96.7	96.6	-	96.6			
膀胱	C67	4.7	13.0	6.9		2.5	10.7	4.7	2.4	0.3	8.4	2.4	99.2	90.1	96.8	97.0	84.7	93.7			
腎・尿管（膀胱除く）	C64-C66 C68	8.6	7.0	8.1		4.0	4.7	4.2	1.9	1.7	2.3	1.9	94.6	90.6	93.3	90.6	87.1	89.4			
脳・中枢神経系	C70-C72	6.0	7.7	6.7		4.0	2.6	3.4	0.0	0.0	0.0	0.0	88.0	89.7	88.8	86.0	89.7	87.6			
甲状腺	C73	3.1	2.0	2.2		3.1	1.5	1.8	1.2	3.1	0.7	1.2	96.9	98.5	98.2	96.9	96.3	96.4			
悪性リンパ腫	C81-C85 C96	9.1	8.2	8.6		4.4	5.1	4.7	4.6	4.0	5.1	4.6	91.9	90.8	91.4	90.6	88.8	89.7			
多発性骨髄腫	C88-C90	13.7	28.9	21.5		6.8	9.2	8.1	8.1	6.8	9.2	8.1	82.2	73.7	77.9	80.8	69.7	75.2			
白血病	C91-C95	19.7	23.7	21.3		8.8	15.5	11.5	0.8	0.7	1.0	0.8	98.0	95.9	97.1	75.5	70.1	73.4			

表8. 精度指標； 部位別、性別
B. 上皮内がんを含む

2008年

部位	罹患／死亡比 (ID比)				死亡情報で初めて 把握された症例 DCN (%)				死亡情報のみの 症例 DC0 (%)				国際 DC0 (%)				病理学的裏付けの ある症例 MV (%)				組織学的裏付けの ある症例 HV (%)			
	男		女		男		女		男		女		男		女		男		女		男		女	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
全部位	2.47	2.83	2.61	2.61	8.6	9.5	9.0	4.1	5.5	4.7	2.4	3.3	2.8	92.1	92.3	92.2	86.0	87.8	86.8					
ICD-10																								
C00-C96 D00-D09																								
C15 D001	2.15	2.24	2.17	2.17	2.9	5.4	3.3	1.3	2.7	1.5	1.0	1.4	1.1	98.2	95.9	97.8	98.2	95.9	97.8					
C18-C20 D010-D012	4.50	3.67	4.11	3.0	5.3	4.0	4.0	1.5	3.8	2.5	0.6	2.2	1.2	99.1	97.0	98.2	99.0	96.9	98.1					
C18 D010	4.88	3.57	4.21	3.1	5.9	4.3	4.3	1.5	4.2	2.7	0.6	2.6	1.5	99.0	96.7	98.0	98.9	96.6	97.9					
C19-C20 D011-D012	3.94	3.92	3.94	2.8	4.0	3.2	3.2	1.5	2.6	1.9	0.6	1.1	0.8	99.2	97.8	98.7	99.2	97.8	98.7					
C33-C34 D021-D022	1.40	1.74	1.50	18.3	19.1	18.6	8.8	11.8	9.8	4.6	6.9	5.3	93.1	91.0	92.4	60.0	61.5	60.5						
C43-C44 D030-D049	15.24	11.30	12.98	1.2	1.2	1.2	1.2	1.2	0.8	1.0	0.4	0.4	0.4	99.2	99.6	99.4	98.8	99.2	99.0					
C50 D05	6.50	6.69	6.69	0.0	3.4	3.4	3.4	0.0	1.5	1.5	0.0	0.9	0.9	100.0	98.8	98.8	100.0	98.1	98.1					
C53-C55 D06	-	6.58	6.58	-	2.9	2.9	2.9	-	1.9	1.9	-	1.1	1.1	-	98.5	98.5	-	97.6	97.6					
C53 D06	-	9.44	9.44	-	1.0	1.0	1.0	-	0.6	0.6	-	0.4	0.4	-	99.6	99.6	-	98.8	98.8					
C67 D090	5.42	3.40	4.72	3.4	8.3	4.7	4.7	1.5	6.9	2.8	0.2	5.4	1.5	99.5	93.6	98.0	97.2	89.2	95.2					

*1 粘膜炎を含む

表8. 精度指標； 部位別、性別
B'. 上皮内がんを含む

2008年

部位	ICD-10				死亡情報で初めて 把握された症例 DCN (%)				死亡情報のみの 症例 DC0 (%)				国際 DC0 (%)				病理学的裏付けの ある症例 MV (%)				組織学的裏付けの ある症例 HV (%)			
	男		女		男		女		男		女		男		女		男		女		男		女	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
全部位	8.6	9.5	9.0		4.1	5.5	4.7		2.4	3.3	2.8		92.1	92.3	92.2		86.0	87.8	86.8					
食道																								
C15 D001	2.9	5.4	3.3		1.3	2.7	1.5		1.0	1.4	1.1		98.2	95.9	97.8		98.2	95.9	97.8					
大腸（結腸・直腸）*1																								
C18-C20 D010-D012	3.0	5.3	4.0		1.5	3.8	2.5		0.6	2.2	1.2		99.1	97.0	98.2		99.0	96.9	98.1					
C18 D010	3.1	5.9	4.3		1.5	4.2	2.7		0.6	2.6	1.5		99.0	96.7	98.0		98.9	96.6	97.9					
結腸*1																								
C19-C20 D011-D012	2.8	4.0	3.2		1.5	2.6	1.9		0.6	1.1	0.8		99.2	97.8	98.7		99.2	97.8	98.7					
直腸*1																								
C33-C34 D021-D022	18.3	19.1	18.6		8.8	11.8	9.8		4.6	6.9	5.3		93.1	91.0	92.4		60.0	61.5	60.5					
肺																								
C43-C44 D030-D049	1.2	1.2	1.2		1.2	0.8	1.0		0.4	0.4	0.4		99.2	99.6	99.4		98.8	99.2	99.0					
皮膚																								
C43-C44 D030-D049	0.0	3.4	3.4		0.0	1.5	1.5		0.0	0.9	0.9		100.0	98.8	98.8		100.0	98.1	98.1					
乳房																								
C50 D05	0.0	3.4	3.4		0.0	1.5	1.5		0.0	0.9	0.9		100.0	98.8	98.8		100.0	98.1	98.1					
子宮																								
C53-C55 D06	-	2.9	2.9		-	1.9	1.9		-	1.1	1.1		-	98.5	98.5		-	97.6	97.6					
子宮頸部																								
C53 D06	-	1.0	1.0		-	0.6	0.6		-	0.4	0.4		-	99.6	99.6		-	98.8	98.8					
膀胱																								
C67 D090	3.4	8.3	4.7		1.5	6.9	2.8		0.2	5.4	1.5		99.5	93.6	98.0		97.2	89.2	95.2					

*1 粘膜炎を含む

表9. 死亡数、死亡割合（％）、粗死亡率、年齢調整死亡率（人口10万対）および累積死亡率（人口100対）； 部位別、性別 2008年

部位	ICD-10	死亡数						死亡割合（％）						粗死亡率						年齢調整死亡率						累積死亡率（0-74歳）					
		男			女			男			女			男			女			男			女			男			女		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C97	4,799	3,237	8,036	100.0	100.0	100.0	347.9	219.2	281.3	187.5	91.7	132.5	128.1	64.9	92.1	13.7	6.7	10.0												
口腔・咽頭	C00-C14	97	39	136	2.0	1.2	1.7	7.0	2.6	4.8	4.3	1.1	2.5	3.1	0.8	1.8	0.3	0.1	0.2												
食道	C15	178	33	211	3.7	1.0	2.6	12.9	2.2	7.4	7.4	1.0	3.9	5.4	0.7	2.9	0.7	0.1	0.4												
胃	C16	683	414	1,097	14.2	12.8	13.7	49.5	28.0	38.4	26.8	11.0	17.9	18.1	7.7	12.3	2.0	0.8	1.3												
大腸（結腸・直腸）	C18-C20	490	426	916	10.2	13.2	11.4	35.5	28.8	32.1	19.5	10.9	14.7	13.4	7.7	10.3	1.4	0.7	1.1												
結腸	C18	293	310	603	6.1	9.6	7.5	21.2	21.0	21.1	11.4	7.5	9.2	7.8	5.2	6.4	0.8	0.5	0.6												
直腸	C19-C20	197	116	313	4.1	3.6	3.9	14.3	7.9	11.0	8.1	3.4	5.5	5.7	2.5	3.9	0.6	0.2	0.4												
肝および肝内胆管	C22	713	336	1,049	14.9	10.4	13.1	51.7	22.7	36.7	28.5	8.6	17.5	19.2	5.6	11.8	2.2	0.6	1.4												
胆のう・胆管	C23-C24	177	188	365	3.7	5.8	4.5	12.8	12.7	12.8	6.5	4.1	5.1	4.3	2.7	3.4	0.5	0.2	0.3												
膵臓	C25	298	297	595	6.2	9.2	7.4	21.6	20.1	20.8	12.0	7.8	9.7	8.3	5.3	6.7	1.0	0.5	0.7												
喉頭	C32	17	1	18	0.4	0.0	0.2	1.2	0.1	0.6	0.6	0.0	0.3	0.4	0.0	0.2	0.0	0.0	0.0												
肺	C33-C34	1,173	466	1,639	24.4	14.4	20.4	85.0	31.6	57.4	44.7	12.5	26.3	29.9	8.6	17.8	3.2	0.9	2.0												
皮膚	C43-C44	17	23	40	0.4	0.7	0.5	1.2	1.6	1.4	0.6	0.4	0.5	0.4	0.3	0.4	0.0	0.0	0.0												
乳房	C50	2	265	267	0.0	8.2	3.3	0.1	17.9	9.3	0.1	11.3	6.0	0.1	8.6	4.5	0.0	1.0	0.5												
子宮	C53-C55	-	120	120	-	3.7	1.5	-	8.1	-	-	5.0	-	-	3.8	-	-	0.4	-												
子宮頸部	C53	-	55	55	-	1.7	0.7	-	3.7	-	-	2.5	-	-	2.0	-	-	0.2	-												
子宮体部	C54	-	36	36	-	1.1	0.4	-	2.4	-	-	1.5	-	-	1.2	-	-	0.1	-												
卵巣	C56	-	91	91	-	2.8	1.1	-	6.2	-	-	3.6	-	-	2.7	-	-	0.3	-												
前立腺	C61	230	-	230	4.8	-	2.9	16.7	-	-	7.6	-	-	5.0	-	-	0.4	-	-												
膀胱	C67	113	60	173	2.4	1.9	2.2	8.2	4.1	6.1	3.8	1.0	2.1	2.3	0.7	1.3	0.2	0.1	0.1												
腎・尿路（膀胱除く）	C64-C66 C68	109	57	166	2.3	1.8	2.1	7.9	3.9	5.8	4.3	1.4	2.7	3.0	0.9	1.8	0.4	0.1	0.2												
脳・中枢神経系	C70-C72	20	14	34	0.4	0.4	0.4	1.4	0.9	1.2	1.0	0.7	0.9	0.8	0.7	0.7	0.1	0.1	0.1												
甲状腺	C73	7	26	33	0.1	0.8	0.4	0.5	1.8	1.2	0.3	0.7	0.5	0.2	0.5	0.4	0.0	0.0	0.0												
悪性リンパ腫	C81-C85 C96	130	109	239	2.7	3.4	3.0	9.4	7.4	8.4	5.3	2.8	3.9	3.7	1.9	2.7	0.3	0.2	0.3												
多発性骨髄腫	C88-C90	53	68	121	1.1	2.1	1.5	3.8	4.6	4.2	2.1	1.9	2.0	1.4	1.3	1.3	0.1	0.1	0.1												
白血病	C91-C95	102	70	172	2.1	2.2	2.1	7.4	4.7	6.0	4.3	2.1	3.0	3.2	1.6	2.3	0.3	0.1	0.2												

表11. 年齢階級別死亡率（人口10万対）； 部位別、性別

2008年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	C00-C97	4.9	2.9	1.4	4.2	3.9	8.7	16.1	12.3	19.4	56.6	136.3	265.7	448.8	671.2	1,087.4	1,546.8	2,168.2	3,167.6	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	1.2	1.0	0.9	2.3	4.8	2.3	8.2	11.5	21.0	11.4	28.7	37.8	35.5	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	8.2	13.6	34.4	42.0	41.2	41.2	43.3	59.2	
	胃	C16	0.0	0.0	0.0	0.0	1.3	0.0	2.0	0.0	0.0	16.9	21.0	43.5	43.1	101.6	170.3	215.1	327.1	422.6	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	2.3	4.8	26.8	30.8	46.9	73.5	102.2	150.6	213.6	308.1	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.1	1.2	15.1	14.5	25.8	45.5	56.8	95.0	132.5	209.3	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.1	3.6	11.7	16.3	21.1	28.0	45.4	55.6	81.1	98.7	
	肝および肝内胆管	C22	0.0	1.5	0.0	0.0	0.0	0.0	1.0	2.8	3.4	6.0	21.0	54.4	67.9	96.9	191.6	250.9	329.8	280.4	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.5	5.4	12.4	25.7	44.0	50.2	97.3	146.1	
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	3.4	2.4	8.2	22.7	36.4	44.4	76.7	95.0	97.3	158.0	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.5	2.8	3.6	10.8	19.7	
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	4.6	9.6	24.5	49.9	116.7	161.1	258.4	399.7	586.7	778.1	
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	1.2	4.3	3.6	2.7	27.6
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	2.7	0.0
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	9.6	15.2	42.6	77.1	100.0	363.4	
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	4.8	4.7	19.9	50.2	62.2	146.1	
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.3	7.3	15.3	15.2	28.4	26.9	37.8	75.0	
	脳・中枢神経系	C70-C72	0.0	0.0	0.0	0.0	0.0	1.2	1.0	0.0	0.0	1.2	4.7	1.8	1.0	3.5	0.0	1.8	10.8	7.9	
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.3	1.4	5.4	0.0	0.0	
	悪性リンパ腫	C81-C85 C96	0.0	1.5	0.0	0.0	0.0	0.0	0.0	4.0	0.0	1.1	3.6	5.8	5.4	7.7	12.8	27.0	39.4	62.2	106.6
	多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.7	6.7	10.5	8.5	23.3	24.3	19.7
	白血病	C91-C95	1.6	0.0	1.4	1.4	0.0	2.5	3.0	0.9	1.1	1.2	1.2	3.6	7.7	11.7	17.0	35.8	48.7	71.1	
女	全部位	C00-C97	3.4	4.6	0.0	6.0	5.5	3.8	7.1	22.7	29.2	66.5	114.7	169.2	211.7	247.3	441.5	611.6	868.1	1,498.2	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.2	3.4	0.9	1.8	3.2	3.6	4.0	9.9	24.2	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.5	3.7	3.2	8.3	4.0	0.0	16.7	
	胃	C16	0.0	0.0	0.0	0.0	1.4	0.0	0.0	4.7	3.4	7.1	18.4	12.3	27.7	22.2	55.6	65.9	125.2	219.7	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	1.4	1.3	1.0	0.9	1.1	4.8	17.2	22.0	19.4	38.1	42.6	77.8	87.3	260.6	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.1	3.6	9.2	10.6	15.7	24.3	34.3	59.3	74.1	190.9	
	直腸	C19-C20	0.0	0.0	0.0	0.0	1.4	1.3	0.0	0.9	0.0	1.2	8.0	11.5	3.7	13.7	8.3	18.5	13.2	69.7	
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	1.1	8.8	21.3	33.8	59.2	94.9	117.0	115.1	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.2	2.3	2.6	8.3	6.3	26.0	36.9	64.2	116.6	
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	1.1	4.8	3.4	17.6	13.9	29.6	34.3	62.0	90.6	139.4	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	
	肺	C33-C34	0.0	0.0	0.0	0.0	1.4	0.0	1.0	1.9	2.2	7.1	9.2	20.3	32.3	29.6	78.1	97.5	141.7	203.0	
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.9	0.0	1.1	0.0	4.0	4.9	21.2	
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.9	11.2	22.6	24.1	42.3	27.7	27.5	43.8	29.0	19.8	56.1	
	子宮	C53-C55	0.0	0.0	0.0	0.0	0.0	1.3	1.0	5.7	4.5	8.3	11.5	7.9	15.7	11.6	14.2	10.5	24.7	28.8	
	子宮頸部	C53	0.0	0.0	0.0	0.0	0.0	1.3	1.0	4.7	3.4	5.9	3.4	3.5	3.7	6.3	7.1	5.3	9.9	10.6	
	子宮体部	C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	1.2	3.4	3.5	9.2	4.2	3.6	1.3	8.2	4.5	
	卵巣	C56	0.0	0.0	0.0	3.0	0.0	0.0	1.0	0.9	3.4	3.6	6.9	10.6	10.2	3.2	14.2	17.1	18.1	19.7	
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	8.3	9.2	16.5	51.5	
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.9	0.9	7.4	7.1	13.2	24.7	24.2	
	脳・中枢神経系	C70-C72	0.0	1.5	0.0	1.5	0.0	0.0	0.0	0.0	0.0	2.4	1.1	0.9	0.9	1.1	2.4	2.6	1.6	1.5	
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.8	4.6	0.0	1.2	10.5	0.0	13.6	
悪性リンパ腫	C81-C85 C96	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.1	0.0	3.4	3.5	4.6	7.4	14.2	23.7	41.2	50.0		
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	5.3	7.4	4.2	11.8	13.2	19.8	25.8		
白血病	C91-C95	1.7	1.5	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.2	3.4	3.5	3.7	6.3	4.7	13.2	21.4	33.3	
男女計	全部位	C00-C97	4.2	3.7	0.7	5.1	4.7	6.3	11.6	17.5	24.3	61.6	125.4	216.8	328.2	448.8	735.2	1,007.9	1,360.3	1,961.0	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	0.6	1.0	0.5	1.1	3.0	2.9	4.5	6.6	11.6	7.1	14.4	20.5	27.4	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.6	8.5	18.8	21.6	23.2	19.7	16.4	28.5	
	胃	C16	0.0	0.0	0.0	0.0	1.3	0.0	1.0	2.4	1.7	12.0	19.7	27.7	35.3	59.9	107.8	129.1	201.6	275.9	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.7	1.9	0.5	0.5	1.7	4.8	22.0	26.4	32.9	54.9	69.7	108.6	135.1	273.7	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.0	1.1	2.4	12.1	12.5	20.7	34.4	44.5	74.4	96.2	196.0	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.7	1.3	0.0	0.5	0.6	2.4	9.8	13.9	12.2	20.5	25.2	34.2	38.9	77.7	
	肝および肝内胆管	C22	0.0	0.7	0.0	0.0	0.0	0.0	0.5	1.9	1.7	3.0	11.0	31.3	44.2	63.8	119.4	161.0	197.6	161.0	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.6	2.9	4.0	10.3	15.5	34.2	42.5	76.8	124.8	
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.4	2.3	3.6	5.8	20.1	24.9	36.6	53.6	76.0	93.1	144.5	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.2	1.3	1.5	4.1	5.5	
	肺	C33-C34	0.0	0.0	0.0	0.0	0.7	0.0	0.5	3.8	3.4	8.4	16.8	34.9	73.8	92.1	160.1	225.6	310.1	362.4	
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.4	1.4	1.1	1.9	3.8	4.1	23.0	
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	5.7	11.4	12.1	21.5	14.6	14.4	23.9	16.7	13.3	40.5	
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.4	3.3	13.6	26.6	33.8	77.7	
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.2	1.2	4.0	8.0						

付表1. がん罹患数および罹患率； 詳細部位別、性別

2008年

部位	国際疾病 分類 ICD-10	罹患数																		割合 (%)						粗罹患率						年齢調整罹患率						累積罹患率 (0-74歳)					
		罹患者数						割合 (%)						粗罹患率						日本人人口			世界人口			男			女			男女計											
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計												
全部位	C00-C96	10,753	8,143	18,896	100.0	100.0	100.0	779.5	551.3	661.5	453.3	313.2	371.4	320.8	234.1	270.3	37.4	25.5	31.0	453.3	313.2	371.4	320.8	234.1	270.3	37.4	25.5	31.0	453.3	313.2	371.4	320.8	234.1	270.3	37.4	25.5	31.0						
口唇	C00	0	3	3	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
舌根<基底>部	C01	2	0	2	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
その他および部位不明の舌	C02	65	45	110	0.6	0.6	0.6	4.7	3.0	3.9	3.0	1.7	2.3	2.3	1.3	1.8	0.3	0.2	0.2	3.0	1.7	2.3	2.3	1.3	1.8	0.3	0.2	0.2	3.0	1.7	2.3	2.3	1.3	1.8	0.3	0.2	0.2						
歯肉	C03	25	22	47	0.2	0.3	0.2	1.8	1.5	1.6	1.1	0.5	0.8	0.8	0.4	0.6	0.1	0.0	0.1	1.1	0.5	0.8	0.8	0.4	0.6	0.1	0.0	0.1	1.1	0.5	0.8	0.8	0.4	0.6	0.1	0.0	0.1						
口腔底	C04	10	5	15	0.1	0.1	0.1	0.7	0.3	0.5	0.5	0.1	0.3	0.4	0.0	0.2	0.0	0.0	0.0	0.5	0.1	0.3	0.4	0.0	0.2	0.0	0.0	0.0	0.5	0.1	0.3	0.4	0.0	0.2	0.0	0.0	0.0						
口蓋	C05	11	5	16	0.1	0.1	0.1	0.8	0.3	0.6	0.4	0.3	0.3	0.3	0.2	0.3	0.0	0.0	0.0	0.4	0.3	0.3	0.3	0.2	0.3	0.0	0.0	0.0	0.4	0.3	0.3	0.3	0.2	0.3	0.0	0.0	0.0						
その他および部位不明の口腔	C06	13	12	25	0.1	0.1	0.1	0.9	0.8	0.9	0.6	0.3	0.5	0.4	0.2	0.3	0.0	0.0	0.0	0.6	0.3	0.5	0.4	0.2	0.3	0.0	0.0	0.0	0.6	0.3	0.5	0.4	0.2	0.3	0.0	0.0	0.0						
耳下腺	C07	12	8	20	0.1	0.1	0.1	0.9	0.5	0.7	0.6	0.3	0.4	0.5	0.2	0.4	0.1	0.0	0.0	0.6	0.3	0.4	0.5	0.2	0.4	0.1	0.0	0.0	0.6	0.3	0.4	0.5	0.2	0.4	0.1	0.0	0.0						
その他および部位不明の大唾液腺	C08	4	4	8	0.0	0.0	0.0	0.3	0.3	0.3	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0						
扁桃	C09	5	1	6	0.0	0.0	0.0	0.4	0.1	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0						
中咽頭	C10	31	3	34	0.3	0.0	0.2	2.2	0.2	1.2	1.5	0.1	0.8	1.1	0.1	0.6	0.2	0.0	0.1	1.5	0.1	0.8	1.1	0.1	0.6	0.2	0.0	0.1	1.5	0.1	0.8	1.1	0.1	0.6	0.2	0.0	0.1						
鼻<上>咽頭	C11	10	2	12	0.1	0.0	0.1	0.7	0.1	0.4	0.4	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0	0.4	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0	0.4	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0						
梨状陥凹<洞>	C12	24	1	25	0.2	0.0	0.1	1.7	0.1	0.9	1.1	0.0	0.5	0.8	0.0	0.4	0.1	0.0	0.0	1.1	0.0	0.5	0.8	0.0	0.4	0.1	0.0	0.0	1.1	0.0	0.5	0.8	0.0	0.4	0.1	0.0	0.0						
下咽頭	C13	30	6	36	0.3	0.1	0.2	2.2	0.4	1.3	1.3	0.2	0.7	1.0	0.1	0.5	0.1	0.0	0.0	1.3	0.2	0.7	1.0	0.1	0.5	0.1	0.0	0.1	1.3	0.2	0.7	1.0	0.1	0.5	0.1	0.0	0.1						
その他および部位不明の口唇、口腔および咽頭	C14	2	1	3	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0						
食道	C15	369	67	436	3.4	0.8	2.3	26.7	4.5	15.3	16.2	2.5	8.9	11.9	1.9	6.6	1.6	0.2	0.9	16.2	2.5	8.9	11.9	1.9	6.6	1.6	0.2	0.9	16.2	2.5	8.9	11.9	1.9	6.6	1.6	0.2	0.9						
胃	C16	2,081	1,020	3,101	19.4	12.5	16.4	150.8	69.1	108.6	87.2	33.3	57.5	61.0	23.6	40.6	7.3	2.6	4.8	87.2	33.3	57.5	61.0	23.6	40.6	7.3	2.6	4.8	87.2	33.3	57.5	61.0	23.6	40.6	7.3	2.6	4.8						
小腸	C17	52	39	91	0.5	0.5	0.5	3.8	2.6	3.2	2.4	1.0	1.7	1.8	0.7	1.2	0.2	0.1	0.1	2.4	1.0	1.7	1.8	0.7	1.2	0.2	0.1	0.1	2.4	1.0	1.7	1.8	0.7	1.2	0.2	0.1	0.1						
結腸	C18	946	861	1,807	8.8	10.6	9.6	68.6	58.3	63.3	40.1	26.8	32.9	28.1	18.9	23.2	3.5	2.1	2.7	40.1	26.8	32.9	28.1	18.9	23.2	3.5	2.1	2.7	40.1	26.8	32.9	28.1	18.9	23.2	3.5	2.1	2.7						
直腸S状結腸移行部	C19	100	71	171	0.9	0.9	0.9	7.2	4.8	6.0	4.7	2.6	3.6	3.4	1.9	2.6	0.4	0.2	0.3	4.7	2.6	3.6	3.4	1.9	2.6	0.4	0.2	0.3	4.7	2.6	3.6	3.4	1.9	2.6	0.4	0.2	0.3						
直腸	C20	480	284	764	4.5	3.5	4.0	34.8	19.2	26.7	21.8	10.6	15.8	15.9	8.0	11.7	2.0	1.0	1.4	21.8	10.6	15.8	15.9	8.0	11.7	2.0	1.0	1.4	21.8	10.6	15.8	15.9	8.0	11.7	2.0	1.0	1.4						
肛門および肛門管	C21	6	11	17	0.1	0.1	0.1	0.4	0.7	0.6	0.3	0.4	0.3	0.2	0.3	0.2	0.0	0.0	0.0	0.3	0.4	0.3	0.2	0.3	0.2	0.0	0.0	0.0	0.3	0.4	0.3	0.2	0.3	0.2	0.0	0.0	0.0						
肝および肝内胆管	C22	927	466	1,393	8.6	5.7	7.4	67.2	31.6	48.8	38.7	13.7	25.1	27.1	9.5	17.6	3.3	1.2	2.2	38.7	13.7	25.1	27.1	9.5	17.6	3.3	1.2	2.2	38.7	13.7	25.1	27.1	9.5	17.6	3.3	1.2	2.2						
胆のう	C23	86	119	205	0.8	1.5	1.1	6.2	8.1	7.2	3.4	2.8	3.1	2.4	1.8	2.1	0.3	0.2	0.2	3.4	2.8	3.1	2.4	1.8	2.1	0.3	0.2	0.2	3.4	2.8	3.1	2.4	1.8	2.1	0.3	0.2	0.2						
その他および部位不明の胆道	C24	138	114	252	1.3	1.4	1.3	10.0	7.7	8.8	5.3	2.9	3.9	3.5	2.0	2.6	0.3	0.2	0.3	5.3	2.9	3.9	3.5	2.0	2.6	0.3	0.2	0.3	5.3	2.9	3.9	3.5	2.0	2.6	0.3	0.2	0.3						
膵臓	C25	357	334	691	3.3	4.1	3.7	25.9	22.6	24.2	14.6	9.2	11.7	10.2	6.3	8.1	1.2	0.6	0.9	24.2	14.6	9.2	11.7	10.2	6.3	8.1	1.2	0.6	0.9	24.2	14.6	9.2	11.7	10.2	6.3	8.1	1.2	0.6	0.9				
その他および部位不明の消化器	C26	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
鼻腔および中耳	C30	4	1	5	0.0	0.0	0.0	0.3	0.1	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0						
副鼻腔	C31	15	9	24	0.1	0.1	0.1	1.1	0.6	0.8	0.7	0.4	0.6	0.5	0.3	0.4	0.1	0.0	0.1	1.1	0.6	0.8	0.7	0.4	0.6	0.5	0.3	0.4	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0							
喉頭	C32	125	8	133	1.2	0.1	0.7	9.1	0.5	4.7	5.4	0.3	2.6	3.9	0.2	1.9	0.5	0.0	0.2	5.4	0.3	2.6	3.9	0.2	1.9	0.5	0.0	0.2	5.4	0.3	2.6	3.9	0.2	1.9	0.5	0.0	0.2						
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
気管支および肺	C34	1,648	810	2,458	15.3	9.9	13.0	119.5	54.8	86.0	66.0	26.5	43.6	45.4	18.9	30.5	5.2	2.3	3.6	66.0	26.5	43.6	45.4	18.9	30.5	5.2	2.3	3.6	66.0	26.5	43.6	45.4	18.9	30.5	5.2	2.3	3.6						
胸腺	C37	13	8	21	0.1	0.1	0.1	0.9	0.5	0.7	0.7	0.4	0.5	0.6	0.3	0.4	0.1	0.0	0.0	0.7	0.4	0.5	0.6	0.3	0.4																		

2008年

*1 ICD-0-3により性状3に分類される形態

2008年

—53—

付表2. がん死亡数および死亡率； 詳細部位別、性別

2008年

国際疾病 分類 ICD-10		年齢調整死亡率																		累積死亡率 (0-74歳)					
		死亡数			割合 (%)			粗死亡率			日本人人口			世界人口											
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計									
部位	ICD-10	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計			
良性腫瘍																									
膵臓	D32	0	2	2	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
その他および部位不明の内分泌腺	D35	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
性状不詳または不明の腫瘍																									
膵臓	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
脳および中枢神経系	D43	21	32	53	0.4	1.0	0.7	1.5	2.2	1.9	0.9	1.1	1.0	0.7	0.9	0.8	0.0	0.1	0.1						
内分泌腺	D44	3	1	4	0.1	0.0	0.0	0.2	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
真正赤血球増多症	D45	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
骨髄異形成症候群	D46	30	23	53	0.6	0.7	0.7	2.2	1.6	1.9	1.0	0.6	0.7	0.6	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0			
リンパ組織、造血組織および関連組織	D47	2	0	2	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			

付表3. 受療割合詳細 (%) ; 部位別
A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	単独療法										併用療法 *1						不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線 切除+薬物 薬物+放射線 薬物									
										*2	*3	その他	*3						
全部位	C00-C96	17,905	21.2	5.0	5.7	1.7	9.0	0.1	2.0	1.0	14.7	3.8	0.2	3.8	7.1	24.6			
口腔・咽頭	C00-C14	354	20.1	0.3	0.0	6.5	4.5	0.0	0.0	3.4	5.9	28.0	0.0	10.7	4.5	16.1			
食道	C15	429	14.7	0.9	10.7	5.4	3.0	0.0	0.0	0.9	11.9	23.8	0.0	8.6	2.8	17.2			
胃	C16	3,008	24.3	6.9	20.2	0.1	7.1	0.0	0.0	0.1	15.0	0.6	0.1	0.2	3.7	21.7			
大腸 (結腸・直腸)	C18-C20	2,649	33.6	8.7	4.3	0.0	2.5	0.0	0.0	0.3	24.7	0.4	0.0	1.2	5.0	19.4			
結腸	C18	1,738	34.5	9.3	3.7	0.0	2.9	0.0	0.0	0.1	25.2	0.2	0.0	0.2	4.8	19.1			
直腸	C19-C20	911	31.7	7.5	5.4	0.1	1.6	0.0	0.0	0.7	23.8	0.8	0.0	3.1	5.5	19.9			
肝および肝内胆管	C22	1,257	13.7	0.0	0.6	0.1	7.5	0.0	0.0	0.0	3.0	0.9	0.0	0.0	48.5	25.8			
胆のう・胆管	C23-C24	388	19.8	1.5	8.2	0.5	11.9	0.0	0.0	0.3	16.0	1.5	0.0	1.5	12.1	26.5			
膵臓	C25	612	9.3	0.2	4.7	0.2	25.2	0.0	0.0	0.2	19.3	3.4	0.2	2.0	9.2	26.3			
喉頭	C32	133	4.5	0.0	0.8	24.8	0.0	0.0	0.0	7.5	0.8	25.6	0.8	6.0	12.8	16.5			
肺	C33-C34	2,217	10.2	14.7	0.1	4.9	19.6	0.1	0.0	0.2	8.8	9.5	0.4	1.3	6.1	24.2			
皮膚	C43-C44	406	53.9	0.0	0.0	0.7	0.7	0.0	0.0	0.5	3.2	0.2	0.0	0.2	0.7	39.7			
乳房	C50	1,570	18.2	0.0	0.0	0.0	2.8	0.0	1.0	5.7	29.7	0.6	0.4	25.5	1.1	14.9			
乳房 (女性のみ)	C50	1,559	18.3	0.0	0.0	0.0	2.8	0.0	1.0	5.7	29.5	0.6	0.4	25.6	1.2	14.9			
子宮	C53-C55	469	38.4	0.4	0.0	5.3	1.9	0.0	0.4	6.0	20.0	9.0	0.0	5.8	1.3	11.5			
子宮頸部	C53	211	31.3	0.0	0.0	9.5	2.4	0.0	0.0	5.2	11.4	19.4	0.0	6.6	0.9	13.3			
子宮体部	C54	248	45.2	0.8	0.0	2.0	1.6	0.0	0.8	6.9	28.2	0.4	0.0	5.2	1.2	7.7			
卵巣	C56	154	16.9	0.0	0.0	0.0	5.8	0.0	0.0	0.6	61.0	0.0	0.0	0.0	0.6	14.9			
前立腺	C61	1,305	14.9	1.2	0.9	2.8	0.7	0.3	26.3	0.2	4.0	4.0	0.7	0.5	0.2	43.3			
膀胱	C67	471	10.6	0.8	28.9	1.7	0.8	0.4	0.0	0.6	19.3	0.6	0.0	2.3	3.4	30.4			
腎・尿路 (膀胱除く)	C64-C66 C68	499	30.3	19.6	5.0	0.4	3.6	1.4	0.0	0.2	8.6	1.2	0.0	0.8	3.6	25.3			
脳・中枢神経系	C70-C72	86	12.8	0.0	0.0	3.5	3.5	0.0	0.0	4.7	8.1	3.5	0.0	31.4	1.2	31.4			
甲状腺	C73	494	55.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	20.2	0.2	0.0	0.4	0.6	23.3			
悪性リンパ腫	C81-C85 C96	563	2.8	0.2	0.2	1.8	44.9	0.0	0.0	0.7	4.6	3.2	1.1	1.2	4.1	35.2			
多発性骨髄腫	C88-C90	137	0.0	0.0	0.7	2.2	46.0	0.0	0.0	0.0	0.0	3.6	0.7	0.0	4.4	42.3			
白血病	C91-C95	216	0.0	0.0	0.0	0.0	55.6	0.0	0.0	0.0	0.0	2.3	0.0	0.0	8.3	33.8			

*1 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫・内分泌療法を指す。

*2 化学、免疫、内分泌療法のいずれかの併用

*3 単独療法および併用療法のいずれかの項目にも含まれないものを指す (1) その他の治療 (TAE、PEITなど) の実施 (2) 外科、体腔鏡、内視鏡的療法のいずれかの併用

付表3. 受療割合詳細 (%) ; 部位別
B. 上皮内がんを含む

国内D00を除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	単独療法										併用療法 *2							不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除・放射線			薬物・放射線			その他*4				
										切除・放射線	切除・放射線	切除・放射線	薬物・放射線	薬物・放射線	薬物・放射線					
全部位	C00-C96 D00-D09	19,981	21.4	4.7	8.7	1.5	8.1	0.1	1.8	1.1	13.6	3.4	0.2	3.6	6.5	25.3				
食道	C15 D001	450	14.2	0.9	14.2	5.1	2.9	0.0	0.0	0.9	11.3	22.7	0.0	8.2	2.9	16.7				
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3,676	25.4	7.1	17.9	0.0	1.8	0.0	0.0	0.2	17.9	0.3	0.0	0.9	4.0	24.6				
結腸 *1	C18 D010	2,468	25.2	7.7	18.4	0.0	2.0	0.0	0.0	0.0	17.8	0.1	0.0	0.2	3.8	24.8				
直腸 *1	C19-C20 D011-D012	1,208	25.6	6.0	16.9	0.1	1.2	0.0	0.0	0.5	18.0	0.6	0.0	2.4	4.6	24.2				
肺	C33-C34 D021-D022	2,219	10.2	14.8	0.1	4.9	19.6	0.1	0.0	0.2	8.8	9.5	0.4	1.3	6.1	24.2				
皮膚	C43-C44 D030-D049	514	52.9	0.0	0.0	0.6	1.0	0.0	0.0	0.4	2.5	0.2	0.0	0.2	0.8	41.4				
乳房	C50 D05	1,760	19.5	0.0	0.0	0.1	2.5	0.0	0.9	7.0	28.0	0.6	0.4	24.8	1.2	14.9				
乳房 (女性のみ)	C50 D05	1,747	19.6	0.0	0.0	0.1	2.5	0.0	0.9	7.0	27.8	0.6	0.4	25.0	1.2	15.0				
子宮	C53-C55 D06	774	54.4	0.4	0.0	3.2	1.2	0.0	0.3	3.7	12.3	5.4	0.0	3.5	1.2	14.5				
子宮頸部	C53 D06	516	59.5	0.2	0.0	3.9	1.0	0.0	0.0	2.3	4.8	7.9	0.0	2.7	1.0	16.7				
膀胱	C67 D090	794	11.5	0.6	35.0	1.0	0.5	1.0	0.0	0.4	17.0	0.4	0.0	1.4	2.9	28.3				

*1 粘膜がんを含む

*2 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫療法・内分泌療法を指す。

*3 化学、免疫、内分泌療法のいずれかの併用

*4 単独療法および併用療法のいずれの項目にも含まれないものを指す (1) その他の治療 (TAE、PEITなど) の実施 (2) 外科、体腔鏡、内視鏡的療法のいずれかの併用

付表4ーC1 標準化死亡比(全国との比較): 部位別、性別

2008年

部位	ICD-10	男			女		
		死亡数	標準化死亡比(95%信頼区間)		死亡数	標準化死亡比(95%信頼区間)	
全部位	C00-C97	4799	1.01	(0.98 - 1.04)	3237	0.99	(0.96 - 1.03)
食道	C15	178	0.78	(0.67 - 0.89)	33	0.79	(0.52 - 1.06)
胃	C16	683	0.90	(0.83 - 0.96)	414	1.00	(0.90 - 1.09)
結腸	C18	293	0.87	(0.77 - 0.97)	310	0.89	(0.80 - 0.99)
直腸	C19-C20	197	0.96	(0.83 - 1.10)	116	0.92	(0.75 - 1.09)
肝および肝内胆管	C22	713	1.40	(1.30 - 1.50)	336	1.24	(1.11 - 1.38)
胆のう・胆管	C23-C24	177	0.91	(0.78 - 1.05)	188	0.86	(0.74 - 0.98)
膵臓	C25	298	0.95	(0.84 - 1.05)	297	1.01	(0.90 - 1.13)
肺	C33-C34	1173	1.04	(0.99 - 1.10)	466	1.07	(0.97 - 1.16)
乳房	C50	2	0.93	(-0.36 - 2.21)	265	0.97	(0.85 - 1.08)
子宮	C53-C55	0			120	0.90	(0.74 - 1.06)
卵巣	C56	0			91	0.85	(0.67 - 1.02)
前立腺	C61	230	0.97	(0.84 - 1.09)	0		
膀胱	C67	113	1.07	(0.88 - 1.27)	60	1.20	(0.90 - 1.50)
悪性リンパ腫	C81-C85,C96	130	1.05	(0.87 - 1.23)	109	1.11	(0.90 - 1.32)
白血病	C91-C95	102	0.98	(0.79 - 1.17)	70	0.95	(0.73 - 1.18)

付表4ーC2 二次保健医療圏別標準化死亡比(広島県との比較): 部位別、性別

医療圏	部位	ICD-10	男			女		
			死亡数	標準化死亡比(95%信頼区間)		死亡数	標準化死亡比(95%信頼区間)	
広島	全部位	C00-C97	1904	0.99	(0.94 - 1.03)	1304	1.01	(0.95 - 1.06)
	胃	C16	245	0.89	(0.78 - 1.01)	163	0.99	(0.84 - 1.14)
	結腸	C18	135	1.14	(0.95 - 1.34)	128	1.05	(0.87 - 1.23)
	直腸	C19-C20	82	1.03	(0.80 - 1.25)	46	0.98	(0.70 - 1.26)
	大腸(結腸・直腸)	C18-C20	217	1.10	(0.95 - 1.24)	174	1.03	(0.88 - 1.18)
	肝および肝内胆管	C22	296	1.02	(0.91 - 1.14)	127	0.95	(0.79 - 1.12)
	肺	C33-C34	459	0.98	(0.89 - 1.07)	182	0.98	(0.84 - 1.13)
	乳房	C50				116	1.03	(0.84 - 1.21)
	子宮	C53-C55				50	0.98	(0.71 - 1.25)
	前立腺	C61	81	0.92	(0.72 - 1.12)			
	膀胱	C67						
広島西	全部位	C00-C97	191	0.77	(0.66 - 0.88)	164	0.99	(0.84 - 1.15)
	胃	C16	27	0.77	(0.48 - 1.06)	15	0.71	(0.35 - 1.08)
	結腸	C18	14	0.93	(0.44 - 1.42)	15	0.94	(0.46 - 1.41)
	直腸	C19-C20	10	1.00	(0.38 - 1.62)	6	1.00	(0.20 - 1.80)
	大腸(結腸・直腸)	C18-C20	24	0.96	(0.58 - 1.34)	21	0.95	(0.55 - 1.36)
	肝および肝内胆管	C22	25	0.68	(0.41 - 0.94)	13	0.76	(0.35 - 1.18)
	肺	C33-C34	37	0.61	(0.41 - 0.80)	21	0.88	(0.50 - 1.25)
	乳房	C50				25	1.79	(1.09 - 2.49)
	子宮	C53-C55				3	0.50	(-0.07 - 1.07)
	前立腺	C61	15	1.25	(0.62 - 1.88)			
	膀胱	C67						
呉	全部位	C00-C97	602	1.10	(1.02 - 1.19)	405	1.08	(0.97 - 1.19)
	胃	C16	102	1.32	(1.07 - 1.58)	50	1.04	(0.75 - 1.33)
	結腸	C18	33	1.00	(0.66 - 1.34)	40	1.11	(0.77 - 1.46)
	直腸	C19-C20	21	0.95	(0.55 - 1.36)	20	1.54	(0.86 - 2.21)
	大腸(結腸・直腸)	C18-C20	54	0.98	(0.72 - 1.24)	60	1.20	(0.90 - 1.50)
	肝および肝内胆管	C22	84	1.05	(0.83 - 1.27)	39	0.98	(0.67 - 1.28)
	肺	C33-C34	150	1.12	(0.94 - 1.30)	60	1.09	(0.81 - 1.37)
	乳房	C50				34	1.21	(0.81 - 1.62)
	子宮	C53-C55				12	0.92	(0.40 - 1.45)
	前立腺	C61	27	1.00	(0.62 - 1.38)			
	膀胱	C67						
広島中央	全部位	C00-C97	348	1.01	(0.91 - 1.12)	245	1.04	(0.91 - 1.17)
	胃	C16	42	0.86	(0.60 - 1.12)	28	0.93	(0.59 - 1.28)
	結腸	C18	21	1.00	(0.57 - 1.43)	25	1.09	(0.66 - 1.51)
	直腸	C19-C20	20	1.43	(0.80 - 2.05)	9	1.00	(0.35 - 1.65)
	大腸(結腸・直腸)	C18-C20	41	1.17	(0.81 - 1.53)	34	1.10	(0.73 - 1.47)
	肝および肝内胆管	C22	42	0.82	(0.57 - 1.07)	33	1.38	(0.91 - 1.84)
	肺	C33-C34	94	1.12	(0.89 - 1.35)	34	1.00	(0.66 - 1.34)
	乳房	C50				18	0.95	(0.51 - 1.39)
	子宮	C53-C55				7	0.78	(0.20 - 1.35)
	前立腺	C61	13	0.81	(0.37 - 1.25)			
	膀胱	C67						
尾三	全部位	C00-C97	617	1.10	(1.01 - 1.19)	388	1.02	(0.92 - 1.12)
	胃	C16	95	1.19	(0.95 - 1.43)	60	1.22	(0.91 - 1.53)
	結腸	C18	31	0.91	(0.59 - 1.23)	36	0.97	(0.66 - 1.29)
	直腸	C19-C20	24	1.04	(0.63 - 1.46)	12	0.92	(0.40 - 1.45)
	大腸(結腸・直腸)	C18-C20	55	0.96	(0.71 - 1.22)	48	0.94	(0.67 - 1.21)
	肝および肝内胆管	C22	91	1.11	(0.88 - 1.34)	40	1.00	(0.69 - 1.31)
	肺	C33-C34	160	1.16	(0.98 - 1.34)	64	1.16	(0.88 - 1.45)
	乳房	C50				25	0.89	(0.54 - 1.24)
	子宮	C53-C55				10	0.77	(0.29 - 1.25)
	前立腺	C61	28	0.97	(0.61 - 1.32)			
	膀胱	C67						
福山・府中	全部位	C00-C97	903	1.04	(0.97 - 1.11)	580	1.01	(0.92 - 1.09)
	胃	C16	135	1.10	(0.91 - 1.28)	76	1.03	(0.80 - 1.26)
	結腸	C18	45	0.85	(0.60 - 1.10)	50	0.91	(0.66 - 1.16)
	直腸	C19-C20	32	0.89	(0.58 - 1.20)	19	0.90	(0.50 - 1.31)
	大腸(結腸・直腸)	C18-C20	77	0.87	(0.67 - 1.06)	69	0.91	(0.69 - 1.12)
	肝および肝内胆管	C22	137	1.06	(0.88 - 1.24)	68	1.13	(0.86 - 1.40)
	肺	C33-C34	223	1.05	(0.91 - 1.19)	81	0.98	(0.76 - 1.19)
	乳房	C50				39	0.81	(0.56 - 1.07)
	子宮	C53-C55				32	1.45	(0.95 - 1.96)
	前立腺	C61	52	1.24	(0.90 - 1.57)			
	膀胱	C67						
備北	全部位	C00-C97	234	0.96	(0.84 - 1.09)	151	0.88	(0.74 - 1.02)
	胃	C16	37	1.06	(0.72 - 1.40)	22	0.96	(0.56 - 1.36)
	結腸	C18	14	0.93	(0.44 - 1.42)	16	0.94	(0.48 - 1.40)
	直腸	C19-C20	8	0.80	(0.25 - 1.35)	4	0.67	(0.01 - 1.32)
	大腸(結腸・直腸)	C18-C20	22	0.88	(0.51 - 1.25)	20	0.87	(0.49 - 1.25)
	肝および肝内胆管	C22	38	1.09	(0.74 - 1.43)	16	0.89	(0.45 - 1.32)
	肺	C33-C34	50	0.83	(0.60 - 1.06)	24	0.96	(0.58 - 1.34)
	乳房	C50				8	0.73	(0.22 - 1.23)
	子宮	C53-C55				6	1.20	(0.24 - 2.16)
	前立腺	C61	14	1.00	(0.48 - 1.52)			
	膀胱	C67						

付表4-D 二次保健医療圏別標準化罹患比(広島県との比較) : 部位別、性別

2008年

医療圏	部位	ICD-10	男			女		
			罹患数	標準化罹患比(95%信頼区間)		罹患数	標準化罹患比(95%信頼区間)	
広島	全部位	C00-C97	4803	1.08	(1.05 - 1.11)	3691	1.08	(1.04 - 1.11)
	胃	C16	875	1.02	(0.95 - 1.09)	451	1.08	(0.98 - 1.18)
	結腸	C18	421	1.08	(0.97 - 1.18)	359	1.03	(0.92 - 1.13)
	直腸	C19-C20	272	1.11	(0.98 - 1.24)	155	1.04	(0.88 - 1.20)
	大腸(結腸・直腸)	C18-C20	693	1.09	(1.01 - 1.17)	514	1.03	(0.94 - 1.12)
	肝および肝内胆管	C22	394	1.03	(0.93 - 1.13)	186	0.99	(0.85 - 1.14)
	肺	C33-C34	715	1.07	(0.99 - 1.15)	380	1.15	(1.03 - 1.26)
	乳房	C50				751	1.07	(0.99 - 1.14)
	子宮	C53-C55				235	1.08	(0.94 - 1.22)
	子宮頸部	C53				104	1.06	(0.86 - 1.27)
	子宮体部	C54				123	1.10	(0.90 - 1.29)
広島西	前立腺	C61	650	1.20	(1.11 - 1.29)			
	全部位	C00-C97	521	0.94	(0.86 - 1.02)	398	0.95	(0.85 - 1.04)
	胃	C16	96	0.89	(0.71 - 1.07)	50	0.96	(0.70 - 1.23)
	結腸	C18	61	1.24	(0.93 - 1.56)	48	1.09	(0.78 - 1.40)
	直腸	C19-C20	22	0.73	(0.43 - 1.04)	10	0.56	(0.21 - 0.90)
	大腸(結腸・直腸)	C18-C20	83	1.05	(0.82 - 1.28)	58	0.94	(0.69 - 1.18)
	肝および肝内胆管	C22	38	0.79	(0.54 - 1.04)	19	0.79	(0.44 - 1.15)
	肺	C33-C34	63	0.74	(0.56 - 0.92)	40	0.95	(0.66 - 1.25)
	乳房	C50				90	1.08	(0.86 - 1.31)
	子宮	C53-C55				18	0.72	(0.39 - 1.05)
	子宮頸部	C53				8	0.73	(0.22 - 1.23)
	子宮体部	C54				9	0.69	(0.24 - 1.14)
呉	前立腺	C61	73	1.06	(0.82 - 1.30)			
	全部位	C00-C97	1390	1.16	(1.10 - 1.22)	951	1.05	(0.99 - 1.12)
	胃	C16	315	1.36	(1.21 - 1.51)	105	0.90	(0.73 - 1.07)
	結腸	C18	113	1.08	(0.88 - 1.27)	121	1.22	(1.00 - 1.44)
	直腸	C19-C20	61	0.97	(0.73 - 1.21)	47	1.18	(0.84 - 1.51)
	大腸(結腸・直腸)	C18-C20	174	1.04	(0.88 - 1.19)	168	1.21	(1.03 - 1.39)
	肝および肝内胆管	C22	131	1.27	(1.05 - 1.49)	69	1.25	(0.96 - 1.55)
	肺	C33-C34	198	1.06	(0.92 - 1.21)	81	0.87	(0.68 - 1.06)
	乳房	C50				153	0.93	(0.79 - 1.08)
	子宮	C53-C55				61	1.24	(0.93 - 1.56)
	子宮頸部	C53				31	1.48	(0.96 - 2.00)
	子宮体部	C54				28	1.08	(0.68 - 1.48)
広島中央	前立腺	C61	160	1.04	(0.88 - 1.20)			
	全部位	C00-C97	678	0.88	(0.81 - 0.94)	534	0.91	(0.83 - 0.99)
	胃	C16	147	0.99	(0.83 - 1.15)	77	1.05	(0.82 - 1.29)
	結腸	C18	50	0.74	(0.53 - 0.94)	44	0.71	(0.50 - 0.92)
	直腸	C19-C20	48	1.14	(0.82 - 1.47)	29	1.12	(0.71 - 1.52)
	大腸(結腸・直腸)	C18-C20	98	0.89	(0.71 - 1.07)	73	0.84	(0.65 - 1.03)
	肝および肝内胆管	C22	45	0.68	(0.48 - 0.88)	37	1.12	(0.76 - 1.48)
	肺	C33-C34	115	0.97	(0.80 - 1.15)	44	0.76	(0.53 - 0.98)
	乳房	C50				112	0.98	(0.80 - 1.16)
	子宮	C53-C55				30	0.86	(0.55 - 1.16)
	子宮頸部	C53				8	0.50	(0.15 - 0.85)
	子宮体部	C54				20	1.11	(0.62 - 1.60)
尾三	前立腺	C61	67	0.70	(0.53 - 0.87)			
	全部位	C00-C97	1099	0.90	(0.85 - 0.96)	825	0.91	(0.85 - 0.97)
	胃	C16	204	0.87	(0.75 - 0.99)	102	0.86	(0.70 - 1.03)
	結腸	C18	105	0.99	(0.80 - 1.18)	99	0.99	(0.79 - 1.19)
	直腸	C19-C20	64	1.02	(0.77 - 1.26)	40	1.00	(0.69 - 1.31)
	大腸(結腸・直腸)	C18-C20	169	0.99	(0.84 - 1.14)	139	0.99	(0.83 - 1.16)
	肝および肝内胆管	C22	112	1.07	(0.87 - 1.26)	45	0.82	(0.58 - 1.06)
	肺	C33-C34	173	0.91	(0.77 - 1.05)	89	0.96	(0.76 - 1.16)
	乳房	C50				136	0.83	(0.69 - 0.97)
	子宮	C53-C55				33	0.67	(0.44 - 0.90)
	子宮頸部	C53				13	0.62	(0.28 - 0.96)
	子宮体部	C54				19	0.73	(0.40 - 1.06)
福山・府中	前立腺	C61	120	0.77	(0.63 - 0.91)			
	全部位	C00-C97	1789	0.92	(0.88 - 0.96)	1373	0.94	(0.89 - 0.99)
	胃	C16	356	0.95	(0.85 - 1.05)	168	0.92	(0.78 - 1.06)
	結腸	C18	159	0.93	(0.79 - 1.07)	145	0.94	(0.79 - 1.09)
	直腸	C19-C20	96	0.91	(0.73 - 1.10)	61	0.95	(0.71 - 1.19)
	大腸(結腸・直腸)	C18-C20	255	0.92	(0.81 - 1.04)	206	0.94	(0.82 - 1.07)
	肝および肝内胆管	C22	167	0.99	(0.84 - 1.14)	90	1.08	(0.86 - 1.31)
	肺	C33-C34	316	1.06	(0.94 - 1.18)	146	1.01	(0.84 - 1.17)
	乳房	C50				293	1.02	(0.91 - 1.14)
	子宮	C53-C55				89	1.02	(0.81 - 1.24)
	子宮頸部	C53				42	1.11	(0.77 - 1.44)
	子宮体部	C54				43	0.93	(0.66 - 1.21)
備北	前立腺	C61	196	0.81	(0.69 - 0.92)			
	全部位	C00-C97	473	0.94	(0.86 - 1.03)	371	0.97	(0.87 - 1.07)
	胃	C16	88	0.91	(0.72 - 1.10)	67	1.31	(1.00 - 1.63)
	結腸	C18	37	0.86	(0.58 - 1.14)	45	1.02	(0.72 - 1.32)
	直腸	C19-C20	17	0.68	(0.36 - 1.00)	13	0.81	(0.37 - 1.25)
	大腸(結腸・直腸)	C18-C20	54	0.79	(0.58 - 1.01)	58	0.97	(0.72 - 1.22)
	肝および肝内胆管	C22	40	0.93	(0.64 - 1.22)	20	0.83	(0.47 - 1.20)
	肺	C33-C34	68	0.85	(0.65 - 1.05)	30	0.75	(0.48 - 1.02)
	乳房	C50				50	0.79	(0.57 - 1.01)
	子宮	C53-C55				18	0.95	(0.51 - 1.39)
	子宮頸部	C53				8	1.00	(0.31 - 1.69)
	子宮体部	C54				9	0.90	(0.31 - 1.49)

付表5. 市区町村別罹患数； 部位別、性別

A. 上皮内がんを除く

2008年

市区町村	全部位 C00-C96			胃 C16			大腸(直腸・結腸) C18-C20			結腸 C18			直腸 C19-C20			肝臓 C22			肺 C33-C34			乳房 C50			子宮 C55-C55			子宮頸部 C53			子宮体部 C54			前立腺 C61																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
広島県	10,753	8,143	18,896	2,081	1,020	3,101	1,526	1,216	2,742	946	861	1,807	580	355	935	927	466	1,393	1,648	810	2,458	11	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214	698	251	14	1,585	1,596	484	214

付表5. 市区町村別罹患数； 部位別、性別

B. 上皮内がんを含む

2008年

市区町村	全部位				大腸（結腸・直腸）				結腸				直腸				肺				乳房				子宮				子宮頸部	
	C00-C96		D01-D09		C18-C20		D010-D012		C18		D010		C19-C20		D011-D012		C33-C34		D021-D022		C50		D05		C53-C55		D06		C53-D06	
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
広島県	11,820	9,152	20,972	2,207	1,562	3,769	1,430	1,107	2,537	777	455	1,232	1,648	812	2,460	13	1,773	1,786									789			519
中区	532	478	1,010	108	74	182	70	51	121	38	23	61	65	55	120	1	102	103									46			30
東区	499	380	879	78	58	136	53	39	92	25	19	44	69	37	106	1	82	83									46			34
南区	530	450	980	98	74	172	68	49	117	30	25	55	71	40	111	1	93	94									30			23
西区	700	617	1,317	135	114	249	84	83	167	51	31	82	99	46	145	1	125	126									70			47
安佐南区	774	572	1,346	157	80	237	100	60	160	57	20	77	91	62	153	0	109	109									68			51
安佐北区	666	507	1,173	162	101	263	101	74	175	61	27	88	103	39	142	1	90	91									45			31
安芸区	284	221	505	53	30	83	28	23	51	25	7	32	47	21	68	0	42	42									24			14
佐伯区	515	411	926	93	68	161	56	47	103	37	21	58	74	34	108	1	92	93									36			21
呉市	1,325	904	2,229	239	199	438	165	148	313	74	51	125	171	72	243	1	140	141									69			40
竹原市	145	117	262	19	22	41	10	14	24	9	8	17	33	10	43	0	24	24									6			5
三原市	401	331	732	72	68	140	45	48	93	27	20	47	60	30	90	0	65	65									14			9
尾道市	732	515	1,247	132	83	215	83	57	140	49	26	75	106	54	160	0	83	83									42			29
因島市	2	3	5	0	1	1	0	1	1	0	0	0	0	0	1	0	1	1									0			0
福山市	1,638	1,317	2,955	262	204	466	167	139	306	95	65	160	276	132	408	3	285	288									122			79
府中市	214	145	359	31	17	48	18	14	32	13	3	16	32	10	42	0	29	29									11			8
三次市	302	250	552	60	50	110	46	39	85	14	11	25	37	16	53	0	33	33									17			11
庄原市	231	168	399	36	32	68	24	21	45	12	11	23	31	14	45	0	21	21									13			9
大竹市	103	86	189	19	15	34	15	12	27	4	3	7	15	12	27	0	25	25									8			7
東広島市	535	432	967	103	62	165	60	36	96	43	26	69	71	32	103	0	95	95									37			17
廿日市市	471	361	832	101	60	161	72	45	117	29	15	44	48	28	76	1	76	77									24			15
安芸高田市	179	128	307	37	21	58	26	16	42	11	5	16	23	7	30	0	21	21									6			3
江田島市	189	139	328	37	30	67	27	16	43	10	14	24	27	10	37	0	21	21									5			4
府中町	205	158	363	46	23	69	30	20	50	16	3	19	17	14	31	1	39	40									13			10
海田町	116	80	196	24	13	37	17	9	26	7	4	11	13	5	18	0	12	12									9			6
熊野町	124	75	199	33	17	50	21	11	32	12	6	18	15	5	20	0	20	20									4			3
坂町	63	47	110	13	8	21	8	6	14	5	2	7	9	5	14	0	8	8									2			1
安芸太田町	62	37	99	9	4	13	6	4	10	3	0	3	7	1	8	0	4	4									5			3
北広島町	115	74	189	21	10	31	11	7	18	10	3	13	12	10	22	0	12	12									9			5
瀬戸田町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0									0			0
大崎上島町	55	44	99	11	7	18	6	5	11	5	2	7	11	2	13	0	9	9									1			0
世羅町	59	58	117	11	11	22	7	9	16	4	2	6	7	4	11	1	8	9									4			2
神石高原町	53	47	100	7	6	13	6	4	10	1	2	3	8	4	12	0	7	7									3			2

*1 粘膜がんを含む

付表6-1. 広島県地域がん登録における罹患数に対する資料源ごとの数(詳細)

診断年	資料源									合計
	届出票 病理登録 採録票	届出票 病理登録	届出票 採録票	届出票 のみ	病理登録 採録票	病理登録 のみ	採録 のみ	死亡票 補充票	死亡票 のみ (DCO)	
2003	1,266	2,086	520	1,174	2,574	5,572	738	0	4,017	17,947
2004	1,888	2,844	454	1,355	2,407	4,317	575	0	3,727	17,567
2005	2,480	4,446	509	2,210	1,674	3,600	451	1,426	1,572	18,368
2006	643	7,698	198	3,029	827	3,096	247	1,496	1,068	18,302
2007	901	9,298	184	3,486	433	2,247	138	1,060	999	18,746
2008	694	10,076	169	3,428	346	2,172	133	887	991	18,896

※上皮内がんを除く

※届出票＝広島県地域がん登録届出票情報、病理登録＝広島県腫瘍登録情報、採録票＝広島市地域がん登録採録票情報

付表6-2. 広島県地域がん登録における罹患数に対する資料源ごとの割合(%) (詳細)

診断年	資料源									合計
	届出票 病理登録 採録票	届出票 病理登録	届出票 採録票	届出票 のみ	病理登録 採録票	病理登録 のみ	採録 のみ	死亡票 補充票	死亡票 のみ	
2003	7.1	11.6	2.9	6.5	14.3	31.0	4.1	0.0	22.4	100.0
2004	10.7	16.2	2.6	7.7	13.7	24.6	3.3	0.0	21.2	100.0
2005	13.5	24.2	2.8	12.0	9.1	19.6	2.5	7.8	8.6	100.0
2006	3.5	42.1	1.1	16.6	4.5	16.9	1.3	8.2	5.8	100.0
2007	4.8	49.6	1.0	18.6	2.3	12.0	0.7	5.7	5.3	100.0
2008	3.7	53.3	0.9	18.1	1.8	11.5	0.7	4.7	5.2	100.0

※上皮内がんを除く

※届出票＝広島県地域がん登録届出票情報、病理登録＝広島県腫瘍登録情報、採録票＝広島市地域がん登録採録票情報

付表6-3. 広島県地域がん登録における罹患数に対する資料源の数

診断年	届出票	病理登録	採録	死亡票 補充票	死亡票 のみ	罹患数
2003	5,046	11,498	5,098	0	4,017	17,947
2004	6,541	11,456	5,324	0	3,727	17,567
2005	9,645	12,200	5,114	1426	1,572	18,368
2006	11,568	12,264	1,915	1496	1,068	18,302
2007	13,869	12,879	1,656	1060	999	18,746
2008	14,367	13,288	1,342	887	991	18,896

※上皮内がんを除く

※届出票＝広島県地域がん登録届出票情報、病理登録＝広島県腫瘍登録情報、採録票＝広島市地域がん登録採録票情報

付表6-4. 広島県地域がん登録における罹患数に対する資料源の割合(%)

診断年	届出票	病理登録	採録	死亡票 補充票	死亡票 のみ
2003	28.1	64.1	28.4	0.0	22.4
2004	37.2	65.2	30.3	0.0	21.2
2005	52.5	66.4	27.8	7.8	8.6
2006	63.2	67.0	10.5	8.2	5.8
2007	74.0	68.7	8.8	5.7	5.3
2008	76.0	70.3	7.1	4.7	5.2

※上皮内がんを除く

※届出票＝広島県地域がん登録届出票情報、病理登録＝広島県腫瘍登録情報、採録票＝広島市地域がん登録採録票情報

付表7-1 罹患数の年次推移

			2003	2004	2005	2006	2007	2008
男	全部位	C00-C97	10,767	10,344	10,804	10,722	10,854	10,753
	胃	C16	2,008	2,006	2,139	2,021	2,143	2,081
	大腸	C18-C20	1,772	1,534	1,554	1,610	1,533	1,526
	肝	C22	1,135	1,054	1,063	992	1,024	927
	肺	C33-C34	1,426	1,443	1,613	1,519	1,646	1,648
	前立腺	C61	1,481	1,295	1,289	1,388	1,318	1,345
女	全部位	C00-C97	7,180	7,223	7,564	7,580	7,892	8,143
	胃	C16	1,100	941	990	983	1,005	1,020
	大腸	C18-C20	1,231	1,179	1,200	1,281	1,237	1,216
	肝	C22	526	533	543	479	492	466
	肺	C33-C34	627	621	694	676	776	810
	乳房	C50	1,098	1,208	1,306	1,279	1,438	1,585
	子宮	C53-C55	422	453	495	475	498	484

付表7-2 年齢調整罹患率の年次推移

			2003	2004	2005	2006	2007	2008
男	全部位	C00-C97	504.4	473.5	484.4	470.0	470.0	453.3
	胃	C16	93.6	92.1	96.1	88.5	93.1	87.2
	大腸	C18-C20	85.1	70.9	71.1	72.5	66.9	66.6
	肝	C22	53.7	49.2	47.9	43.8	45.2	38.7
	肺	C33-C34	64.7	63.6	69.6	63.4	67.7	66.0
	前立腺	C61	64.4	55.0	53.4	56.4	52.7	51.8
女	全部位	C00-C97	283.4	284.3	298.2	294.4	302.3	313.2
	胃	C16	37.9	32.4	34.3	33.5	31.9	33.3
	大腸	C18-C20	45.2	41.0	40.6	43.3	41.0	40.1
	肝	C22	17.6	17.3	17.2	15.4	14.5	13.7
	肺	C33-C34	21.4	21.8	24.9	22.2	25.4	26.5
	乳房	C50	57.1	61.1	66.7	65.1	72.8	80.6
	子宮	C53-C55	21.5	23.7	25.7	25.5	27.4	26.4

付表7-3 死亡数の年次推移

			2003	2004	2005	2006	2007	2008
男	全部位	C00-C97	4,385	4,519	4,610	4,601	4,593	4,799
	胃	C16	702	756	716	706	688	683
	大腸	C18-C20	469	463	464	479	451	490
	肝	C22	739	756	735	740	699	713
	肺	C33-C34	989	980	1,059	1,055	1,098	1,173
	膵臓	C25	228	282	279	256	303	298
女	全部位	C00-C97	2,897	3,011	2,988	3,012	3,146	3,237
	胃	C16	442	389	368	411	427	414
	大腸	C18-C20	378	405	429	423	425	426
	肝	C22	343	391	364	341	391	336
	肺	C33-C34	354	367	373	397	412	466
	乳房	C50	219	220	225	201	226	265

付表7-4 年齢調整死亡率の年次推移

			2003	2004	2005	2006	2007	2008
男	全部位	C00-C97	198.9	199.6	196.8	191.3	185.3	187.5
	胃	C16	31.9	33.8	30.5	29.1	28.0	26.8
	大腸	C18-C20	21.3	20.8	19.8	20.1	18.4	19.5
	肝	C22	34.6	34.3	32.8	32.4	29.6	28.5
	肺	C33-C34	43.9	42.6	44.3	42.6	42.8	44.7
	膵臓	C25	10.4	12.5	12.3	10.7	12.7	12.0
女	全部位	C00-C97	94.0	95.3	92.3	89.2	89.0	91.7
	胃	C16	13.7	11.5	11.3	12.1	11.1	11.0
	大腸	C18-C20	11.6	12.2	12.3	11.1	11.5	10.9
	肝	C22	11.0	11.7	10.4	9.9	10.6	8.6
	肺	C33-C34	9.9	10.7	11.4	11.4	10.9	12.5
	乳房	C50	10.4	10.1	9.9	8.7	9.9	11.3