

# V 付 表

平成22年(2010)

表1.罹患割合(%)、罹患率、年齢調整患率(人口10万対)及び累積罹患率(人口100対)：部位別、性別

A. 上皮内がんを除く

2010年

部位	粗罹患率										年齢調整罹患率										累積罹患率(0-74歳)				
	罹患数					罹患割合(%)					日本人口					世界人口					男女		男女		
	ICD-10	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	000-096	11,505	8,524	20,029	100.0	100.0	200.0	833.3	575.9	700.1	467.2	319.9	381.1	330.3	239.7	277.5	39.2	26.2	32.2	0.3	0.7	0.9	0.2	0.9	0.9
口腔・咽頭	C00-C14	248	114	362	2.2	1.3	1.8	18.0	7.7	12.7	11.0	4.3	7.5	8.3	3.3	5.7	1.1	0.3	0.7	0.3	0.7	0.9	0.2	0.9	0.9
食道	C15	391	75	466	3.4	0.9	2.3	28.3	5.1	16.3	16.5	2.4	9.0	12.1	1.8	6.6	1.6	0.2	0.9	0.3	0.7	0.9	0.2	0.9	0.9
胃	C16	2,193	1,005	3,198	19.1	11.8	16.0	158.8	67.9	111.8	88.2	30.0	56.3	62.0	21.1	39.8	7.6	2.5	4.9	0.3	0.7	0.9	0.2	0.9	0.9
大腸（結腸・直腸）	C18-C20	1,568	1,235	2,803	13.6	14.5	14.0	113.6	83.4	98.0	65.2	39.5	51.1	46.1	28.5	36.5	5.4	3.2	4.3	0.3	0.7	0.9	0.2	0.9	0.9
結腸	C18	975	880	1,855	8.5	10.3	9.3	70.6	59.5	64.8	39.5	26.5	32.3	27.6	18.9	22.8	3.2	2.1	2.6	0.3	0.7	0.9	0.2	0.9	0.9
直腸	C19-C20	593	355	948	5.2	4.2	4.7	43.0	24.0	33.1	25.7	13.0	18.8	18.5	9.6	13.7	2.2	1.1	1.6	0.3	0.7	0.9	0.2	0.9	0.9
肝および肝内胆管	C22	909	493	1,402	7.9	5.8	7.0	65.8	33.3	49.0	36.9	13.6	24.3	25.9	9.3	17.0	3.2	1.1	2.1	0.3	0.7	0.9	0.2	0.9	0.9
胆のう・胆管	C23-C24	222	217	439	1.9	2.5	2.2	16.1	14.7	15.3	8.1	4.9	6.3	5.3	3.3	4.2	0.5	0.3	0.4	0.3	0.7	0.9	0.2	0.9	0.9
膀胱	C25	409	363	772	3.6	4.3	3.9	29.6	24.5	27.0	15.9	9.4	12.4	11.0	6.5	8.6	1.3	0.8	1.0	0.3	0.7	0.9	0.2	0.9	0.9
喉頭	C32	91	11	102	0.8	0.1	0.5	6.6	0.7	3.6	3.6	0.4	1.8	2.5	0.3	1.3	0.3	0.0	0.2	0.3	0.7	0.9	0.2	0.9	0.9
肺	C33-C34	1,640	855	2,495	14.3	10.0	12.5	118.8	57.8	87.2	63.4	26.4	42.6	43.6	18.9	29.8	5.1	2.3	3.6	0.3	0.7	0.9	0.2	0.9	0.9
皮膚	C43-C44	202	230	432	1.8	2.7	2.2	14.6	15.5	15.1	7.7	6.1	6.7	5.3	4.4	4.7	0.5	0.4	0.5	0.3	0.7	0.9	0.2	0.9	0.9
乳房	C50	16	1,688	1,704	0.1	19.8	8.5	1.2	114.0	59.6	0.7	84.8	44.1	0.5	65.6	33.9	0.1	7.1	3.7	0.3	0.7	0.9	0.2	0.9	0.9
子宮	C53-C55	-	556	556	-	6.5	2.8	-	37.6	-	-	30.0	-	-	23.5	-	-	2.4	-	0.3	0.7	0.9	0.2	0.9	0.9
子宮頸部	C53	-	233	233	-	2.7	1.2	-	15.7	-	-	14.1	-	-	11.2	-	-	1.0	-	0.3	0.7	0.9	0.2	0.9	0.9
子宮体部	C54	-	306	306	-	3.6	1.5	-	20.7	-	-	15.4	-	-	12.0	-	-	1.3	-	0.3	0.7	0.9	0.2	0.9	0.9
卵巢	C56	-	208	-	2.4	1.0	-	14.1	-	-	10.6	-	-	8.5	-	-	0.9	-	0.3	0.7	0.9	0.2	0.9	0.9	
前立腺	C61	1,702	-	1,702	14.8	-	8.5	123.3	-	-	64.0	-	-	43.3	-	-	5.6	-	0.3	0.7	0.9	0.2	0.9	0.9	
膀胱	C67	392	120	512	3.4	1.4	2.6	28.4	8.1	17.9	15.1	3.0	8.4	10.4	2.1	5.8	1.2	0.2	0.7	0.3	0.7	0.9	0.2	0.9	0.9
腎・尿路（膀胱除<）	C64-C66 C68	388	162	550	3.4	1.9	2.7	28.1	10.9	19.2	17.1	5.1	10.7	12.4	3.7	7.8	1.4	0.4	0.9	0.3	0.7	0.9	0.2	0.9	0.9
脳・中枢神経系	C70-C72	60	31	91	0.5	0.4	0.5	4.3	2.1	3.2	3.5	1.7	2.5	3.2	1.6	2.4	0.3	0.1	0.2	0.3	0.7	0.9	0.2	0.9	0.9
甲狀腺	C73	110	396	506	1.0	4.6	2.5	8.0	26.8	17.7	5.7	21.4	13.7	4.4	16.9	10.7	0.5	1.8	1.2	0.3	0.7	0.9	0.2	0.9	0.9
悪性リンパ腫	C81-C85 C96	366	306	672	3.2	3.6	3.4	26.5	20.7	23.5	16.2	10.7	13.2	11.9	7.9	9.8	1.3	0.8	1.0	0.3	0.7	0.9	0.2	0.9	0.9
多発性骨髓腫	C88-C90	78	76	154	0.7	0.9	0.8	5.6	5.1	5.4	3.1	2.0	2.5	2.2	1.4	1.7	0.2	0.2	0.2	0.3	0.7	0.9	0.2	0.9	0.9
多発性白血病	C91-C95	139	111	250	1.2	1.3	1.2	10.1	7.5	8.7	6.6	5.4	5.3	4.1	4.7	0.6	0.3	0.4	0.3	0.7	0.9	0.2	0.9	0.9	

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対) 及び累積罹患率(人口100対) ; 部位別、性別  
B. 上皮内がんを含む

部位	罹患数						罹患割合(%)			粗罹患率						年齢調整罹患率						世界人口			累積罹患率(0-74歳)		
	100-10 000-096 D001-D009			男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	0	0	0	12,829	9,864	22,693	100,0	100,0	929,2	666,5	793,3	524,2	391,5	444,1	371,0	297,2	325,8	44,3	31,8	37,5	0	0	0	0,2	0,2	1,0	
食道	C15 D001	432	82	514	3,4	0,8	2,3	31,3	5,5	18,0	18,3	2,7	9,9	13,3	2,0	7,3	1,8	0,2	0,2	1,0	0	0	0	0	0	0	
大腸(結腸・直腸)*1	C18-C20 D010-D012	2,311	1,675	3,986	18,0	17,0	17,6	167,4	113,2	139,3	99,2	55,3	75,5	70,9	40,0	54,4	8,5	4,7	6,5	0	0	0	0	0	0	0	0
結腸*1	C18 D010	1,510	1,210	2,720	11,8	12,3	12,0	109,4	81,8	95,1	63,7	38,5	50,0	45,0	27,6	35,6	5,4	3,3	4,3	0	0	0	0	0	0	0	0
直腸*1	C19-C20 D011-D012	801	465	1,266	6,2	4,7	5,6	58,0	31,4	44,3	35,5	16,8	25,5	25,9	12,4	18,7	3,1	1,4	2,2	0	0	0	0	0	0	0	0
肺	C33-C34 D021-D022	1,642	856	2,498	12,8	8,7	11,0	118,9	57,8	87,3	63,5	26,5	42,6	43,7	18,9	29,9	5,1	2,3	3,6	0	0	0	0	0	0	0	0
皮膚	C43-C44 D030-D049	254	300	554	2,0	3,0	2,4	18,4	20,3	19,4	9,7	7,7	8,5	6,6	5,4	5,9	0,6	0,5	0,6	0	0	0	0	0	0	0	0
乳房	C50 D05	16	1,900	1,916	0,1	19,3	8,4	1,2	128,4	67,0	0,7	96,6	50,1	0,5	74,8	38,6	0,1	8,1	4,2	0	0	0	0	0	0	0	0
子宮	C53-C55 D06	-	1,036	1,036	-	10,5	4,6	-	70,0	-	-	67,9	-	-	56,0	-	-	5,0	-	0	0	0	0	0	0	0	0
子宮頸部	C53 D06	-	713	713	-	7,2	3,1	-	48,2	-	-	52,0	-	-	43,7	-	-	3,7	-	0	0	0	0	0	0	0	0
膀胱	C67 D090	814	208	1,022	6,3	2,1	4,5	59,0	14,1	35,7	31,7	5,7	17,2	21,9	4,0	12,1	2,6	0,5	1,5	0	0	0	0	0	0	0	0

\*1 粘膜がんを含む

表2 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

表2. 年齡階級別罹患數、罹患割合(%)；部位別、性別

2010年

\*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）；部位別、性別

A. 上皮内がんを除く

2010年

性別	部位	ICD-10	0~4歳	5~9歳	10~14歳	15~19歳	20~24歳	25~29歳	30~34歳	35~39歳	40~44歳	45~49歳	50~54歳	55~59歳	60~64歳	65~69歳	70~74歳	75~79歳	80~84歳	85歳以上	
男	全部位	C00-C96	7.9	13.6	7.3	11.3	26.3	34.0	37.2	76.5	90.5	251.7	409.2	792.1	1,346.2	1,959.4	2,785.3	3,472.3	3,792.1	3,985.3	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	1.4	1.4	1.3	3.3	1.8	3.2	7.1	12.0	29.2	43.3	48.3	59.7	38.5	47.6	57.0	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.2	7.1	16.8	44.8	62.4	86.8	105.1	91.1	60.1	85.5	
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	1.1	7.3	19.4	52.0	71.8	156.3	272.2	391.0	558.2	642.6	685.8	740.8	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	1.3	5.5	16.4	17.2	44.9	75.4	125.1	197.6	263.6	330.9	499.0	453.1	498.6	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	1.3	2.2	9.1	7.5	22.5	45.5	64.6	104.0	168.0	214.5	334.4	295.4	366.8	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	3.3	7.3	9.7	22.5	29.9	60.4	93.6	95.6	116.5	164.6	157.7	131.8	
	肝および肝内胆管	C22	1.6	0.0	0.0	0.0	0.0	0.0	0.0	6.4	5.4	27.2	29.9	63.6	117.0	134.0	252.8	283.7	282.8	274.2	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	3.5	6.0	11.5	10.4	22.0	52.6	73.5	110.1	163.8	
	胰臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	8.3	9.6	33.4	48.5	74.7	82.4	112.1	177.7	156.7	
	喉頭	C32	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	2.4	7.3	8.7	20.9	19.9	28.0	37.5	24.9	
	肺	C33-C34	0.0	0.0	0.0	0.0	1.4	1.3	4.4	4.6	6.5	26.0	53.8	88.6	184.6	265.8	379.2	485.0	703.4	680.2	
	皮膚	C43-C44	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.9	2.2	5.9	4.8	12.5	14.7	13.2	44.0	54.3	102.6	153.1	
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	0.0	0.0	1.0	0.9	2.2	9.9	3.5	2.5	0.0	
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.4	13.2	68.8	180.3	335.0	528.4	649.6	550.7	520.0	
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.9	3.2	3.5	12.0	22.9	38.1	65.9	89.5	122.6	142.7	203.0	
	腎・尿路（膀胱除く）	C64-C66 C68	1.6	0.0	1.5	0.0	1.4	0.0	2.2	0.0	7.5	16.5	26.3	37.5	51.1	64.8	76.7	113.8	115.1	74.8	
	脳・中枢神経系	C70-C72	1.6	7.6	1.5	0.0	0.0	3.8	1.1	2.7	3.2	3.5	6.0	5.2	2.6	4.4	7.1	10.5	15.0	21.4	
	甲状腺	C73	0.0	0.0	0.0	0.0	2.8	2.5	1.1	5.5	7.5	3.5	13.2	9.4	14.7	12.1	27.0	26.3	7.5	14.2	
	悪性リンパ腫	C81-C85 C96	0.0	0.0	1.5	2.8	5.5	2.5	3.3	6.4	2.2	14.2	26.3	32.3	40.7	58.2	58.2	103.3	117.6	117.5	
	多発性骨髓腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	3.5	2.4	7.3	6.1	13.2	15.6	21.0	25.0	46.3	
	白血病	C91-C95	0.0	4.5	1.5	2.8	1.4	6.3	0.0	5.5	1.1	3.5	7.2	10.4	11.3	19.8	35.5	31.5	40.0	39.2	
女	全部位	C00-C96	14.9	12.8	3.0	15.1	23.2	42.9	104.9	175.6	294.6	467.4	549.2	621.0	782.7	937.1	1,190.7	1,386.0	1,546.6	2,002.8	
	口腔・咽頭	C00-C14	0.0	0.0	1.5	0.0	0.0	1.3	2.2	2.8	2.2	10.5	7.0	4.1	8.3	10.0	18.0	21.6	18.4	30.4	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.7	3.5	4.1	9.2	10.0	2.4	15.3	15.4	24.9	
	胃	C16	0.0	0.0	0.0	0.0	0.0	2.9	1.3	2.2	5.5	9.7	17.6	39.9	62.5	61.7	116.5	176.6	184.4	255.2	312.6
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.0	6.7	12.9	25.8	34.0	52.8	71.7	121.8	148.4	175.4	234.0	255.2	354.1	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	4.5	8.3	12.9	16.4	32.9	46.1	83.4	98.6	125.0	172.9	196.8	278.0	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	4.6	12.9	17.6	19.9	25.6	38.4	49.8	50.5	61.0	58.4	76.1
	肝および肝内胆管	C22	1.7	0.0	0.0	0.0	0.0	0.0	1.1	1.8	1.1	3.5	7.0	19.5	34.2	46.8	104.5	128.4	144.5	124.5	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	7.2	10.8	15.9	32.4	42.0	63.0	107.9		
	胰臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	4.7	5.9	12.3	22.5	43.8	58.9	72.5	79.9	152.1	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.7	3.0	2.4	1.3	0.0	2.8	
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.6	9.7	17.6	23.5	51.2	83.4	127.5	150.2	142.4	204.5	217.2
	皮膚	C43-C44	0.0	1.6	0.0	0.0	0.0	1.3	1.1	1.8	0.0	8.2	7.0	6.1	15.9	15.9	20.4	48.3	58.4	107.9	
	乳房	C50	0.0	0.0	0.0	0.0	0.0	2.9	6.5	31.2	54.2	140.9	216.7	203.0	187.5	204.4	184.2	183.8	178.0	143.0	146.6
	子宮	C53-C55	0.0	0.0	0.0	0.0	0.0	4.3	9.1	33.5	47.8	48.4	53.9	64.5	65.6	57.6	48.8	46.9	43.2	29.2	60.9
	子宮頸部	C53	0.0	0.0	0.0	0.0	0.0	2.9	9.1	27.9	29.4	33.3	23.4	16.4	22.5	15.9	11.0	18.0	15.3	12.3	20.7
	子宮体部	C54	0.0	0.0	0.0	0.0	0.0	1.4	0.0	5.6	15.6	15.1	30.5	46.9	43.0	40.9	35.9	28.8	28.0	13.8	29.0
	卵巢	C56	0.0	0.0	1.5	3.0	2.9	5.2	3.3	10.1	9.7	19.9	31.7	24.6	26.7	13.9	21.6	16.5	21.5	23.5	
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	3.5	4.1	4.2	14.9	19.2	20.3	24.6	59.5	
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	1.6	0.0	0.0	0.0	0.0	0.0	1.8	2.2	2.3	5.9	13.3	15.0	19.9	20.4	35.6	30.7	47.0	
	脳・中枢神経系	C70-C72	1.7	3.2	0.0	1.5	1.4	2.6	2.2	1.8	1.1	0.0	1.2	0.0	1.7	1.0	3.6	6.4	7.7	2.8	
	甲状腺	C73	0.0	0.0	0.0	0.0	1.5	2.9	10.4	13.4	21.1	24.7	45.7	54.0	46.1	45.9	42.8	57.7	42.0	18.4	8.3
	悪性リンパ腫	C81-C85 C96	0.0	1.6	0.0	3.0	0.0	3.9	1.1	3.7	5.4	12.9	16.4	18.4	25.9	34.9	37.2	76.3	63.0	67.8	
	多発性骨髓腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.1	5.8	9.0	16.8	11.4	24.6	23.5	
	白血病	C91-C95	6.6	4.8	0.0	3.0	2.9	1.3	2.2	1.8	1.1	7.0	3.5	4.1	7.5	8.0	9.6	14.0	30.7	34.6	
男女計	全部位	C00-C96	11.3	13.2	5.2	13.1	24.8	38.4	70.7	125.8	192.7	360.0	479.9	705.8	1,059.1	1,423.3	1,921.5	2,263.7	2,401.0	2,557.3	
	口腔・咽頭	C00-C14	0.0	0.0	0.7	0.7	0.7	1.3	2.8	2.3	2.7	8.8	9.5	16.5	25.5	28.2	37.1	28.7	29.5	37.9	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.6	5.9	10.1	24.3	35.3	46.5	49.5	47.1	32.4	41.8	
	胃	C16	0.0	0.0	0.0	0.0	1.4	0.6	1.7	6.4	14.5	34.7	55.7	109.0	165.0	247.0	351.5	377.2	419.1	432.4	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.6	6.1	14.6	21.5	39.4	64.0	98.2	159.0	203.2	246.7	345.5	330.5	394.5	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.6	3.3	8.7	10.2	19.4	39.1	55.3	93.5	131.6	166.0	240.9	234.3	302.9	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	2.8	5.9	11.3	20.0	24.9	42.9	65.5	71.6	80.7	104.6	96.2	91.7	
	肝および肝内胆管	C22	1.6	0.0	0.0	0.0	0.0	0.0	0.6	4.1	3.2	15.3	18.4	41.3	74.8	88.3	172.5	193.7	197.1	166.4	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.4	3.6	9.3	10.6	18.8	41.7	55.2	81.0	123.5	
	胰臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.6	6.5	7.7	22.7	35.3	58.5	69.6	89.1	117.1	153

表3. 年齢階級別罹患率（人口10万対）；部位別、性別  
B. 上皮内がんを含む

2010年

性別	部位	ICD-10										80-84歳 85歳以上										
		006-C96 D00-D09	7.9	13.6	7.3	11.3	27.7	36.5	37.2	85.7	111.0	284.8	495.3	918.2	1,519.6	2,201.1	3,100.6	3,841.8	4,152.6	4,248.9		
男 全部位	C06-C96 D00-D09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52.1	69.3	95.6	120.7	98.1	67.6	85.5		
食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	16.8	210.5	302.5	302.1	514.2	698.7	595.7	
大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.5	5.5	24.6	32.3	73.3	141.2	83.5	127.1	176.8	253.7	352.2	490.3	403.0	420.3
結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.2	15.5	19.4	40.2	83.4	125.7	138.4	161.9	208.4	192.7	146.0		
直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	3.3	9.1	12.9	33.1	52.6	83.4	125.7	138.4	161.9	208.4	192.7	146.0	
肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	4.4	4.6	6.5	26.0	53.8	88.6	184.6	266.9	380.7	485.0	703.4	680.2	
皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	5.9	9.6	13.5	19.1	18.7	54.0	68.3	132.7	185.2
乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	1.8	7.5	8.3	25.1	53.2	78.9	153.8	180.4	252.1	300.4
女 全部位	C00-C96 D00-D09	14.9	12.8	3.0	15.1	52.2	143.0	216.4	285.9	396.8	574.0	636.0	697.9	872.8	1,079.5	1,352.9	1,522.1	1,708.0	2,127.2			
食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.7	3.5	7.2	9.2	11.0	3.6	17.8	15.4	24.9
大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	6.7	17.5	34.4	50.4	73.9	96.3	159.4	233.0	273.9	306.5	356.7	401.1	
結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.5	11.9	17.2	26.9	48.1	69.7	111.8	161.3	204.3	227.6	269.0	308.4
直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.5	17.2	23.4	25.8	26.6	47.6	71.7	69.7	78.8	87.6	92.7	
肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.6	9.7	17.6	23.5	52.3	83.4	127.5	150.2	142.4	204.5	217.2	
皮膚	C43-C44 D030-D049	0.0	1.6	0.0	0.0	0.0	0.0	1.3	1.1	1.8	0.0	0.0	10.5	7.0	7.2	15.9	19.9	34.8	67.4	75.3	142.5	
乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.5	35.7	63.4	167.7	249.5	233.5	206.0	228.6	215.1	204.3	193.3	152.2	154.9	
子宮	C53-C55 D06	0.0	0.0	0.0	0.0	0.0	0.0	31.9	105.3	139.5	144.3	115.0	107.8	91.5	84.0	77.6	53.8	52.9	47.0	29.2	62.2	
子宮頸部	C53 D06	0.0	0.0	0.0	0.0	0.0	0.0	30.4	105.3	133.9	125.9	100.0	77.3	43.4	41.0	35.9	15.9	24.0	19.1	12.3	22.1	
膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.3	8.2	11.3	11.7	24.9	33.6	34.3	49.2	84.4
男女計 全部位	C00-C96 D00-D09	11.3	13.2	5.2	13.1	39.7	88.9	125.9	185.3	254.0	430.1	566.4	807.1	1,190.1	1,612.9	2,153.8	2,498.0	2,638.2	2,720.7			
食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	10.1	29.5	38.7	51.2	57.3	51.6	35.2	41.8
大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.6	6.1	21.0	33.4	61.8	107.2	152.9	229.6	308.7	384.0	471.5	447.6	447.3	
結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.3	13.7	18.3	33.5	66.1	98.2	143.7	205.3	272.1	338.1	320.0	339.7	
直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	2.8	7.3	15.1	28.2	39.1	54.8	85.9	103.4	112.0	133.3	127.6	107.6	
肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	2.8	4.6	8.1	21.8	38.5	70.3	133.1	193.8	255.8	286.6	394.3	346.7	
皮膚	C43-C44 D030-D049	0.0	0.8	0.0	0.0	0.1	0.6	0.6	1.4	1.6	8.2	8.3	10.3	17.4	19.3	43.6	67.8	97.1	154.4			
乳房	C50 D05	0.0	0.0	0.0	0.0	1.4	3.2	17.7	32.0	84.5	125.3	117.9	104.4	116.9	113.9	115.2	113.4	95.2	111.6			
膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.9	4.3	5.3	16.6	32.0	44.6	86.2	100.9	126.0	144.8	161.4			

\*1 粘膜がんを含む

表4. 発見経緯(%) ; 部位別  
A. 上皮内がんを除く

部位	ICD-10	集計対象数	がん検診	健診	他疾患の 経過観察中		剖検発見	(症状受診を含む)	その他・不明
					人間ドック	27.9			
全部位	C00-C96	19,064	5.5	8.3	13.2	0.0	0.0	86.5	86.5
口腔・咽頭	C00-C14	355	0.0	0.3	23.8	0.0	0.0	66.5	66.5
食道	C15	454	0.2	9.5	26.6	0.0	0.0	54.0	54.0
胃	C16	3,108	7.9	11.5	20.2	0.0	0.0	65.9	65.9
大腸（結腸・直腸）	C18-C20	2,710	7.2	6.7	22.3	0.1	0.1	63.9	63.9
結腸	C18	1,787	7.4	6.4	16.1	0.0	0.0	69.9	69.9
直腸	C19-C20	923	6.6	7.4	62.7	0.2	0.2	33.7	33.7
肝および肝内胆管	C22	1,254	0.7	2.6	25.4	0.0	0.0	71.3	71.3
胆のう・胆管	C23-C24	397	0.0	3.3	35.7	0.1	0.1	61.0	61.0
脾臓	C25	687	0.1	3.1	16.8	0.0	0.0	82.2	82.2
喉頭	C32	101	0.0	1.0	39.9	0.1	0.1	46.6	46.6
肺	C33-C34	2,286	5.7	7.6	0.5	7.2	0.0	92.3	92.3
皮膚	C43-C44	428	0.0	22.9	3.6	11.8	0.0	61.6	61.6
乳房	C50	1,675	1,660	23.1	3.7	11.7	0.0	61.4	61.4
乳房（女性のみ）	C50	1,660	539	11.9	6.3	14.5	0.0	67.3	67.3
子宮	C53-C55	230	27.0	2.6	15.7	0.0	0.0	54.8	54.8
子宮頸部	C53	301	0.0	9.3	14.0	0.0	0.0	76.7	76.7
子宮体部	C54	199	0.0	5.0	18.6	0.0	0.0	76.4	76.4
卵巣	C56	1,671	0.1	23.9	30.8	0.3	0.3	44.9	44.9
前立腺	C61	486	0.0	1.9	20.4	0.0	0.0	77.8	77.8
膀胱	C67	527	0.0	10.6	43.6	0.2	0.2	45.5	45.5
腎・尿路（膀胱除く）	C64-C66 C68	88	0.0	2.3	13.6	0.0	0.0	84.1	84.1
脳・中枢神経系	C70-C72	499	0.0	26.5	31.1	0.0	0.0	42.5	42.5
甲状腺	C73	640	1.1	2.8	20.3	0.0	0.0	75.8	75.8
悪性リンパ腫	C81-C85 C96	132	0.0	4.5	37.9	0.0	0.0	57.6	57.6
多発性骨髓腫	C88-C90	234	0.0	4.7	36.3	0.0	0.0	59.0	59.0
白血病	C91-C95								

表4. 発見経緯（%）；部位別  
B. 上皮内がんを含む

部位	ICD-10	集計対象数	がん検診	人間ドック	他疾患の 経過観察中		剖検発見	その他・不明 (症状受診を含む)	2010年 国内DCOを除く届出患者、男女計
					全部位	C00-C96 D00-D09	21,728	6.8	8.5
食道	C15 D001	502	0.2	10.6	25.1	0.0	0.0	64.1	64.1
大腸（結腸・直腸）*1	C18-C20 D010-D012	3,893	8.9	9.0	21.3	0.0	0.0	60.8	60.8
結腸 *1	C18 D010	2,652	9.0	9.2	23.1	0.0	0.0	58.7	58.7
直腸 *1	C19-C20 D011-D012	1,241	8.8	8.5	17.4	0.0	0.0	65.3	65.3
肺	C33-C34 D021-D022	2,289	5.7	7.6	40.0	0.1	0.1	46.6	46.6
皮膚	C43-C44 D030-D049	550	0.0	0.4	6.9	0.0	0.0	92.7	92.7
乳房	C50 D05	1,887	24.9	3.8	12.2	0.0	0.0	59.0	59.0
乳房（女性のみ）	C50 D05	1,872	25.1	3.8	12.2	0.0	0.0	58.9	58.9
子宮	C53-C55 D06	1,019	26.2	6.8	15.8	0.0	0.0	51.2	51.2
子宮頸部	C53 D06	710	37.3	5.8	16.8	0.0	0.0	40.1	40.1
膀胱	C67 D090	996	0.0	2.7	22.0	0.0	0.0	75.3	75.3

\*1 粘膜がんを含む

表5. 臨床進行度分布(%) ; 部位別  
A. 上皮内がんを除く

部位	ICD-10	集計対象数	限局	所属リンパ節転移			遠隔転移	不明	2010年 国内DCOを除く届出患者、男女計
				C00-C14	45.6	8.5	13.5	29.9	
全部位	C00-C96	19,064							
口腔・咽頭		355	41.1	13.5	29.9	3.9			11.5
食道	C15	454	28.9	8.4	30.0	20.3			12.6
胃	C16	3,108	53.6	9.9	8.9	17.2			10.4
大腸（結腸・直腸）	C18-C20	2,710	44.2	16.2	14.6	18.3			6.7
結腸	C18	1,787	42.1	15.3	15.9	19.8			6.8
直腸	C19-C20	923	48.3	18.0	12.0	15.3			6.4
肝および肝内胆管	C22	1,254	56.0	1.4	22.0	10.0			10.5
胆のう・胆管	C23-C24	397	14.1	2.0	44.1	26.2			13.6
脾臓	C25	687	7.7	1.9	36.5	45.4			8.4
喉頭	C32	101	74.3	6.9	7.9	0.0			10.9
肺	C33-C34	2,286	35.3	7.4	16.0	32.9			8.4
皮膚	C43-C44	428	74.8	1.2	6.3	0.0			17.8
乳房	C50	1,675	59.6	20.4	6.4	4.8			8.8
乳房（女性のみ）	C50	1,660	59.7	20.4	6.3	4.8			8.9
子宮	C53-C55	539	59.0	3.2	22.6	7.2			8.0
子宮頸部	C53	230	53.9	3.5	27.4	7.8			7.4
子宮体部	C54	301	63.5	3.0	18.9	7.0			7.6
卵巢	C56	199	23.6	0.0	49.7	14.6			12.1
前立腺	C61	1,671	53.0	0.7	15.2	7.6			23.5
膀胱	C67	486	72.6	1.2	9.9	2.9			13.4
腎・尿路（膀胱除く）	C64-C66 C68	527	60.2	0.9	19.5	15.2			4.2
脳・中枢神経系	C70-C72	88	61.4	0.0	14.8	4.5			19.3
甲状腺	C73	499	50.7	29.3	8.4	2.2			9.4
悪性リンパ腫	C81-C85 C96	640	21.4	0.2	10.2	32.5			35.8
多発性骨髓腫	C88-C90	132	0.0	0.0	0.0	0.8			99.2
白血病	C91-C95	234	0.0	0.0	0.0	4.3			95.7

表5. 臨床進行度分布 (%) ; 部位別  
B. 上皮内がんを含む

部位	ICD-10	集計対象数	上皮内がん	限局	国内DCOを除く届出患者、男女計				不明
					所属リンパ節転移	隣接臓器浸潤	遠隔転移	12.4	
全部位	C00-C96 D00-D09	21,728	12.2	40.0	7.4	13.6	14.3	12.4	
食道	C15 D001	502	9.4	26.1	7.6	27.1	18.3	11.6	
大腸（結腸・直腸）*1	C18-C20 D010-D012	3,893	30.4	30.8	11.3	10.2	12.7	4.7	
結腸*1	C18 D010	2,652	32.6	28.4	10.3	10.7	13.3	4.6	
直腸*1	C19-C20 D011-D012	1,241	25.5	35.9	13.4	8.9	11.4	4.8	
肺	C33-C34 D021-D022	2,289	0.1	35.3	7.4	16.0	32.8	8.4	
皮膚	C43-C44 D030-D049	550	22.2	58.2	0.9	4.9	0.0	13.8	
乳房	C50 D05	1,887	10.9	52.9	18.1	5.7	4.2	8.1	
乳房（女性のみ）	C50 D05	1,872	11.0	52.9	18.1	5.6	4.3	8.2	
子宮	C53-C55 D06	1,019	47.0	31.2	1.7	12.0	3.8	4.3	
子宮頸部	C53 D06	710	67.5	17.5	1.1	8.9	2.5	2.5	
膀胱	C67 D090	996	50.9	35.4	0.6	4.8	1.4	6.8	

\*1 粘膜がんを含む

表6. 受療割合(%) ; 部位別 \*1  
A. 上皮内がんを除く

部位	ICD-10	集計対象数	国内DCOを除く届出患者、男女計				特異療法なしまたは 治療方法不明
			外科・体腔鏡的治療	放射線療法	化学・免疫・ 内分泌療法	37.8	
全部位	C00-C96	19,064	56.8	10.9	37.8	37.8	21.5
口腔・咽頭	C00-C14	355	40.3	53.8	49.3	49.3	17.5
食道	C15	454	38.3	44.1	54.6	54.6	18.5
胃	C16	3,108	72.0	0.8	23.9	23.9	18.5
大腸（結腸・直腸）	C18-C20	2,710	82.5	1.6	30.9	30.9	13.7
結腸	C18	1,787	82.0	0.3	30.2	30.2	14.7
直腸	C19-C20	923	83.3	4.1	32.2	32.2	11.8
肝および肝内胆管	C22	1,254	26.9	2.4	44.5	44.5	23.5
胆のう・胆管	C23-C24	397	55.7	2.3	30.0	30.0	24.7
脾臓	C25	687	38.1	3.9	51.4	51.4	27.5
喉頭	C32	101	23.8	78.2	50.5	50.5	12.9
肺	C33-C34	2,286	41.1	16.2	40.3	40.3	23.7
皮膚	C43-C44	428	71.5	3.5	4.2	4.2	26.6
乳房	C50	1,675	80.7	34.8	64.2	64.2	12.4
乳房（女性のみ）	C50	1,660	80.6	35.1	64.0	64.0	12.5
子宮	C53-C55	539	70.7	20.4	36.7	36.7	13.5
子宮頸部	C53	230	57.0	38.3	36.5	36.5	11.7
子宮体部	C54	301	82.1	7.3	37.9	37.9	13.6
卵巣	C56	199	80.9	0.0	64.8	64.8	12.1
前立腺	C61	1,671	27.8	9.8	40.0	40.0	34.0
膀胱	C67	486	75.7	4.5	29.8	29.8	21.6
腎・尿路（膀胱除く）	C64-C66 C68	527	76.9	3.4	15.2	15.2	15.9
脳・中枢神経系	C70-C72	88	64.8	46.6	52.3	52.3	29.5
甲状腺	C73	499	80.4	2.2	23.6	23.6	18.6
悪性リンパ腫	C81-C85 C96	640	11.6	7.8	49.2	49.2	38.4
多発性骨髓腫	C88-C90	132	0.0	7.6	53.8	53.8	42.4
白血病	C91-C95	234	0.0	4.3	67.5	67.5	30.3

\*1 重複を含むため合計は100%にならない

表6. 受療割合(%) ; 部位別 \*1  
B. 上皮内がんを含む

部位	ICD-10	集計対象数	国内DCOを除く届出患者、男女計			
			外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96 D00-D09	21,728	58.7	10.0	33.9	22.2
食道	C15 D001	502	41.8	39.8	49.4	19.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	3,893	78.9	1.1	21.8	18.3
結腸 *2	C18 D010	2,652	78.7	0.2	20.7	19.0
直腸 *2	C19-C20 D011-D012	1,241	79.4	3.1	24.1	17.0
肺	C33-C34 D021-D022	2,289	41.2	16.2	40.3	23.6
皮膚	C43-C44 D030-D049	550	70.2	2.7	3.3	28.4
乳房	C50 D05	1,887	80.9	35.2	60.1	12.9
乳房（女性のみ）	C50 D05	1,872	80.8	35.5	59.9	13.0
子宮	C53-C55 D06	1,019	76.7	10.8	19.5	14.8
子宮頸部	C53 D06	710	74.9	12.4	12.0	14.8
膀胱	C67 D090	996	69.7	2.3	23.1	28.4

\*1 重複を含めため合計は100%にならない

\*2 粘膜がんを含む

表7. 切除内容(%) ; 部位別  
A. 上皮内がんを除く

部位	ICD-10	外科・体腔鏡 内視鏡治療数			完全切除			不完全切除			治癒度不明			姑息・対症 転移巣切除			国内DCOを除く届出患者、男女計		
		C00-C96	10,819	81.3	8.4	3.4	8.4	3.4	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	2.8		
全部位																			
口腔・咽頭	C00-C14	143	83.2	7.7	2.1	7.0	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
食道	C15	174	81.0	10.9	0.6	5.7	5.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7		
胃	C16	2,238	85.0	7.3	1.8	3.6	3.6	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3		
大腸（結腸・直腸）	C18-C20	2,235	79.2	11.2	2.2	4.0	4.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4		
結腸	C18	1,466	78.3	12.2	2.1	4.0	4.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4		
直腸	C19-C20	769	80.9	9.4	2.5	4.0	4.0	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3		
肝および肝内胆管	C22	337	78.9	10.7	0.3	7.7	7.7	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4		
胆のう・胆管	C23-C24	221	58.4	8.1	1.8	29.9	29.9	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8		
脾臓	C25	262	46.2	13.4	3.8	32.8	32.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8		
喉頭	C32	24	37.5	25.0	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5		
肺	C33-C34	940	89.3	4.1	1.9	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3		
皮膚	C43-C44	306	93.5	2.9	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0		
乳房	C50	1,352	89.9	3.0	4.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.6		
乳房（女性のみ）	C50	1,338	89.8	2.9	4.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.6		
子宮	C53-C55	381	78.5	6.3	12.6	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.6		
子宮頸部	C53	131	79.4	5.3	12.2	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	2.3		
子宮体部	C54	247	78.1	6.9	13.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.8		
卵巢	C56	161	54.0	24.2	15.5	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	1.2		
前立腺	C61	464	85.6	6.9	4.5	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	2.2		
膀胱	C67	368	71.5	12.2	7.6	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	6.5		
腎・尿路（膀胱除く）	C64-C66 C68	405	88.6	5.4	2.5	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	2.2		
脳・中枢神経系	C70-C72	57	19.3	66.7	1.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	3.5		
甲状腺	C73	401	85.3	6.7	2.7	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	4.7		
悪性リンパ腫	C81-C85 C96	74	44.6	24.3	14.9	10.8	10.8	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4		
多発性骨髓腫	C88-C90	0	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
白血病	C91-C95	0	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		

表7. 切除内容(%) ; 部位別  
B. 上皮内がんを含む

部位	ICD-10	外科・内視鏡治療数		完全切除	不完全切除	治癒度不明	国内DCOを除く届出患者、男女計		2010年
		C00-C96	D00-D09				内視鏡治療数	姑息・転移巣切除	
全部位		12,746	83.0	7.3	3.3	3.6			
食道	C15 D001	210	82.9	9.0	1.4	4.8			
大腸（結腸・直腸）*1	C18-C20 D010-D012	3,073	83.2	8.3	1.9	2.9			
結腸 *1	C18 D010	2,088	82.9	8.7	1.8	2.8			
直腸 *1	C19-C20 D011-D012	985	84.0	7.4	2.1	3.1			
肺	C33-C34 D021-D022	943	89.3	4.1	1.9	2.3			
皮膚	C43-C44 D030-D049	386	94.6	2.3	2.3	0.0			
乳房	C50 D05	1,527	90.4	2.7	4.3	0.2			
乳房（女性のみ）	C50 D05	1,513	90.4	2.6	4.3	0.2			
子宮	C53-C55 D06	782	86.1	3.7	8.1	0.5			
子宮頸部	C53 D06	532	89.8	2.3	5.8	0.2			
膀胱	C67 D090	694	78.8	8.1	6.5	1.2			

\*1 粘膜がんを含む

表8. 精度指標；部位別、性別  
A. 上皮内がんを除く

部位	ICD-10	罹患／死亡比 (M比)				死亡情報で初めて 把握された症例 DCN (%)				死亡情報のみの 症例 DC0 (%)				病理学的裏付けの ある症例 MV (%)				組織学的裏付けの ある症例 HV (%)					
		男		男女計		男		女		男女計		男		女		男女計		男		女		男女計	
		000-096	2.41	2.59	2.49	6.2	8.6	7.2	3.9	6.1	4.8	3.6	5.7	4.5	87.9	86.8	87.4	83.7	83.0	83.4			
全部位																							
口腔・咽頭	C00-C14	2.85	2.04	2.53	1.6	5.3	2.8	1.2	3.5	1.9	1.2	3.5	1.9	97.6	94.7	96.7	95.6	94.7	95.3				
食道	C15	2.06	1.79	2.01	2.8	8.0	3.6	1.8	6.7	2.6	1.8	6.7	2.6	95.9	90.7	95.1	95.7	90.7	94.8				
胃	C16	3.04	2.54	2.86	4.1	6.5	4.8	2.5	3.6	2.8	2.4	3.6	2.8	96.3	94.6	95.7	96.0	94.1	95.4				
大腸（結腸・直腸）	C18-C20	3.21	2.93	3.08	3.5	6.2	4.7	2.0	4.9	3.3	1.8	4.9	3.2	96.1	92.1	94.4	96.0	92.1	94.3				
結腸	C18	3.12	2.87	2.99	4.1	6.8	5.4	2.3	5.2	3.7	1.9	5.2	3.5	95.9	91.4	93.7	95.8	91.4	93.7				
直腸	C19-C20	3.37	3.11	3.27	2.5	4.8	3.4	1.7	4.2	2.6	1.7	3.9	2.5	96.5	94.1	95.6	96.5	94.1	95.6				
肝および肝内胆管	C22	1.27	1.29	1.28	14.6	19.9	16.5	8.4	14.6	10.6	8.4	14.6	10.6	39.3	30.2	36.1	37.5	29.4	34.7				
胆のう・胆管	C23-C24	1.40	1.30	1.35	12.2	22.1	17.1	5.4	13.8	9.6	5.4	13.8	9.6	75.7	64.1	69.9	59.9	50.7	55.4				
膀胱	C25	1.20	1.15	1.18	12.0	20.7	16.1	6.8	15.7	11.0	6.8	15.7	11.0	68.0	58.7	63.6	57.0	49.0	53.2				
喉頭	C32	4.55	2.75	4.25	1.1	18.2	2.9	0.0	9.1	1.0	0.0	9.1	1.0	100.0	90.9	99.0	100.0	90.9	99.0				
肺	C33-C34	1.57	1.95	1.68	10.9	13.8	11.9	7.4	10.3	8.4	6.6	9.4	7.5	85.2	82.7	84.3	66.1	67.0	66.4				
皮膚	C43-C44	18.36	16.43	17.28	0.5	1.7	1.2	0.5	1.3	0.9	0.0	0.9	0.5	100.0	98.7	99.3	100.0	98.7	99.3				
乳房	C50	3.20	6.37	6.31	6.3	2.5	2.5	6.3	1.7	1.7	6.3	1.5	1.5	93.8	97.6	97.5	93.8	96.3	96.2				
子宮	C53-C55	-	3.89	3.89	-	4.9	4.9	-	3.1	3.1	-	3.1	3.1	-	95.5	95.5	-	94.1	94.1				
子宮頸部	C53	-	4.02	4.02	-	4.3	4.3	-	1.3	1.3	-	1.3	1.3	-	97.0	97.0	-	95.7	95.7				
子宮体部	C54	-	6.38	6.38	-	2.0	2.0	-	1.6	1.6	-	1.6	1.6	-	97.7	97.7	-	96.7	96.7				
卵巢	C56	-	2.60	2.60	-	6.3	6.3	-	4.3	4.3	-	3.8	3.8	-	91.8	91.8	-	88.0	88.0				
前立腺	C61	6.67	-	6.67	2.6	-	2.6	1.8	-	1.8	-	1.8	-	94.9	-	94.9	-	94.7	-				
膀胱	C67	3.77	2.45	3.35	4.8	10.8	6.3	3.8	9.2	5.1	3.8	9.2	5.1	94.1	85.0	92.0	92.1	80.0	89.3				
腎・尿路（膀胱除<）	C64-C66 C68	3.13	2.45	2.89	2.8	13.0	5.8	1.8	9.9	4.2	1.5	9.9	4.0	91.0	79.0	87.5	88.1	72.2	83.5				
脳・中枢神経系	C70-C72	2.73	1.24	1.94	5.0	12.9	7.7	3.3	3.2	3.3	0.0	0.0	0.0	73.3	71.0	72.5	73.3	71.0	72.5				
甲状腺	C73	11.00	15.23	14.06	3.6	1.5	2.0	2.7	1.0	1.4	2.7	0.8	1.2	97.3	98.7	98.4	95.5	95.7	95.7				
悪性リンパ腫	C81-C85 C96	2.77	2.62	2.70	6.3	7.5	6.8	4.4	5.2	4.8	4.4	5.2	4.8	91.3	92.2	91.7	89.6	89.5	89.6				
多発性骨髓腫	C88-C90	1.50	1.49	1.50	12.8	23.7	18.2	10.3	18.4	14.3	10.3	17.1	13.6	82.1	73.7	77.9	74.4	72.4	73.4				
白血病	C91-C95	1.16	1.48	1.28	9.4	15.3	12.0	3.6	9.9	6.4	0.7	0.9	0.8	98.6	98.2	98.4	88.5	77.5	83.6				

表8. 精度指標；部立別、性別  
A'. 上皮内がんを除く

部位	ICD-10	死亡情報のみの症例 DCN (%)						死亡情報のみの症例 DCN (%)						病理学的裏付けのある症例 MV (%)					
		把握された症例 DCN (%)			国際 DCO (%)			病理学的裏付けのある症例 MV (%)			男 女 男女計			男 女 男女計			男 女 男女計		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96	6.2	8.6	7.2	3.9	6.1	4.8	3.6	5.7	4.5	87.9	86.8	87.4	83.7	83.0	83.4			
口腔・咽頭	C00-C14	1.6	5.3	2.8	1.2	3.5	1.9	1.2	3.5	1.9	97.6	94.7	96.7	95.6	94.7	95.3			
食道	C15	2.8	8.0	3.6	1.8	6.7	2.6	1.8	6.7	2.6	95.9	90.7	95.1	95.7	90.7	94.8			
胃	C16	4.1	6.5	4.8	2.5	3.6	2.8	2.4	3.6	2.8	96.3	94.6	95.7	96.0	94.1	95.4			
大腸（結腸・直腸）	C18-C20	3.5	6.2	4.7	2.0	4.9	3.3	1.8	4.9	3.2	96.1	92.1	94.4	96.0	92.1	94.3			
結腸	C18	4.1	6.8	5.4	2.3	5.2	3.7	1.9	5.2	3.5	95.9	91.4	93.7	95.8	91.4	93.7			
直腸	C19-C20	2.5	4.8	3.4	1.7	4.2	2.6	1.7	3.9	2.5	96.5	94.1	95.6	96.5	94.1	95.6			
肝および肝内胆管	C22	14.6	19.9	16.5	8.4	14.6	10.6	8.4	14.6	10.6	39.3	30.2	36.1	37.5	29.4	34.7			
胆のう・胆管	C23-C24	12.2	22.1	17.1	5.4	13.8	9.6	5.4	13.8	9.6	75.7	64.1	69.9	59.9	50.7	55.4			
膀胱	C25	12.0	20.7	16.1	6.8	15.7	11.0	6.8	15.7	11.0	68.0	58.7	63.6	57.0	49.0	53.2			
喉頭	C32	1.1	18.2	2.9	0.0	9.1	1.0	0.0	9.1	1.0	100.0	90.9	99.0	100.0	90.9	99.0			
肺	C33-C34	10.9	13.8	11.9	7.4	10.3	8.4	6.6	9.4	7.5	85.2	82.7	84.3	66.1	67.0	66.4			
皮膚	C43-C44	0.5	1.7	1.2	0.5	1.3	0.9	0.0	0.9	0.5	100.0	98.7	99.3	100.0	98.7	99.3			
乳房	C50	6.3	2.5	2.5	6.3	1.7	1.7	6.3	1.7	1.5	93.8	97.6	97.5	93.8	97.6	96.2			
子宮	C53-C55	-	4.9	4.9	-	3.1	3.1	-	3.1	3.1	-	95.5	95.5	-	94.1	94.1			
子宮頸部	C53	-	4.3	4.3	-	1.3	1.3	-	1.3	1.3	-	97.0	97.0	-	95.7	95.7			
子宮体部	C54	-	2.0	2.0	-	1.6	1.6	-	1.6	1.6	-	97.7	97.7	-	96.7	96.7			
卵巢	C56	-	6.3	6.3	-	4.3	4.3	-	3.8	3.8	-	91.8	91.8	-	88.0	88.0			
前立腺	C61	2.6	-	2.6	1.8	-	1.8	1.8	-	1.8	94.9	-	94.9	94.7	-	94.7			
膀胱	C67	4.8	10.8	6.3	3.8	9.2	5.1	3.8	9.2	5.1	94.1	85.0	92.0	92.1	80.0	89.3			
腎・尿路（膀胱除く）	C64-C66 C68	2.8	13.0	5.8	1.8	9.9	4.2	1.5	9.9	4.0	91.0	79.0	87.5	88.1	72.2	83.5			
脳・中枢神経系	C70-C72	5.0	12.9	7.7	3.3	3.2	3.3	0.0	0.0	0.0	73.3	71.0	72.5	73.3	71.0	72.5			
甲状腺	C73	3.6	1.5	2.0	2.7	1.0	1.4	2.7	0.8	1.2	97.3	98.7	98.4	95.5	95.7	95.7			
悪性リンパ腫	C81-C85 C96	6.3	7.5	6.8	4.4	5.2	4.8	4.4	5.2	4.8	91.3	92.2	91.7	89.6	89.5	89.6			
多発性骨髓腫	C88-C90	12.8	23.7	18.2	10.3	18.4	14.3	10.3	17.1	13.6	82.1	73.7	77.9	74.4	72.4	73.4			
白血病	C91-C95	9.4	15.3	12.0	3.6	9.9	6.4	0.7	0.9	0.8	98.6	98.2	98.4	88.5	77.5	83.6			

表8. 精度指標；部位別、性別  
B. 上皮内がんを含む

部位	ICD-10	罹患／死亡比 (IM比)		死亡情報で初めて 把握された症例 DCN (%)		死亡情報のみの 症例 DCN (%)		国際 DCO (%)		病理学的裏付けの ある症例 HV (%)		組織学的裏付けの ある症例 HV (%)	
		男		女		男女計		男		女		男女計	
		男	女	男	女	男	女	男	女	男	女	男	女
全部位	C00-C96 D00-D09	2.69	3.00	2.82	5.5	7.4	6.3	3.5	5.2	4.3	3.3	4.9	4.0
食道	C15 D001	2.27	1.95	2.22	2.5	7.3	3.3	1.6	6.1	2.3	96.3	91.5	95.5
大腸 (結腸・直腸) *1	C18-C20 D010-D012	4.73	3.98	4.38	2.4	4.6	3.3	1.4	3.6	2.2	97.4	94.2	96.0
結腸 *1	C18 D010	4.82	3.94	4.39	2.6	5.0	3.7	1.5	3.8	2.4	97.4	93.7	93.7
直腸 *1	C19-C20 D011-D012	4.55	4.08	4.37	1.9	3.7	2.5	1.2	3.2	1.2	3.0	1.9	97.4
肺	C33-C34 D021-D022	1.57	1.95	1.69	10.8	13.8	11.8	7.4	10.3	8.4	6.6	9.3	7.5
皮膚	C43-C44 D030-D049	23.09	21.43	22.16	0.4	1.3	0.9	0.4	1.0	0.7	0.0	0.7	0.4
乳房	C50 D05	3.20	7.17	7.10	6.3	2.2	2.2	6.3	1.5	6.3	1.3	1.4	93.8
子宮	C53-C55 D06	-	7.24	7.24	-	2.6	2.6	-	1.6	1.6	-	97.6	-
子宮頸部	C53 D06	-	12.29	12.29	-	1.4	1.4	-	0.4	0.4	-	99.0	-
膀胱	C67 D090	7.83	4.24	6.68	2.3	6.3	3.1	1.8	5.3	2.5	1.8	5.3	2.5

\*1 粘膜がんを含む

表8. 精度指標；部位別、性別  
B'. 上皮内がんを含む

部位	ICD-10	死亡情報で初めて 把握された症例 DCN (%)		死亡情報のみの 症例 DCN (%)		国際 DCO (%)		病理学的裏付けの ある症例 HV (%)		組織学的裏付けの ある症例 HV (%)			
		男		女		男女計		男		女		男女計	
		男	女	男	女	男	女	男	女	男	女	男	女
全部位	C00-C96 D00-D09	5.5	7.4	6.3	3.5	5.2	4.3	3.3	4.9	4.0	89.1	88.6	88.9
食道	C15 D001	2.5	7.3	3.3	1.6	6.1	2.3	1.6	6.1	2.3	96.3	91.5	95.5
大腸 (結腸・直腸) *1	C18-C20 D010-D012	2.4	4.6	3.3	1.4	3.6	2.3	1.3	3.6	2.2	97.4	94.2	96.0
結腸 *1	C18 D010	2.6	5.0	3.7	1.5	3.8	2.5	1.3	3.8	2.4	97.4	93.7	93.7
直腸 *1	C19-C20 D011-D012	1.9	3.7	2.5	1.2	3.2	2.0	1.2	3.0	1.9	97.4	95.5	96.7
肺	C33-C34 D021-D022	10.8	13.8	11.8	7.4	10.3	8.4	6.6	9.3	7.5	85.2	82.7	84.3
皮膚	C43-C44 D030-D049	0.4	1.3	0.9	0.4	1.0	0.7	0.0	0.7	0.4	100.0	99.0	99.5
乳房	C50 D05	6.3	2.2	2.2	6.3	1.5	1.5	6.3	1.3	1.4	93.8	97.8	96.6
子宮	C53-C55 D06	-	2.6	2.6	-	1.6	1.6	-	1.6	1.6	-	97.6	97.6
子宮頸部	C53 D06	-	1.4	1.4	-	0.4	0.4	-	0.4	0.4	-	99.0	-
膀胱	C67 D090	2.3	6.3	3.1	1.8	5.3	2.5	1.8	5.3	2.5	97.2	91.3	96.0

\*1 粘膜がんを含む

表9. 死亡数、死亡割合(%)、粗死亡率、年齢調整死亡率(人口10万対) 及び累積死亡率(人口10万対) ; 部位別、性別  
2010年

部位	ICD-10	死亡数						死亡割合(%)						年齢調整死亡率						累積死亡率(0~74歳)									
		男			男女計			男			女			男女計			男			女			男女計			男			
		000-C97	4,778	3,292	8,070	100,0	100,0	346,1	222,4	282,1	177,6	86,3	125,3	120,0	60,0	85,9	12,7	6,0	9,2	日本人口	世界人口	男	女	男女計	男	女	男女計	男	女
全部位																													
口腔・咽頭	C00-C14	87	56	143	1,8	1,7	6,3	3,8	5,0	3,6	1,1	2,3	2,5	0,7	1,6	0,3	0,1	0,2											
食道	C15	190	42	232	4,0	1,3	2,9	13,8	2,8	8,1	7,5	0,9	3,9	5,3	0,6	2,8	0,7	0,1	0,3										
胃	C16	722	396	1,118	15,1	12,0	13,9	52,3	26,8	39,1	26,7	10,2	17,2	18,3	7,1	11,9	2,0	0,7	1,3										
大腸(結腸・直腸)	C18-C20	489	421	910	10,2	12,8	11,3	35,4	28,4	31,8	18,5	10,4	14,0	12,8	7,2	9,7	1,4	0,7	1,0										
結腸	C18	313	307	620	6,6	9,3	7,7	22,7	20,7	21,7	11,7	7,1	9,1	8,0	4,8	6,2	0,8	0,4	0,6										
直腸	C19-C20	176	114	290	3,7	3,5	3,6	12,7	7,7	10,1	6,9	3,3	4,9	4,9	2,4	3,5	0,5	0,2	0,4										
肝および肝内胆管	C22	713	383	1,096	14,9	11,6	13,6	51,6	25,9	38,3	27,7	8,9	17,4	18,7	5,5	11,6	2,1	0,5	1,3										
胆のう・胆管	C23-C24	159	167	326	3,3	5,1	4,0	11,5	11,3	11,4	5,5	3,2	4,2	3,6	2,1	2,7	0,3	0,2	0,2										
脾臍	C25	340	316	656	7,1	9,6	8,1	24,6	21,4	22,9	12,8	7,8	10,0	8,7	5,3	6,8	1,0	0,6	0,8										
喉頭	C32	20	4	24	0,4	0,1	0,3	1,4	0,3	0,8	0,8	0,1	0,4	0,5	0,1	0,3	0,0	0,0	0,0										
肺	C33-C34	1,044	438	1,482	21,9	13,3	18,4	75,6	29,6	51,8	37,7	10,8	22,3	25,0	7,3	15,0	2,7	0,8	1,7										
皮膚	C43-C44	11	14	25	0,2	0,4	0,3	0,8	0,9	0,9	0,4	0,3	0,4	0,3	0,2	0,3	0,0	0,0	0,0										
乳房	C50	5	265	270	0,1	8,0	3,3	0,4	17,9	9,4	0,2	10,9	5,8	0,1	8,3	4,4	0,0	0,9	0,5										
子宮	C53-C55	-	143	143	-	4,3	1,8	-	9,7	-	-	4,9	-	-	-	3,6	-	-	-										
子宮頸部	C53	-	58	58	-	1,8	0,7	-	3,9	-	-	2,2	-	-	-	1,7	-	-	-										
子宮体部	C54	-	48	48	-	1,5	0,6	-	3,2	-	-	1,6	-	-	-	1,2	-	-	-										
卵巢	C56	-	80	80	-	2,4	1,0	-	5,4	-	-	3,1	-	-	-	2,4	-	-	-										
前立腺	C61	255	-	255	5,3	-	3,2	18,5	-	-	7,9	-	-	-	4,9	-	-	-											
膀胱	C67	104	49	153	2,2	1,5	1,9	7,5	3,3	5,3	3,3	0,8	1,8	2,1	0,5	1,1	0,1	0,0	0,1										
腎・尿路(膀胱除く)	C64-C66 C68	124	66	190	2,6	2,0	2,4	9,0	4,5	6,6	4,6	1,2	2,7	3,0	0,8	1,8	0,3	0,1	0,2										
脳・中枢神経系	C70-C72	22	25	47	0,5	0,8	0,6	1,6	1,7	1,6	1,1	1,0	0,8	0,7	0,8	0,1	0,1	0,1	0,1										
甲状腺	C73	10	26	36	0,2	0,8	0,4	0,7	1,3	0,4	0,6	0,5	0,3	0,4	0,3	0,4	0,0	0,0	0,0										
悪性リンパ腫	C81-C85 C96	132	117	249	2,8	3,6	3,1	9,6	7,9	8,7	5,3	2,5	3,8	3,6	1,6	2,5	0,4	0,1	0,2										
多発性骨髓腫	C88-C90	52	51	103	1,1	1,5	1,3	3,8	3,4	3,6	1,8	1,1	1,4	1,2	0,7	0,9	0,1	0,1	0,1										
白血病	C91-C95	120	75	195	2,5	2,3	2,4	8,7	5,1	6,8	4,8	1,9	3,2	3,4	1,4	2,3	0,3	0,1	0,2										

表10. 年齡階級別死亡數、死亡割合(%)；部位別、性別

2010年

表11. 年齢階級別死亡率（人口10万対）； 部位別、性別

2010年

表12. 5年相対生存率(%) \*1  
A. 部位別、性別

部位	ICD-10	男			女			男女計		
		対象者数	5年相対生存率(%)	標準誤差	対象者数	5年相対生存率(%)	標準誤差	対象者数	5年相対生存率(%)	標準誤差
全部	C00-C96	8,239	65.0	0.7	6,040	68.7	0.7	14,279	66.6	0.5
口腔・咽頭	C00-C14	182	64.2	4.3	81	65.1	6.0	263	64.5	3.5
食道	C15	285	39.1	3.2	51	40.0	7.5	336	39.2	3.0
胃	C16	1,668	68.9	1.5	806	63.6	2.0	2,474	67.1	1.2
大腸（結腸・直腸）*2	C18-C20	1,331	78.3	1.5	1,052	72.3	1.7	2,383	75.6	1.1
結腸	C18	801	80.0	2.0	723	72.4	2.1	1,524	76.4	1.4
直腸	C19-C20	530	75.9	2.4	329	72.1	3.0	859	74.4	1.9
肝および肝内胆管	C22	640	36.9	2.2	330	40.5	3.0	970	38.1	1.8
胆のう・胆管	C23-C24	133	31.5	4.6	155	25.5	3.9	288	28.2	3.0
膀胱	C25	198	9.3	2.3	186	7.8	2.1	384	8.5	1.5
喉頭	C32	79	76.3	6.3	8	66.1	19.5	87	75.8	6.0
肺	C33-C34	975	32.1	1.7	447	45.5	2.6	1,422	36.4	1.4
皮膚	C43-C44	138	85.6	5.4	135	86.2	5.3	273	85.9	3.8
乳房	C50	4	100.0	0.0	1,166	90.7	1.1	1,170	90.8	1.1
子宮	C53-C55	—	—	—	412	82.5	2.1	412	82.5	2.1
子宮頸部	C53	—	—	—	205	77.0	3.3	205	77.0	3.3
子宮体部	C54	—	—	—	206	88.0	2.6	206	88.0	2.6
卵巢	C56	—	—	—	137	65.9	4.3	137	65.9	4.3
前立腺	C61	1,201	98.3	1.5	—	—	—	1,201	98.3	1.5
膀胱	C67	432	84.9	2.8	129	77.7	5.1	561	83.5	2.5
腎・尿路（膀胱除<）	C64-C66 C68	241	73.8	3.6	112	71.3	4.9	353	73.0	2.9
脳・中枢神経系	C70-C72	47	33.4	7.2	34	50.6	9.4	81	40.5	5.8
甲状腺	C73	74	95.7	3.5	341	96.3	1.4	415	96.4	1.3
悪性リンパ腫	C81-C85 C96	254	66.2	3.7	208	72.5	3.6	462	69.0	2.6
多発性骨髓腫	C88-C90	49	32.6	7.7	40	34.7	8.3	89	33.6	5.7
白血病	C91-C95	90	34.6	5.7	81	39.7	5.8	171	37.2	4.1
小兒がん		10	88.9	10.5	8	87.5	11.7	18	88.3	7.8

\*1 準充届出患者を含まない

\*2 粘膜がんを含まない

表12.5年相対生存率(%) \*1

B. 主要部位別、性別、臨床進行度別

2006年

部位	ICD-10	臨床 進行度	男			女			男女計		
			対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差
全部位	C00-C96	限局	3,220	88.5	0.9	2,398	89.4	0.9	5,618	88.9	0.6
		領域	1,563	48.6	1.5	1,335	62.0	1.5	2,898	54.8	1.1
		遠隔	1,250	10.9	1.0	749	14.4	1.4	1,999	12.2	0.8
		不明	2,206	73.3	1.3	1,558	68.5	1.4	3,764	71.3	1.0
		合計	8,239	65.0	0.7	6,040	68.7	0.7	14,279	66.6	0.5
胃	C16	限局	742	97.0	1.6	346	94.5	2.1	1,088	96.9	1.3
		領域	301	47.3	3.4	150	39.5	4.4	451	44.7	2.7
		遠隔	265	10.0	2.0	116	2.8	1.6	381	7.7	1.5
		不明	360	69.6	3.3	194	61.8	4.2	554	66.8	2.6
		合計	1,668	68.9	1.5	806	63.6	2.0	2,474	67.1	1.2
大腸（結腸・直腸）*2	C18-C20	限局	504	97.9	2.0	353	92.3	2.4	857	95.7	1.5
		領域	339	77.9	3.1	283	70.8	3.3	622	74.6	2.3
		遠隔	175	12.4	2.7	160	19.5	3.4	335	15.7	2.2
		不明	313	84.0	3.1	256	79.4	3.4	569	82.2	2.3
		合計	1,331	78.3	1.5	1,052	72.3	1.7	2,383	75.6	1.1
結腸	C18	限局	306	100.0	2.5	242	94.0	2.8	548	98.3	1.9
		領域	205	75.0	4.0	194	71.9	4.0	399	73.5	2.8
		遠隔	110	12.8	3.5	118	19.5	4.0	228	16.3	2.7
		不明	180	87.9	4.1	169	78.8	4.2	349	84.1	3.0
		合計	801	80.0	2.0	723	72.4	2.1	1,524	76.4	1.4
直腸	C19-C20	限局	198	91.6	3.2	111	88.1	4.4	309	90.5	2.6
		領域	134	81.6	4.7	89	68.4	5.9	223	76.7	3.7
		遠隔	65	11.7	4.2	42	19.4	6.6	107	14.6	3.6
		不明	133	78.6	4.8	87	79.3	5.9	220	79.0	3.7
		合計	530	75.9	2.4	329	72.1	3.0	859	74.4	1.9
肝および肝内胆管	C22	限局	396	45.9	2.9	226	49.5	3.7	622	47.2	2.3
		領域	69	5.1	2.9	28	3.9	3.9	97	4.7	2.3
		遠隔	64	0.0	0.0	22	0.0	0.0	86	0.0	0.0
		不明	111	46.4	5.4	54	37.9	7.4	165	43.7	4.4
		合計	640	36.9	2.2	330	40.5	3.0	970	38.1	1.8
肺	C33-C34	限局	241	79.1	3.7	155	90.9	3.2	396	84.2	2.5
		領域	270	29.9	3.1	94	24.2	4.8	364	28.4	2.6
		遠隔	343	2.4	0.9	141	7.2	2.3	484	3.8	0.9
		不明	121	29.8	4.9	57	46.9	7.3	178	35.5	4.1
		合計	975	32.1	1.7	447	45.5	2.6	1,422	36.4	1.4
乳房	C50	限局	2	100.0	0.0	571	98.2	1.2	573	98.3	1.2
		領域	1	100.0	0.0	303	90.6	2.2	304	90.7	2.2
		遠隔	0	...	...	51	40.8	7.1	51	40.8	7.1
		不明	1	100.0	0.0	241	82.3	3.0	242	82.4	2.9
		合計	4	100.0	0.0	1,166	90.7	1.1	1,170	90.8	1.1
子宮	C53-C55	限局	-	-	-	207	98.6	1.4	207	98.6	1.4
		領域	-	-	-	81	60.7	5.9	81	60.7	5.9
		遠隔	-	-	-	25	27.7	9.9	25	27.7	9.9
		不明	-	-	-	99	79.8	4.5	99	79.8	4.5
		合計	-	-	-	412	82.5	2.1	412	82.5	2.1
子宮頸部	C53	限局	-	-	-	89	98.0	1.7	89	98.0	1.7
		領域	-	-	-	52	57.1	7.5	52	57.1	7.5
		遠隔	-	-	-	9	0.0	0.0	9	0.0	0.0
		不明	-	-	-	55	70.9	6.7	55	70.9	6.7
		合計	-	-	-	205	77.0	3.3	205	77.0	3.3
子宮体部	C54	限局	-	-	-	118	97.6	2.2	118	97.6	2.2
		領域	-	-	-	29	66.4	9.4	29	66.4	9.4
		遠隔	-	-	-	16	40.1	14.0	16	40.1	14.0
		不明	-	-	-	43	90.3	5.1	43	90.3	5.1
		合計	-	-	-	206	88.0	2.6	206	88.0	2.6
前立腺	C61	限局	510	100.0	1.6	-	-	-	510	100.0	1.6
		領域	98	82.0	5.6	-	-	-	98	82.0	5.6
		遠隔	108	39.6	5.8	-	-	-	108	39.6	5.8
		不明	485	97.7	2.5	-	-	-	485	97.7	2.5
		合計	1,201	98.3	1.5	-	-	-	1,201	98.3	1.5

\*1 準充届出患者を含まない

\*2 粘膜がんを含まない

付表1. がん罹患数及び罹患率： 詳細部位別、性別

2010年

部位	ICD-10	国際疾病分類												年齢調整罹患率													
		罹患数						割合(%)						粗罹患率						日本人人口				世界人口			
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計		
全部位	C00-C96	11,505	8,524	20,029	100.0	100.0	100.0	833.3	575.9	700.1	467.2	319.9	381.1	330.3	239.7	277.5	39.2	26.2	32.2								
口唇	C00	3	5	8	0.0	0.1	0.0	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
舌根<基底>部	C01	7	1	8	0.1	0.0	0.0	0.5	0.1	0.3	0.3	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
その他および部位不明の舌	C02	48	35	83	0.4	0.4	0.4	3.5	2.4	2.9	2.1	1.4	1.7	1.6	1.0	1.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
歯肉	C03	24	21	45	0.2	0.2	0.2	1.7	1.4	1.6	0.9	0.6	0.7	0.7	0.4	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
口腔底	C04	9	2	11	0.1	0.0	0.1	0.7	0.1	0.4	0.4	0.1	0.2	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
口蓋	C05	7	5	12	0.1	0.1	0.1	0.5	0.3	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
その他および部位不明の口腔	C06	23	12	35	0.2	0.1	0.2	1.7	0.8	1.2	0.9	0.3	0.6	0.7	0.3	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
耳下腺	C07	17	9	26	0.1	0.1	0.1	1.2	0.6	0.9	0.9	0.5	0.7	0.7	0.5	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
その他および部位不明の大唾液腺	C08	1	2	3	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
扁桃	C09	14	6	20	0.1	0.1	0.1	1.0	0.4	0.7	0.7	0.4	0.5	0.6	0.3	0.4	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0		
中咽頭	C10	25	2	27	0.2	0.0	0.1	1.8	0.1	0.9	1.1	0.1	0.5	0.8	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
鼻 <sup>く</sup> 上 <sup>じょう</sup> 喉 <sup>の</sup> 咽 <sup>いん</sup>	C11	15	3	18	0.1	0.0	0.1	1.1	0.2	0.6	0.8	0.2	0.5	0.7	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
梨状窩凹 <sup>こまく</sup> 洞 <sup>どう</sup>	C12	24	3	27	0.2	0.0	0.1	1.7	0.2	0.9	1.0	0.1	0.5	0.7	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
下咽頭	C13	31	8	39	0.3	0.1	0.2	2.2	0.5	1.4	1.3	0.2	0.8	1.0	0.2	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
その他および部位不明確の口器、口腔および咽頭	C14	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
食道	C15	391	75	466	3.4	0.9	2.3	28.3	5.1	16.3	2.4	9.0	12.1	1.8	6.6	1.6	0.2	0.9	0.9	0.2	0.9	0.9	0.2	0.9	0.9		
胃	C16	2,193	1,005	3,198	19.1	11.8	16.0	158.8	67.9	111.8	88.2	30.0	56.3	62.0	21.1	39.8	7.6	2.5	4.9								
小腸	C17	57	34	91	0.5	0.4	0.5	4.1	2.3	3.2	2.5	1.1	1.7	1.8	0.8	1.2	0.2	0.1	0.1								
結腸	C18	975	880	1,855	8.5	10.3	9.3	70.6	59.5	64.8	39.5	26.5	32.3	27.6	18.9	22.8	3.2	2.1	2.6								
直腸S状結腸移行部	C19	122	97	219	1.1	1.1	1.1	8.8	6.6	7.7	5.4	3.5	4.4	3.9	2.6	3.2	0.5	0.3	0.4								
直腸	C20	258	729	4.1	3.0	3.6	34.1	17.4	25.5	20.3	9.4	14.4	14.6	7.0	10.5	1.7	0.8	1.2									
肛門および肛門管	C21	9	11	20	0.1	0.1	0.1	0.7	0.7	0.7	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0							
肝および肝内胆管	C22	909	493	1,402	7.9	5.8	7.0	65.8	33.3	49.0	36.9	13.6	24.3	25.9	9.3	17.0	3.2	1.1	2.1								
胆 <sup>う</sup> のう	C23	89	94	183	0.8	1.1	0.9	6.4	6.4	6.4	3.4	2.1	2.7	2.2	1.4	1.8	0.2	0.1	0.2								
その他および部位不明確の胆道	C24	133	123	256	1.2	1.4	1.3	9.6	8.3	8.9	4.7	2.7	3.6	3.1	1.8	2.4	0.3	0.2	0.3								
脾臓	C25	409	363	772	3.6	4.3	3.9	29.6	24.5	27.0	15.9	9.4	12.4	11.0	6.5	8.6	1.3	0.8	1.0								
その他および部位不明確の消化器	C26	2	4	6	0.0	0.0	0.0	0.1	0.3	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0								
鼻腔および中耳	C30	12	10	22	0.1	0.1	0.1	0.9	0.7	0.8	0.6	0.2	0.4	0.5	0.2	0.3	0.1	0.0	0.0								
副鼻腔	C31	23	5	28	0.2	0.1	0.1	1.7	0.3	1.0	1.0	0.2	0.6	0.8	0.2	0.5	0.1	0.0	0.1								
喉頭	C32	91	11	102	0.8	0.1	0.5	6.6	0.7	3.6	3.6	0.4	1.8	2.5	0.3	1.3	0.3	0.0	0.2								
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								
気管支および肺	C34	1,640	855	2,495	14.3	10.0	12.5	118.8	57.8	87.2	63.4	26.4	42.6	42.6	18.9	29.8	5.1	2.3	3.6								
胸膜	C37	10	5	15	0.1	0.1	0.1	0.7	0.3	0.5	0.5	0.2	0.4	0.4	0.2	0.3	0.0	0.0	0.0								
心臓、血管および胸膜	C38	9	5	14	0.1	0.1	0.1	0.7	0.3	0.5	0.5	0.6	0.1	0.3	0.5	0.0	0.0	0.0	0.0								
その他および部位不明確の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								
(回) 肩 <sup>かた</sup> および膝 <sup>ひざ</sup> 関節軟骨	C40	3	1	4	0.0	0.0	0.0	0.2	0.1	0.1	0.2	0.0	0.0	0.1	0.2	0.0	0.1	0.0	0.0								
その他および部位不明の肩 <sup>かた</sup> および膝 <sup>ひざ</sup> 関節軟骨	C41	8	11	19	0.1	0.1	0.1	0.6	0.7	0.7	0.4	0.5	0.4	0.3	0.4	0.3	0.0	0.1	0.0								
皮膚の悪性色腫	C43	17	11	28	0.1	0.1	0.1	1.2	0.7	1.0	0.8	0.3	0.6	0.6	0.3	0.4	0.0	0.0	0.0								
皮膚のその他	C44	185	219	404	1.6	2.6	2.0	13.4	14.8	14.1	6.9	5.7	6.2	4.7	4.1	4.3	0.5	0.4	0.4								
中皮膚	C45	48	9	57	0.4	0.1	0.3	3.5	0.6	2.0	1.9	0.2	1.0	1.3	0.1	0.7	0.2	0.0	0.0								
カボシ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								
末梢性および自律神経系の悪性新生物	C47	0	2	2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0								
後腹膜および腹膜	C48	9	21	30	0.1	0.2	0.1	0.7	1.4	1.0	0.3	0.9	0.6	0.2	0.8	0.5	0.0	0.1	0.1								
その他の結合組織および軟部組織	C49	32	29	61	0.3	0.3	0.3	2.3	2.0	2.1	1.7	1.2	1.4	1.4	0.9	1.2	0.1	0.0	0.0								
乳房	C50	16	1,688	1,704	0.1	19.8	8.5	1.2	14.0	59.6	0.7	84.8	44.1	0.5	65.6	33.9	0.1	7.1	3.7								
外陰	C51	-	25	25	-	0.3	0.1	-	1.7	-	-	0.6	-	-	0.4	-	-	0.0	-								
陰嚢	C52	-	8	8	-	0.1	0.0	-	0.5	-	-	0.2	-	-	0.2	-	-	0.0	-								
子宮頸部	C53	-	233	233	-	2.7	1.2	-	15.7	-	-	14.1	-	-	11.2	-	-	1.0	-								
子宮体部	C54	-	306																								

付表1. がん罹患数及び罹患率： 詳細部位別、性別

2010年

部位	ICD-10	国際疾病分類										年齢調整罹患率										累積罹患率(0-74歳)						
		罹患数			割合(%)			粗罹患率			日本人口			世界人口			日本人口			世界人口			日本人口			世界人口		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
上皮内がん																												
全部位	D00-D09	1,324	1,340	2,664	11.5	15.7	13.3	95.9	90.5	93.1	56.9	71.6	62.9	40.7	57.5	48.3	5.0	5.6	5.3									
口腔、食道および胃	D00	68	23	91	0.6	0.3	0.5	4.9	1.6	3.2	2.9	0.9	1.8	2.1	0.7	1.4	0.3	0.1	0.2									
食道	D001	41	7	48	0.4	0.1	0.2	3.0	0.5	1.7	1.7	0.3	1.0	1.3	0.2	0.7	0.2	0.0	0.1									
その他および部位不明の消化器	D01	749	447	1,196	6.5	5.2	6.0	54.2	30.2	41.8	34.2	16.0	24.6	24.9	11.6	18.0	3.1	1.5	2.3									
結腸	D010	535	330	865	4.7	3.9	4.3	38.7	22.3	30.2	24.2	11.9	17.7	17.4	8.7	12.8	2.2	1.2	1.7									
直腸	D011	34	14	48	0.3	0.2	0.2	2.5	0.9	1.7	1.4	0.5	0.9	1.0	0.4	0.7	0.1	0.1	0.1									
直腸S状結腸移行部	D012	174	96	270	1.5	1.1	1.3	12.6	6.5	9.4	8.4	3.4	5.8	6.3	2.5	4.3	0.8	0.3	0.5									
直腸	D02	9	2	11	0.1	0.0	0.1	0.7	0.1	0.4	0.4	0.1	0.2	0.3	0.0	0.1	0.0	0.0	0.0									
中耳および呼吸器系	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0									
気管	D022	2	1	3	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0									
上皮内黒色腫	D03	2	3	5	0.0	0.0	0.0	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0									
皮膚のその他	D04	50	67	117	0.4	0.8	0.6	3.6	4.5	4.1	1.9	1.5	1.7	1.3	1.0	1.1	0.1	0.1	0.1									
乳房	D05	0	212	212	0.0	2.5	1.1	0.0	14.3	7.4	0.0	11.8	6.0	0.0	9.2	4.7	0.0	1.0	0.5									
子宮頸部	D06	-	480	480	-	5.6	2.4	-	32.4	16.8	-	37.9	18.8	-	32.5	16.2	-	2.6	1.3									
その他および部位不明の性器	D07	8	8	16	0.1	0.1	0.1	0.6	0.5	0.6	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0									
その他および部位不明	D09	438	98	536	3.8	1.1	2.7	31.7	6.6	18.7	17.2	3.0	9.4	11.9	2.2	6.6	1.4	0.3	0.8									
膀胱	D090	422	88	510	3.7	1.0	2.5	30.6	5.9	17.8	16.6	2.6	8.9	11.5	1.9	6.2	1.4	0.2	0.8									
良性腫瘍																												
頸膜	D32	28	79	107	0.2	0.9	0.5	2.0	5.3	3.7	1.2	3.4	2.3	0.9	2.6	1.7	0.1	0.3	0.2									
脳および中枢神経系	D33	7	11	18	0.1	0.1	0.1	0.5	0.7	0.6	0.4	0.5	0.5	0.3	0.4	0.4	0.0	0.0	0.0									
下垂体、頭蓋咽頭管、松果体	D352-D354	27	35	62	0.2	0.4	0.3	2.0	2.4	2.2	1.5	2.3	1.9	1.1	2.1	1.6	0.1	0.2	0.2									
性状不詳または不明の腫瘍																												
頸膜	D42	12	10	22	0.1	0.1	0.1	0.9	0.7	0.8	0.6	0.4	0.5	0.5	0.3	0.4	0.1	0.0	0.0									
脳および中枢神経系	D43	16	24	40	0.1	0.3	0.2	1.2	1.6	1.4	0.8	0.7	0.8	0.7	0.6	0.6	0.1	0.1	0.1									
下垂体、頭蓋咽頭管、松果体	D443-D445	4	4	8	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.0	0.0	0.0									
真正赤血球增多症	D45	6	10	16	0.1	0.1	0.1	0.4	0.7	0.6	0.2	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0									
骨髓異形成症候群	D46	92	82	174	0.8	1.0	0.9	6.7	5.5	6.1	3.2	2.0	2.5	2.1	1.4	1.7	0.2	0.1	0.1									
慢性骨増殖性疾患他 *1	D47	13	8	21	0.1	0.1	0.1	0.9	0.5	0.7	0.5	0.2	0.4	0.3	0.2	0.2	0.1	0.0	0.0									

\*1 ICD-0-3により性状3に分類される形態

付表2. がん死亡数及び死亡率： 詳細部位別、性別

2010年

部位	ICD-10	国際疾病分類						年齢調整死亡率						累積死亡率(0-74歳)					
		死亡数			割合(%)			粗死亡率			日本人人口			世界人口			男		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C97	4,778	3,292	8,070	100.0	100.0	100.0	346.1	222.4	282.1	177.6	86.3	125.3	120.0	60.0	85.9	12.7	6.0	9.2
口唇	C00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根 <基底> 部	C01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	C02	10	11	21	0.2	0.3	0.3	0.7	0.7	0.7	0.5	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
歯肉	C03	9	15	24	0.2	0.5	0.3	0.7	1.0	0.8	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
口腔底	C04	4	2	6	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0
口蓋	C05	0	2	2	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	C06	3	9	12	0.1	0.3	0.1	0.2	0.6	0.4	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0
耳お団子	C07	5	2	7	0.1	0.1	0.1	0.4	0.1	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	C08	0	4	4	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
扁桃	C09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	C10	16	3	19	0.3	0.1	0.2	1.2	0.2	0.7	0.7	0.1	0.4	0.5	0.0	0.3	0.1	0.0	0.0
鼻 <上> <喉頭>	C11	3	2	5	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
梨状陥凹<喉頭>	C12	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	C13	30	3	33	0.6	0.1	0.4	2.2	0.2	1.2	1.2	0.0	0.6	0.8	0.0	0.4	0.1	0.0	0.0
その他および部位不明確の口唇、口腔および咽頭	C14	7	3	10	0.1	0.1	0.1	0.5	0.2	0.3	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
食道	C15	190	42	232	4.0	1.3	2.9	13.8	2.8	8.1	7.5	0.9	3.9	5.3	0.6	2.8	0.7	0.1	0.3
胃	C16	722	396	1,118	15.1	12.0	13.9	52.3	26.8	39.1	26.7	10.2	17.2	18.3	7.1	11.9	2.0	0.7	1.3
小腸	C17	12	11	23	0.3	0.3	0.3	0.9	0.7	0.8	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
結腸	C18	313	307	620	6.6	9.3	7.7	22.7	20.7	21.7	11.7	7.1	9.1	8.0	4.8	6.2	0.8	0.4	0.6
直腸S状結腸移行部	C19	2	1	3	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
直腸	C20	174	113	287	3.6	3.4	3.6	12.6	7.6	10.0	6.8	3.3	4.8	4.8	2.4	3.4	0.5	0.2	0.4
肛門および肛門管	C21	4	4	8	0.1	0.1	0.1	0.3	0.3	0.3	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
肝および肝内胆管	C22	713	383	1,096	14.9	11.6	13.6	51.6	25.9	38.3	27.7	8.9	17.4	18.7	5.5	11.6	2.1	0.5	1.3
胆のう	C23	56	81	137	1.2	2.5	1.7	4.1	5.5	4.8	2.1	1.7	1.9	1.4	1.1	1.3	0.1	0.1	0.0
その他および部位不明の胆道	C24	103	86	189	2.2	2.6	2.3	7.5	5.8	6.6	3.4	1.4	2.3	2.2	0.9	1.5	0.2	0.1	0.1
脾臓	C25	340	316	656	7.1	9.6	8.1	24.6	21.4	22.9	12.8	7.8	10.0	8.7	5.3	6.8	1.0	0.6	0.8
その他および部位不明の消化器	C26	10	6	16	0.2	0.2	0.2	0.7	0.4	0.6	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
鼻竇および中耳	C30	4	1	5	0.1	0.0	0.1	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
副鼻竇	C31	6	1	7	0.1	0.0	0.1	0.4	0.1	0.2	0.3	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0
喉頭	C32	20	4	24	0.4	0.1	0.3	1.4	0.3	0.8	0.8	0.1	0.4	0.5	0.1	0.3	0.0	0.0	0.0
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	1,044	438	1,482	21.9	13.3	18.4	75.6	29.6	51.8	37.7	10.8	22.3	25.0	7.3	15.0	2.7	0.8	1.7
胸膜	C37	6	4	10	0.1	0.1	0.1	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.0
心臓、縱隔および胸膜	C38	2	4	6	0.0	0.1	0.1	0.1	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0
その他および部位不明確の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および頭頸部骨	C40	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の骨および頭頸部骨	C41	4	6	10	0.1	0.2	0.1	0.3	0.4	0.3	0.2	0.3	0.2	0.2	0.2	0.0	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	6	7	13	0.1	0.2	0.2	0.4	0.5	0.5	0.3	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
皮膚のその他	C44	5	7	12	0.1	0.2	0.1	0.4	0.5	0.4	0.2	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0
中皮腫	C45	39	8	47	0.8	0.2	0.6	2.8	0.5	1.6	1.5	0.3	0.8	1.0	0.2	0.6	0.1	0.0	0.1
カボジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	1	2	3	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
後腹膜および皮膚	C48	4	17	21	0.1	0.5	0.3	0.3	1.1	0.7	0.1	0.7	0.4	0.1	0.5	0.3	0.0	0.1	0.0
その他の結合組織および筋肉組織	C49	9	6	15	0.2	0.2	0.2	0.7	0.4	0.5	0.3	0.3	0.2	0.4	0.3	0.0	0.0	0.0	0.0
乳房	C50	5	265	270	1.0	8.0	3.3	0.4	17.9	9.4	0.2	10.9	5.8	0.1	8.3	4.4	0.0	0.9	0.5
外陰	C51	0	8	8	0.0	0.2	0.1	0.5	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
脛	C52	0	3	3	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	C53	0	58	58	0.0	1.8	0.7	0.0	3.9	2.0	0.0	2.2	1.2	0.0	1.7	0.9	0.0	0.2	0.1
子宮体部	C54	0	48	48	0.0	1.5	0.6	0.0	3.2	1.7	0.0	1.6	0.9	0.0	1.2	0.6	0.0	0.1	0.1
子宮部位不明	C55	0	37	37	0.0	1.1	0.5	0.0	2.5	1.3	0.0	1.0	0.6	0.0	0.8	0.4	0.0	0.1	0.0
卵巣	C56	0	80	80	0.0	2.4	1.0	0.0	5.4	2.8	0.0	3.1	1.7	0.0	2.4	1.3	0.0	0.3	0.1
その他の女性用部位	C57	0	3	3	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
胎盤	C58	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰茎	C60	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	C61	255	0	255	5.3	0.0	3.2	18.5	0.0	8.9	7.9	0.0	3.1	4.9	0.0	1.9	0.3	0.0	0.2
精巢	C62	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
その他および部位不明の男性性器	C63	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
腎孟を除く腎	C64	65	29	94	1.4	0.9	1.2	4.7	2.0	3.3	2.5	0.6	1.4	1.7	0.4	1.0	0.2	0.0	0.1
腎盂	C65	22	17	39	0.5	0.5	0.5	1.6	1.1	1.4	0.8	0.3	0.5	0.5	0.2	0.3	0.1	0.0	0.0
尿管	C66	29	15	44	0.6	0.5	0.5	2.1	1.0	1.5	1.0	0.3	0.6	0.7	0.2	0.4	0.1	0.0	0.0
膀胱	C67	104	49	153	2.2	1.5	1.9	7.5	3.3	5.3	3.3	0.8	1.8</td						

付表2. がん死亡数及び死亡率； 詳細部位別、性別

2010年

部位	ICD-10	国際疾病分類						年齢調整死亡率						累積死亡率(0-74歳)					
		死亡数			割合(%)			粗死亡率			日本人口			世界人口			男		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
<b>良性腫瘍</b>																			
脳膜	D32	2	5	7	0.0	0.2	0.1	0.1	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の内分泌腺	D35	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>性状不詳または不明の腫瘍</b>																			
脳膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	25	33	58	0.5	1.0	0.7	1.8	2.2	2.0	1.1	1.0	1.0	0.9	1.0	0.9	0.1	0.1	0.1
内分泌腺	D44	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球增多症	D45	0	1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	43	29	72	0.9	0.9	0.9	3.1	2.0	2.5	1.6	0.5	1.0	1.0	0.3	0.6	0.1	0.0	0.0
リンパ組織、造血組織および関連組織	D47	2	0	2	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

付表3. 受療割合詳細 (%) ; 部位別  
A. 上皮内がんを除く

国内DCOを除く届出患者、男女計 2010年

部位	ICD-10	集計対象数	単独療法										併用療法 *1				
			C00-C96	19,064	21.3	6.6	6.4	1.5	8.8	0.1	2.5	1.0	15.0	4.2	0.3	3.9	6.8
口腔・咽頭	C00-C14	355	22.3	0.0	6.2	2.0	0.0	0.0	2.5	2.5	32.4	0.0	11.0	3.7	17.5		
食道	C15	454	9.0	0.2	10.1	5.3	7.0	0.0	0.4	8.8	29.7	0.0	8.4	2.4	18.5		
胃	C16	3,108	22.4	7.1	24.0	0.1	7.9	0.0	0.0	14.5	0.5	0.0	0.1	4.8	18.5		
大腸（結腸・直腸）	C18-C20	2,710	33.8	11.0	5.0	0.0	2.5	0.0	0.0	0.3	26.4	0.3	0.0	0.9	6.1	13.7	
結腸	C18	1,787	33.9	11.5	4.4	0.0	2.6	0.0	0.0	0.1	26.9	0.0	0.0	0.2	5.9	14.7	
直腸	C19-C20	923	33.7	10.2	6.2	0.0	2.5	0.0	0.0	0.5	25.6	0.9	0.0	2.4	6.3	11.8	
肝および肝内胆管	C22	1,254	15.4	0.6	0.8	0.2	8.8	0.2	0.0	0.1	4.9	0.7	0.4	0.1	44.3	23.5	
胆のう・胆管	C23-C24	397	18.6	2.0	11.6	0.5	9.6	0.0	0.0	0.5	15.1	0.8	0.0	0.5	16.1	24.7	
脾臓	C25	687	10.3	0.1	3.5	0.6	25.8	0.0	0.0	0.0	19.2	1.7	0.0	1.2	10.0	27.5	
喉頭	C32	101	5.0	0.0	1.0	19.8	0.0	0.0	0.0	0.0	5.9	0.0	36.6	0.0	6.9	11.9	12.9
肺	C33-C34	2,286	6.7	21.8	0.0	4.1	17.8	0.0	0.0	0.3	9.8	10.8	0.1	0.9	4.1	23.7	
皮膚	C43-C44	428	65.7	0.0	0.0	0.7	0.0	0.0	0.0	0.0	1.6	3.0	0.9	0.0	0.2	1.2	26.6
乳房	C50	1,675	17.9	0.0	0.0	0.1	4.1	0.1	1.3	5.2	28.4	0.5	0.5	28.7	1.0	12.4	
乳房（女性のみ）	C50	1,660	17.9	0.0	0.0	0.1	4.1	0.1	1.3	5.2	27.9	0.5	0.5	29.0	1.0	12.5	
子宮	C53-C55	539	40.4	0.6	0.2	4.5	2.2	0.0	0.4	3.0	21.3	8.0	0.0	4.6	1.3	13.5	
子宮頸部	C53	230	35.7	0.9	0.0	9.1	1.7	0.0	0.0	4.8	10.9	18.7	0.0	4.8	1.7	11.7	
子宮体部	C54	301	44.5	0.3	0.3	1.0	2.7	0.0	0.7	1.7	29.9	0.0	0.0	4.7	0.7	13.6	
卵巢	C56	199	22.1	0.0	0.0	0.0	6.5	0.0	0.0	0.0	57.8	0.0	0.0	0.0	1.5	12.1	
前立腺	C61	1,671	17.5	3.5	1.1	2.9	0.2	0.6	26.6	0.4	4.7	6.2	1.2	0.2	0.8	34.0	
膀胱	C67	486	9.1	0.8	34.0	0.2	0.8	0.4	0.0	1.0	25.1	0.8	0.0	2.5	3.7	21.6	
腎・尿路（膀胱除く）	C64-C66 C68	527	33.6	28.5	3.0	1.3	4.0	0.6	0.0	0.2	8.5	0.8	0.0	1.1	2.5	15.9	
脳・中枢神経系	C70-C72	88	13.6	0.0	1.1	0.0	0.0	0.0	0.0	2.3	9.1	4.5	0.0	37.5	1.1	29.5	
甲状腺	C73	499	56.3	0.0	0.0	0.2	0.0	0.0	0.2	0.6	22.0	0.2	0.0	1.2	0.6	18.6	
悪性リンパ腫	C81-C85 C96	640	4.8	0.3	2.8	36.1	0.2	0.2	0.5	4.2	2.8	3.0	1.4	5.0	38.4		
多発性骨髄腫	C88-C90	132	0.0	0.0	3.0	45.5	0.0	0.8	0.0	0.0	4.5	0.0	0.0	3.8	42.4		
白血病	C91-C95	234	0.0	0.0	0.0	0.0	56.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	12.8	30.3	

\*1 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫・内分泌療法を指す。

\*2 化学、免疫、内分泌療法のいずれかの併用

\*3 単独療法及び併用療法のいずれかの項目にも含まれないものを指す (1) その他の治療 (TAE、PEITなど) の実施 (2) 外科、体腔鏡、内視鏡的療法のいずれかの併用

付表3. 受療割合詳細 (%) ; 部位別  
B. 上皮内がんを含む

国内DCOを除く届出患者、男女計  
2010年

部位	ICD-10	集計対象数	単独療法						併用療法 *2							
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除	放射線	薬物	*3 切除+放射線+薬物	その他*4	不明	
全部位	C00-C96 D00-D09	21,728	21.9	6.0	10.1	1.4	7.8	0.1	2.2	1.0	13.7	3.7	0.3	3.6	6.2	22.2
食道	C15 D001	502	8.8	0.2	15.7	4.8	6.4	0.0	0.0	0.4	8.0	26.9	0.0	7.6	2.2	19.1
大腸（結腸・直腸）*1	C18-C20 D010-D012	3,893	24.8	8.5	22.1	0.0	1.8	0.0	0.0	0.2	18.6	0.2	0.0	0.6	4.8	18.3
結腸 *1	C18 D010	2,652	24.2	8.7	23.0	0.0	1.8	0.0	0.0	0.1	18.4	0.0	0.0	0.1	4.8	19.0
直腸 *1	C19-C20 D011-D012	1,241	26.3	8.1	20.1	0.0	1.9	0.0	0.0	0.4	19.2	0.6	0.0	1.8	4.8	17.0
肺	C33-C34 D021-D022	2,289	6.7	21.9	0.0	4.1	17.8	0.0	0.0	0.3	9.8	10.7	0.1	0.9	4.1	23.6
皮膚	C43-C44 D030-D049	550	65.6	0.0	0.0	0.5	0.0	0.0	0.0	1.3	2.4	0.7	0.0	0.2	0.9	28.4
乳房	C50 D05	1,887	20.0	0.0	0.0	0.1	3.7	0.1	1.2	6.6	26.0	0.5	0.4	27.8	0.8	12.9
乳房（女性のみ）	C50 D05	1,872	20.1	0.0	0.0	0.1	3.6	0.1	1.2	6.7	25.5	0.5	0.4	28.0	0.9	13.0
子宮	C53-C55 D06	1,019	59.9	0.4	0.1	2.4	1.2	0.0	0.2	1.6	11.4	4.2	0.0	2.5	1.5	14.8
子宮頸部	C53 D06	710	66.8	0.4	0.0	3.0	0.6	0.0	0.0	1.5	3.7	6.1	0.0	1.5	1.7	14.8
膀胱	C67 D090	996	8.3	0.9	36.4	0.1	0.5	0.6	0.0	0.6	20.3	0.4	0.0	1.2	2.2	28.4

\*1 粘膜がんを含む

\*2 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫療法・内分泌療法を指す。

\*3 化学、免疫、内分泌療法のいずれかの併用

\*4 単独療法及び併用療法のいずれの項目にも含まれないものを指す (1) その他の治療 (TAE、PEITなど) の実施 (2) 外科、体腔鏡、内視鏡的療法のいずれかの併用

付表4. 医療圏別、保健所別罹患数；部位別、性別  
A. 上皮内がんを除く

付表4. 医療鑑別、保健所別罹患数；部位別、性別

枯膜かんを呑む

付表4-C1 標準化死亡比(全国との比較)：部位別、性別

2010年

部位	ICD-10	男		女	
		死亡数	標準化死亡比(95%信頼区間)	死亡数	標準化死亡比(95%信頼区間)
全部位	C00-C97	4778	0.98 (0.95 - 1.01)	3292	0.98 (0.94 - 1.01)
食道	C15	190	0.84 (0.72 - 0.96)	42	0.95 (0.66 - 1.23)
胃	C16	722	0.95 (0.88 - 1.02)	396	0.96 (0.87 - 1.06)
結腸	C18	313	0.91 (0.81 - 1.01)	307	0.85 (0.75 - 0.94)
直腸	C19-C20	176	0.86 (0.73 - 0.99)	114	0.92 (0.75 - 1.09)
肝および肝内胆管	C22	713	1.46 (1.35 - 1.57)	383	1.44 (1.29 - 1.58)
胆のう・胆管	C23-C24	159	0.81 (0.69 - 0.94)	167	0.76 (0.64 - 0.87)
脾臓	C25	340	1.02 (0.91 - 1.13)	316	0.99 (0.88 - 1.10)
肺	C33-C34	1044	0.90 (0.85 - 0.95)	438	0.95 (0.86 - 1.04)
乳房	C50	5	2.59 (0.32 - 4.87)	265	0.92 (0.81 - 1.04)
子宮	C53-C55	0		143	1.04 (0.87 - 1.21)
卵巣	C56	0		80	0.74 (0.58 - 0.91)
前立腺	C61	255	1.00 (0.88 - 1.12)	0	
膀胱	C67	104	0.93 (0.75 - 1.11)	49	0.97 (0.70 - 1.24)
悪性リンパ腫	C81-C85,C	132	1.00 (0.83 - 1.18)	117	1.09 (0.89 - 1.29)
白血病	C91-C95	120	1.09 (0.89 - 1.28)	75	1.00 (0.77 - 1.22)

付表4-C2 二次保健医療圈別標準化死亡比(広島県との比較)：部位別、性別

医療圏	部位	ICD-10	男		女	
			死亡数	標準化死亡比(95%信頼区間)	死亡数	標準化死亡比(95%信頼区間)
広島	全部位	C00-C97	1969	1.02 (0.97 - 1.06)	1403	1.07 (1.01 - 1.12)
	胃	C16	268	0.92 (0.81 - 1.03)	167	1.06 (0.90 - 1.22)
	結腸	C18	131	1.03 (0.85 - 1.21)	113	0.93 (0.76 - 1.11)
	直腸	C19-C20	71	0.97 (0.75 - 1.20)	54	1.17 (0.86 - 1.49)
	大腸(結腸・直腸)	C18-C20	202	1.01 (0.87 - 1.15)	167	0.99 (0.84 - 1.14)
	肝および肝内胆管	C22	294	1.00 (0.89 - 1.12)	171	1.14 (0.97 - 1.31)
	肺	C33-C34	397	0.94 (0.85 - 1.04)	205	1.18 (1.02 - 1.34)
	乳房	C50			125	1.10 (0.90 - 1.29)
	子宮	C53-C55			53	0.88 (0.65 - 1.12)
	前立腺	C61	120	1.22 (1.01 - 1.44)		
広島西	全部位	C00-C97	249	1.00 (0.87 - 1.12)	158	0.94 (0.79 - 1.09)
	胃	C16	42	1.11 (0.77 - 1.44)	20	1.00 (0.56 - 1.44)
	結腸	C18	19	1.19 (0.65 - 1.72)	20	1.25 (0.70 - 1.80)
	直腸	C19-C20	7	0.78 (0.20 - 1.35)	4	0.67 (0.01 - 1.32)
	大腸(結腸・直腸)	C18-C20	26	1.00 (0.62 - 1.38)	24	1.14 (0.69 - 1.60)
	肝および肝内胆管	C22	33	0.89 (0.59 - 1.20)	18	0.95 (0.51 - 1.39)
	肺	C33-C34	53	0.96 (0.70 - 1.22)	14	0.64 (0.30 - 0.97)
	乳房	C50			18	1.29 (0.69 - 1.88)
	子宮	C53-C55			5	0.71 (0.09 - 1.34)
	前立腺	C61	13	1.00 (0.46 - 1.54)		
呉	全部位	C00-C97	582	1.09 (1.00 - 1.17)	394	1.05 (0.94 - 1.15)
	胃	C16	107	1.32 (1.07 - 1.57)	54	1.20 (0.88 - 1.52)
	結腸	C18	39	1.11 (0.76 - 1.46)	44	1.26 (0.89 - 1.63)
	直腸	C19-C20	24	1.26 (0.76 - 1.77)	11	0.85 (0.35 - 1.35)
	大腸(結腸・直腸)	C18-C20	63	1.17 (0.88 - 1.45)	55	1.15 (0.84 - 1.45)
	肝および肝内胆管	C22	86	1.09 (0.86 - 1.32)	50	1.11 (0.80 - 1.42)
	肺	C33-C34	133	1.13 (0.94 - 1.32)	50	0.98 (0.71 - 1.25)
	乳房	C50			21	0.75 (0.43 - 1.07)
	子宮	C53-C55			17	1.06 (0.56 - 1.57)
	前立腺	C61	24	0.80 (0.48 - 1.12)		
広島中央	全部位	C00-C97	320	0.94 (0.83 - 1.04)	220	0.93 (0.81 - 1.05)
	胃	C16	56	1.08 (0.79 - 1.36)	25	0.86 (0.52 - 1.20)
	結腸	C18	16	0.73 (0.37 - 1.08)	19	0.86 (0.48 - 1.25)
	直腸	C19-C20	19	1.46 (0.80 - 2.12)	8	1.00 (0.31 - 1.69)
	大腸(結腸・直腸)	C18-C20	35	1.00 (0.67 - 1.33)	27	0.90 (0.56 - 1.24)
	肝および肝内胆管	C22	45	0.88 (0.62 - 1.14)	23	0.85 (0.50 - 1.20)
	肺	C33-C34	80	1.07 (0.83 - 1.30)	31	1.00 (0.65 - 1.35)
	乳房	C50			11	0.58 (0.24 - 0.92)
	子宮	C53-C55			6	0.60 (0.12 - 1.08)
	前立腺	C61	13	0.72 (0.33 - 1.11)		
尾三	全部位	C00-C97	600	1.08 (1.00 - 1.17)	376	0.98 (0.88 - 1.08)
	胃	C16	90	1.07 (0.85 - 1.29)	41	0.89 (0.62 - 1.16)
	結腸	C18	34	0.94 (0.63 - 1.26)	39	1.08 (0.74 - 1.42)
	直腸	C19-C20	22	1.10 (0.64 - 1.56)	11	0.85 (0.35 - 1.35)
	大腸(結腸・直腸)	C18-C20	56	1.00 (0.74 - 1.26)	50	1.02 (0.74 - 1.30)
	肝および肝内胆管	C22	82	1.01 (0.79 - 1.23)	45	0.98 (0.69 - 1.26)
	肺	C33-C34	137	1.12 (0.93 - 1.31)	50	0.98 (0.71 - 1.25)
	乳房	C50			32	1.14 (0.75 - 1.54)
	子宮	C53-C55			18	1.13 (0.61 - 1.64)
	前立腺	C61	36	1.13 (0.76 - 1.49)		
福山・府中	全部位	C00-C97	841	0.97 (0.90 - 1.03)	596	1.02 (0.94 - 1.10)
	胃	C16	122	0.92 (0.76 - 1.09)	69	0.99 (0.75 - 1.22)
	結腸	C18	59	1.04 (0.77 - 1.30)	51	0.93 (0.67 - 1.18)
	直腸	C19-C20	26	0.81 (0.50 - 1.12)	21	1.05 (0.60 - 1.50)
	大腸(結腸・直腸)	C18-C20	85	0.96 (0.75 - 1.16)	72	0.96 (0.74 - 1.18)
	肝および肝内胆管	C22	138	1.06 (0.88 - 1.24)	61	0.90 (0.67 - 1.12)
	肺	C33-C34	191	1.01 (0.86 - 1.15)	76	0.97 (0.76 - 1.19)
	乳房	C50			51	1.06 (0.77 - 1.35)
	子宮	C53-C55			39	1.50 (1.03 - 1.97)
	前立腺	C61	38	0.81 (0.55 - 1.07)		
備北	全部位	C00-C97	217	0.92 (0.80 - 1.04)	145	0.84 (0.70 - 0.97)
	胃	C16	37	1.03 (0.70 - 1.36)	20	0.95 (0.53 - 1.37)
	結腸	C18	15	1.00 (0.49 - 1.51)	21	1.24 (0.71 - 1.76)
	直腸	C19-C20	7	0.88 (0.23 - 1.52)	5	0.83 (0.10 - 1.56)
	大腸(結腸・直腸)	C18-C20	22	0.92 (0.53 - 1.30)	26	1.13 (0.70 - 1.56)
	肝および肝内胆管	C22	35	1.03 (0.69 - 1.37)	15	0.71 (0.35 - 1.08)
	肺	C33-C34	53	1.02 (0.74 - 1.29)	12	0.52 (0.23 - 0.82)
	乳房	C50			7	0.64 (0.16 - 1.11)
	子宮	C53-C55			5	0.71 (0.09 - 1.34)
	前立腺	C61	11	0.73 (0.30 - 1.17)		

付表4-D 二次保健医療圈別標準化罹患比(広島県との比較)：部位別、性別

2010年

医療圏	部位	ICD-10	男			女		
			罹患数	標準化罹患比(95%信頼区間)	罹患数	標準化罹患比(95%信頼区間)	罹患数	標準化罹患比(95%信頼区間)
広島	全部位	C00-C97	5043	1.05 ( 1.02 - 1.08 )	3853	1.07 ( 1.04 - 1.10 )		
	胃	C16	953	1.04 ( 0.98 - 1.11 )	425	1.04 ( 0.94 - 1.14 )		
	結腸	C18	426	1.05 ( 0.95 - 1.15 )	407	1.13 ( 1.02 - 1.24 )		
	直腸	C19-C20	256	1.02 ( 0.89 - 1.14 )	168	1.12 ( 0.95 - 1.29 )		
	大腸(結腸・直腸)	C18-C20	682	1.04 ( 0.96 - 1.12 )	575	1.13 ( 1.04 - 1.22 )		
	肝および肝内胆管	C22	353	0.93 ( 0.83 - 1.03 )	208	1.05 ( 0.91 - 1.19 )		
	肺	C33-C34	676	1.00 ( 0.93 - 1.08 )	383	1.09 ( 0.98 - 1.20 )		
	乳房	C50			776	1.03 ( 0.96 - 1.10 )		
	子宮	C53-C55			258	1.02 ( 0.90 - 1.14 )		
	子宮頸部	C53			119	1.09 ( 0.90 - 1.29 )		
	子宮体部	C54			132	0.96 ( 0.80 - 1.13 )		
広島西	前立腺	C61	782	1.12 ( 1.04 - 1.19 )				
	全部位	C00-C97	613	1.02 ( 0.94 - 1.10 )	434	0.99 ( 0.90 - 1.08 )		
	胃	C16	95	0.83 ( 0.66 - 0.99 )	42	0.81 ( 0.56 - 1.05 )		
	結腸	C18	45	0.88 ( 0.62 - 1.14 )	47	1.04 ( 0.75 - 1.34 )		
	直腸	C19-C20	39	1.26 ( 0.86 - 1.65 )	11	0.61 ( 0.25 - 0.97 )		
	大腸(結腸・直腸)	C18-C20	84	1.02 ( 0.81 - 1.24 )	58	0.92 ( 0.68 - 1.16 )		
	肝および肝内胆管	C22	48	1.02 ( 0.73 - 1.31 )	21	0.84 ( 0.48 - 1.20 )		
	肺	C33-C34	81	0.94 ( 0.74 - 1.15 )	45	1.02 ( 0.72 - 1.32 )		
	乳房	C50			85	0.97 ( 0.76 - 1.17 )		
	子宮	C53-C55			28	0.97 ( 0.61 - 1.32 )		
吳	子宮頸部	C53			9	0.75 ( 0.26 - 1.24 )		
	子宮体部	C54			18	1.13 ( 0.61 - 1.64 )		
	前立腺	C61	125	1.40 ( 1.16 - 1.65 )				
	全部位	C00-C97	1434	1.13 ( 1.07 - 1.19 )	999	1.08 ( 1.01 - 1.15 )		
	胃	C16	273	1.13 ( 1.00 - 1.27 )	124	1.09 ( 0.90 - 1.28 )		
	結腸	C18	115	1.07 ( 0.88 - 1.27 )	109	1.10 ( 0.89 - 1.31 )		
	直腸	C19-C20	70	1.09 ( 0.84 - 1.35 )	44	1.13 ( 0.79 - 1.46 )		
	大腸(結腸・直腸)	C18-C20	185	1.08 ( 0.93 - 1.24 )	153	1.11 ( 0.93 - 1.28 )		
	肝および肝内胆管	C22	106	1.06 ( 0.86 - 1.26 )	64	1.12 ( 0.85 - 1.40 )		
	肺	C33-C34	207	1.14 ( 0.98 - 1.29 )	110	1.15 ( 0.93 - 1.36 )		
広島中央	乳房	C50			194	1.14 ( 0.98 - 1.30 )		
	子宮	C53-C55			61	1.13 ( 0.85 - 1.41 )		
	子宮頸部	C53			22	1.00 ( 0.58 - 1.42 )		
	子宮体部	C54			37	1.19 ( 0.81 - 1.58 )		
	前立腺	C61	199	1.04 ( 0.89 - 1.18 )				
	全部位	C00-C97	761	0.92 ( 0.85 - 0.98 )	587	0.96 ( 0.88 - 1.04 )		
	胃	C16	139	0.88 ( 0.73 - 1.03 )	73	1.01 ( 0.78 - 1.25 )		
	結腸	C18	68	0.97 ( 0.74 - 1.20 )	64	1.02 ( 0.77 - 1.26 )		
	直腸	C19-C20	36	0.84 ( 0.56 - 1.11 )	23	0.92 ( 0.54 - 1.30 )		
	大腸(結腸・直腸)	C18-C20	104	0.92 ( 0.74 - 1.10 )	87	0.99 ( 0.78 - 1.20 )		
尾三	肝および肝内胆管	C22	65	1.00 ( 0.76 - 1.24 )	25	0.71 ( 0.43 - 0.99 )		
	肺	C33-C34	109	0.92 ( 0.75 - 1.10 )	53	0.87 ( 0.63 - 1.10 )		
	乳房	C50			131	1.07 ( 0.89 - 1.26 )		
	子宮	C53-C55			29	0.73 ( 0.46 - 0.99 )		
	子宮頸部	C53			10	0.59 ( 0.22 - 0.95 )		
	子宮体部	C54			19	0.86 ( 0.48 - 1.25 )		
	前立腺	C61	116	0.95 ( 0.78 - 1.12 )				
	全部位	C00-C97	1224	0.96 ( 0.90 - 1.01 )	900	0.97 ( 0.91 - 1.03 )		
	胃	C16	237	0.97 ( 0.85 - 1.09 )	104	0.90 ( 0.73 - 1.08 )		
	結腸	C18	102	0.94 ( 0.75 - 1.12 )	93	0.93 ( 0.74 - 1.12 )		
福山・府中	直腸	C19-C20	56	0.88 ( 0.65 - 1.10 )	33	0.85 ( 0.56 - 1.13 )		
	大腸(結腸・直腸)	C18-C20	158	0.91 ( 0.77 - 1.06 )	126	0.91 ( 0.75 - 1.07 )		
	肝および肝内胆管	C22	105	1.04 ( 0.84 - 1.24 )	60	1.05 ( 0.79 - 1.32 )		
	肺	C33-C34	206	1.11 ( 0.96 - 1.26 )	88	0.92 ( 0.73 - 1.11 )		
	乳房	C50			140	0.82 ( 0.69 - 0.96 )		
	子宮	C53-C55			78	1.44 ( 1.12 - 1.77 )		
	子宮頸部	C53			25	1.14 ( 0.69 - 1.58 )		
	子宮体部	C54			50	1.61 ( 1.17 - 2.06 )		
	前立腺	C61	179	0.93 ( 0.80 - 1.07 )				
	全部位	C00-C97	1904	0.91 ( 0.87 - 0.95 )	1403	0.92 ( 0.87 - 0.97 )		
備北	胃	C16	382	0.96 ( 0.86 - 1.05 )	172	0.96 ( 0.82 - 1.10 )		
	結腸	C18	184	1.04 ( 0.89 - 1.19 )	123	0.78 ( 0.64 - 0.92 )		
	直腸	C19-C20	113	1.05 ( 0.85 - 1.24 )	57	0.90 ( 0.67 - 1.14 )		
	大腸(結腸・直腸)	C18-C20	297	1.04 ( 0.92 - 1.16 )	180	0.82 ( 0.70 - 0.94 )		
	肝および肝内胆管	C22	179	1.08 ( 0.93 - 1.24 )	90	1.02 ( 0.81 - 1.23 )		
	肺	C33-C34	300	1.01 ( 0.89 - 1.12 )	151	0.99 ( 0.83 - 1.14 )		
	乳房	C50			321	1.06 ( 0.94 - 1.18 )		
	子宮	C53-C55			86	0.87 ( 0.69 - 1.05 )		
	子宮頸部	C53			41	1.00 ( 0.69 - 1.31 )		
	子宮体部	C54			41	0.75 ( 0.52 - 0.97 )		
	前立腺	C61	210	0.68 ( 0.59 - 0.77 )				
全部位	全部位	C00-C97	520	1.00 ( 0.92 - 1.09 )	346	0.90 ( 0.80 - 0.99 )		
	胃	C16	110	1.12 ( 0.91 - 1.33 )	64	1.28 ( 0.97 - 1.59 )		
	結腸	C18	35	0.80 ( 0.53 - 1.06 )	36	0.84 ( 0.56 - 1.11 )		
	直腸	C19-C20	23	0.92 ( 0.54 - 1.30 )	19	1.19 ( 0.65 - 1.72 )		
	大腸(結腸・直腸)	C18-C20	58	0.83 ( 0.62 - 1.04 )	55	0.93 ( 0.69 - 1.18 )		
	肝および肝内胆管	C22	52	1.27 ( 0.92 - 1.61 )	25	1.00 ( 0.61 - 1.39 )		
	肺	C33-C34	61	0.79 ( 0.59 - 0.99 )	25	0.61 ( 0.37 - 0.85 )		
	乳房	C50			41	0.64 ( 0.44 - 0.84 )		
	子宮	C53-C55			16	0.80 ( 0.41 - 1.19 )		
	子宮頸部	C53			7	0.88 ( 0.23 - 1.52 )		
備北	子宮体部	C54			9	0.75 ( 0.26 - 1.24 )		
	前立腺	C61	91	1.17 ( 0.93 - 1.41 )				

付表5. 市区町村別罹患数；部位別、性別  
A. 上皮内がんを除く

2010年

市区町村	全部位		C00-C06		胃 C16		大腸(直腸・結腸) C18-C20		結腸 C18		直腸 C19-C20		肝臓 C22		肺 C33-C34		男男女計		男男女計		男男女計		乳房 C50		子宮 C53		子宮体部 C54		子宮頸部 C53		子宮女		前立腺 C61	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女		
広島県	11,905	8,524	20,029	2,193	1,005	3,198	1,568	1,235	2,803	915	830	1,835	503	355	909	493	1,402	1,640	855	2,495	16	1,693	1,704	506	233	306	306	1,702	83					
中区	505	472	977	95	54	149	73	146	47	52	99	26	21	47	34	24	58	70	44	114	1	109	110	25	11	14	14	14	15	51				
東区	437	362	799	86	41	127	56	53	109	37	41	78	19	12	31	25	26	51	55	35	90	1	74	75	32	32	16	16	15	51				
南区	550	428	978	106	50	156	71	63	134	39	39	78	32	24	56	47	29	76	75	48	123	0	65	65	30	10	18	18	18	36				
西区	725	509	1,234	140	55	195	111	79	190	74	57	131	37	22	59	49	26	75	98	56	154	0	103	103	37	17	17	17	17	105				
安佐南区	685	571	1,256	125	62	187	96	94	180	59	61	120	37	23	60	49	34	83	93	59	152	1	123	124	39	24	12	12	12	91				
安佐北区	638	465	1,103	123	32	175	85	72	157	63	44	107	22	28	50	46	15	61	89	38	127	0	85	85	32	17	17	17	17	105				
安芸区	278	184	472	52	29	81	35	23	58	22	16	38	13	7	20	25	12	37	36	23	59	1	41	42	8	2	2	2	2	39				
佐伯区	487	365	852	87	31	118	69	59	128	36	45	81	33	14	47	37	18	55	68	34	102	0	78	78	21	6	6	6	6	84				
呉市	1,254	888	2,142	236	103	339	161	135	236	101	95	196	60	40	100	94	56	150	182	96	278	2	177	179	57	20	20	20	20	174				
竹原市	148	117	265	26	13	39	22	28	50	11	20	31	11	8	19	13	1	14	17	7	24	0	27	27	3	2	1	1	1	34				
三原市	416	283	699	82	34	116	54	34	88	35	25	60	19	9	28	29	21	50	65	26	91	1	54	55	31	13	13	13	13	50				
尾道市	714	550	1,284	127	60	187	96	78	175	61	58	119	35	21	56	66	35	101	133	56	189	1	81	82	44	12	12	12	12	112				
因島市	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
福山市	1,850	1,206	2,856	333	147	480	257	154	411	160	107	267	97	47	144	155	77	232	233	134	407	2	284	283	75	35	37	37	37	173				
府中市	196	147	343	41	22	63	35	23	58	21	13	34	14	10	24	19	9	28	18	10	28	0	32	32	6	3	2	2	2	29				
三次市	281	191	472	56	29	86	32	33	65	16	24	40	16	9	25	28	12	40	33	13	46	2	24	26	8	3	3	3	3	51				
庄原市	239	155	394	54	35	89	26	22	48	19	12	31	7	10	17	24	13	37	28	12	40	1	17	18	8	4	4	4	4	40				
大竹市	158	93	251	23	9	32	20	8	28	12	5	17	8	3	11	16	6	22	22	14	36	1	15	16	8	2	2	2	2	29				
府中町	556	432	988	103	54	157	73	53	126	50	39	89	23	14	37	49	23	72	84	41	125	2	100	102	25	8	8	8	8	76				
海田町	455	341	796	72	33	105	64	50	114	33	42	75	31	8	39	32	15	47	59	31	90	0	70	70	20	7	7	7	12	96				
熊野町	191	111	302	40	15	55	20	16	36	13	12	25	7	4	11	10	6	16	27	14	41	0	16	16	1	1	1	1	1	39				
安芸高田市	57	40	97	10	6	16	10	3	13	8	3	11	2	0	2	8	1	9	4	6	10	0	8	8	5	3	3	2	2	25				
江田島市	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
大野町	144	107	251	31	11	42	19	12	31	6	9	15	13	3	16	8	5	13	20	7	27	0	25	25	11	2	2	2	2	21				
宮島町	85	69	154	14	9	23	9	10	19	4	12	5	2	7	4	2	6	15	6	21	0	16	16	5	3	3	2	2	13					
世羅町	122	70	192	19	2	21	16	14	30	10	20	6	4	10	7	4	11	11	6	17	0	19	19	6	3	3	3	3	26					
安芸太田町	51	25	76	10	4	14	6	4	10	6	4	10	0	0	0	1	1	7	2	9	0	5	5	0	0	0	0	0	11					
北広島町	88	65	153	15	4	19	6	10	16	2	6	8	4	4	8	5	9	8	5	13	0	9	9	6	5	5	1	1	19					
瀬戸田町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
大崎上島町	57	38	95	10	6	16	9	6	15	7	5	12	2	1	3	1	4	8	5	13	0	4	4	1	1	1	1	1	6					
世羅町	92	67	159	28	10	38	8	13	21	6	10	16	2	3	5	8	4	12	8	6	14	0	5	5	3	3	3	3	17					
神辺町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
神石高原町	58	50	108	8	3	11	5	3	8	3	3	6	2	0	2	5	4	9	9	7	16	0	8	8	5	3	2	2	2	9				
栗原市(面積不詳)	6	2	8	4	1	5	0	1	1	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0				

付表5. 市区町村別罹患数；部位別、性別  
B. 上皮内がんを含む

市区町村	全部位		大腸(結腸・直腸)			結腸			直腸			肺			乳房			子宮		
	男	女	男女計	男女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	C53-D05	C53-D06	C53-D06
広島県	12,829	9,864	22,693	2,311	1,675	3,986	1,510	1,210	2,720	801	465	1,266	1,642	856	2,498	16	1,900	1,916	1,036	713
中区	582	555	1,137	120	100	220	85	69	154	35	31	66	71	44	115	1	121	122	60	46
東区	494	418	912	95	71	166	60	58	118	35	13	48	55	35	90	1	81	82	57	41
南区	626	497	1,123	114	86	200	67	55	122	47	31	78	75	48	123	0	76	76	53	33
西区	817	629	1,446	170	127	297	117	93	210	53	34	87	98	56	154	0	119	119	83	63
安佐南区	780	680	1,460	164	113	277	107	86	193	57	27	84	93	59	152	1	142	143	85	70
安佐北区	728	539	1,267	135	94	229	96	59	155	39	35	74	89	38	127	0	96	96	52	37
安芸区	311	229	540	49	36	85	31	26	57	18	10	28	36	23	59	1	48	49	17	11
佐伯区	531	432	963	88	77	165	47	60	107	41	17	58	69	35	104	0	93	93	46	31
呉市	1,393	995	2,388	262	178	440	182	128	310	80	50	130	182	96	278	2	196	198	85	48
竹原市	161	127	288	30	32	62	17	24	41	13	8	21	17	7	24	0	29	29	7	6
三原市	451	308	759	75	40	115	54	31	85	21	9	30	65	26	91	1	60	61	40	22
尾道市	787	614	1,401	123	98	221	79	72	151	44	26	70	133	56	189	1	88	89	66	34
因島市	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
福山市	1,794	1,391	3,185	324	199	523	211	141	352	113	58	171	273	134	407	2	319	321	158	118
府中市	217	163	380	43	27	70	28	15	43	15	12	27	18	10	28	0	33	33	14	11
三次市	306	240	546	49	53	102	29	39	68	20	14	34	33	13	46	2	26	28	24	19
庄原市	261	177	438	35	34	69	24	20	44	11	14	25	28	12	40	1	17	18	14	10
大竹市	167	107	274	26	11	37	16	8	24	10	3	13	22	14	36	1	16	17	11	5
東広島市	622	499	1,121	99	74	173	70	54	124	29	20	49	84	41	125	2	113	113	51	34
廿日市市	503	396	899	86	69	155	48	53	101	38	16	54	59	31	90	0	82	82	37	24
安芸高田市	226	123	349	38	21	59	25	16	41	13	5	27	14	41	0	17	17	5	4	4
江田島市	199	126	325	38	27	65	24	23	47	14	4	18	25	14	39	0	19	19	6	4
府中町	169	131	300	30	18	48	11	12	23	19	6	25	20	7	27	0	31	31	21	12
海田町	99	79	178	18	16	34	10	14	24	8	2	10	15	6	21	0	17	17	7	5
熊野町	139	86	225	27	20	47	17	14	31	10	6	16	11	6	17	0	21	21	10	7
坂町	58	43	101	11	4	15	9	4	13	2	0	2	4	6	10	0	9	9	6	4
大野町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
宮島町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
安芸太田町	60	29	89	10	4	14	9	4	13	1	0	1	7	2	9	0	5	5	0	0
北広島町	108	77	185	16	15	31	11	9	20	5	6	11	8	5	13	0	9	9	10	9
瀬戸田町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
大崎上島町	61	47	108	13	10	23	9	7	16	4	3	7	8	5	13	0	6	6	1	0
世羅町	103	72	175	14	15	29	11	11	22	3	4	7	8	6	14	0	5	5	4	1
神辺町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
神石高原町	66	51	117	7	4	11	5	3	8	2	1	3	9	7	16	0	8	8	5	3
県内市区町村不定	8	4	12	2	2	4	1	2	4	1	2	3	1	1	0	0	0	0	0	1

\*1 粘膜がんを含む

付表6-1. 広島県地域がん登録における罹患数に対する資料源ごとの数(詳細)

診断年	資料源								合計
	届出票 病理登録 採録票	届出票 病理登録	届出票 採録票	届出票 のみ	病理登録 採録票	病理登録 のみ	採録 のみ	死亡票 補充票	
2003	1,482	2,190	356	1,118	2,627	5,497	623	0	3,708 17,601
2004	1,949	2,909	459	1,362	2,355	4,212	563	0	3,548 17,357
2005	2,523	4,500	516	2,212	1,635	3,531	444	1,364	1,537 18,262
2006	670	7,793	201	2,996	822	3,038	251	1,456	1,049 18,276
2007	934	9,441	186	3,449	431	2,159	136	1,034	991 18,761
2008	787	10,580	157	3,039	365	2,089	128	882	953 18,980
2009	829	11,251	165	2,908	249	2,468	125	612	982 19,589
2010	327	12,360	135	3,938	59	1,585	185	475	965 20,029

※上皮内がんを除く

※届出票=広島県地域がん登録届出票情報、病理登録=広島県腫瘍登録情報、採録票=広島市地域がん登録採録票情報

付表6-2. 広島県地域がん登録における罹患数に対する資料源ごとの割合%(詳細)

診断年	資料源								合計
	届出票 病理登録 採録票	届出票 病理登録	届出票 採録票	届出票 のみ	病理登録 採録票	病理登録 のみ	採録 のみ	死亡票 補充票	
2003	8.4	12.4	2.0	6.4	14.9	31.2	3.5	0.0	21.1 100.0
2004	11.2	16.8	2.6	7.8	13.6	24.3	3.2	0.0	20.4 100.0
2005	13.8	24.6	2.8	12.1	9.0	19.3	2.4	7.5	8.4 100.0
2006	3.7	42.6	1.1	16.4	4.5	16.6	1.4	8.0	5.7 100.0
2007	5.0	50.3	1.0	18.4	2.3	11.5	0.7	5.5	5.3 100.0
2008	4.1	55.7	0.8	16.0	1.9	11.0	0.7	4.6	5.0 100.0
2009	4.2	57.4	0.8	14.8	1.3	12.6	0.6	3.1	5.0 100.0
2010	1.6	61.7	0.7	19.7	0.3	7.9	0.9	2.4	4.8 100.0

※上皮内がんを除く

※届出票=広島県地域がん登録届出票情報、病理登録=広島県腫瘍登録情報、採録票=広島市地域がん登録採録票情報

付表6-3. 広島県地域がん登録における罹患数に対する資料源の数

診断年	届出票	病理登録	採録	死亡票 補充票	死亡票 のみ	罹患数
2003	5,146	11,796	5,088	0	3,708	17,601
2004	6,679	11,425	5,326	0	3,548	17,357
2005	9,751	12,189	5,118	1364	1,537	18,262
2006	11,660	12,323	1,944	1456	1,049	18,276
2007	14,010	12,965	1,687	1034	991	18,761
2008	14,563	13,821	1,437	882	953	18,980
2009	15,153	14,797	1,368	612	982	19,589
2010	16,760	14,331	706	475	965	20,029

※上皮内がんを除く

※届出票=広島県地域がん登録届出票情報、病理登録=広島県腫瘍登録情報、採録票=広島市地域がん登録採録票情報

付表6-4. 広島県地域がん登録における罹患数に対する資料源の割合%

診断年	届出票	病理登録	採録	死亡票 補充票	死亡票 のみ
2003	29.2	67.0	28.9	0.0	21.1
2004	38.5	65.8	30.7	0.0	20.4
2005	53.4	66.7	28.0	7.5	8.4
2006	63.8	67.4	10.6	8.0	5.7
2007	74.7	69.1	9.0	5.5	5.3
2008	76.7	72.8	7.6	4.6	5.0
2009	77.4	75.5	7.0	3.1	5.0
2010	83.7	71.6	3.5	2.4	4.8

※上皮内がんを除く

※届出票=広島県地域がん登録届出票情報、病理登録=広島県腫瘍登録情報、採録票=広島市地域がん登録採録票情報

付表7-1 罹患数の年次推移

		2003	2004	2005	2006	2007	2008	2009	2010
男	全部位	C00-C97	10,557	10,227	10,735	10,705	10,875	10,798	11,298
	胃	C16	1,941	1,969	2,115	2,015	2,142	2,085	2,114
	大腸	C18-C20	1,723	1,509	1,540	1,603	1,530	1,532	1,564
	肝	C22	1,124	1,052	1,057	993	1,027	941	849
	肺	C33-C34	1,408	1,432	1,609	1,520	1,646	1,654	1,721
	前立腺	C61	1,494	1,285	1,285	1,389	1,323	1,347	1,676
女	全部位	C00-C97	7,044	7,130	7,527	7,571	7,886	8,182	8,291
	胃	C16	1,057	920	985	984	1,005	1,020	944
	大腸	C18-C20	1,197	1,160	1,188	1,282	1,238	1,219	1,266
	肝	C22	519	535	545	479	496	469	425
	肺	C33-C34	625	618	695	672	778	820	794
	乳房	C50	1,086	1,192	1,296	1,273	1,433	1,579	1,611
	子宮	C53-C55	414	449	495	475	497	486	476
	甲状腺	C73	260	279	334	380	397	406	396

付表7-2 年齢調整罹患率の年次推移

		2003	2004	2005	2006	2007	2008	2009	2010
男	全部位	C00-C97	495.2	485.1	481.9	469.5	470.8	454.8	469.6
	胃	C16	90.6	88.8	95.1	88.2	93.2	87.3	87.3
	大腸	C18-C20	82.9	81.4	70.6	72.3	66.8	66.8	66.7
	肝	C22	53.2	52.2	47.6	43.8	45.3	39.3	35.2
	肺	C33-C34	63.9	62.3	69.5	63.5	67.7	66.1	67.8
	前立腺	C61	65.0	63.2	53.3	56.4	52.9	51.9	63.9
女	全部位	C00-C97	278.8	276.4	297.0	294.0	301.4	314.0	312.4
	胃	C16	36.6	36.1	34.3	33.5	31.8	33.1	28.8
	大腸	C18-C20	44.2	43.6	40.3	43.5	41.1	40.0	41.0
	肝	C22	17.2	17.0	17.2	15.3	14.5	13.8	12.0
	肺	C33-C34	21.4	21.1	24.9	21.9	25.3	26.6	24.6
	乳房	C50	56.6	56.6	66.3	64.8	72.5	80.3	78.9
	子宮	C53-C55	21.2	21.1	25.7	25.5	27.3	26.4	25.7
	甲状腺	C73	12.8	14.8	17.2	19.7	19.4	21.4	21.4

付表7-3 死亡数の年次推移

		2003	2004	2005	2006	2007	2008	2009	2010
男	全部位	C00-C97	4,385	4,519	4,610	4,601	4,593	4,799	4,639
	胃	C16	702	756	716	706	688	683	693
	大腸	C18-C20	469	463	464	479	451	490	441
	肝	C22	739	756	735	740	699	713	632
	肺	C33-C34	989	980	1,059	1,055	1,098	1,173	1,151
	脾臓	C25	228	282	279	256	303	298	286
女	全部位	C00-C97	2,897	3,011	2,988	3,012	3,146	3,237	3,156
	胃	C16	442	389	368	411	427	414	374
	大腸	C18-C20	378	405	429	423	425	426	430
	肝	C22	343	391	364	341	391	336	322
	肺	C33-C34	354	367	373	397	412	466	435
	脾臓	C25	236	240	261	279	263	297	291
	乳房	C50	219	220	225	201	226	265	256

付表7-4 年齢調整死亡率の年次推移

		2003	2004	2005	2006	2007	2008	2009	2010
男	全部位	C00-C97	198.9	199.6	196.8	191.3	185.3	187.4	175.7
	胃	C16	31.9	33.8	30.5	29.1	28.0	26.8	25.8
	大腸	C18-C20	21.3	20.8	19.8	20.1	18.4	19.5	16.7
	肝	C22	34.6	34.3	32.8	32.4	29.6	28.5	24.8
	肺	C33-C34	43.9	42.6	44.3	42.6	42.8	44.7	43.2
	脾臓	C25	10.4	12.5	12.3	10.7	12.7	12.0	11.1
女	全部位	C00-C97	94.0	95.3	92.3	89.0	88.8	91.3	85.1
	胃	C16	13.7	11.5	11.3	12.1	11.1	11.0	9.1
	大腸	C18-C20	11.6	12.2	12.3	11.1	11.5	10.9	10.8
	肝	C22	11.0	11.7	10.4	9.8	10.5	8.6	7.9
	肺	C33-C34	9.9	10.7	11.4	11.4	10.9	12.5	11.0
	脾臓	C25	7.3	7.0	7.7	7.7	6.9	7.8	7.7
	乳房	C50	10.4	10.1	9.9	8.7	9.9	11.3	10.2

平成26年3月訂正