

IV 付 表

平成27年(2015)

表1. 罹患数、罹患割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)及び累積罹患率(人口100対) : 部位別、性別

A. 上皮内がんを除く

広島県 2015年

部位	罹患数		罹患割合		粗罹患率		年齢調整罹患率		世界人口		累積罹患率(0-74歳)						
	男	女	男	女	男	女	男	女	男	女	男	女					
	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数					
全部位	13,304	9,735	23,039	100.0	100.0	100.0	100.0	502.2	351.1	414.0	355.4	263.4	301.7	42.5	29.2	29.2	35.4
口腔・咽頭	335	142	477	2.5	1.5	2.1	24.6	9.7	16.9	14.1	4.7	10.4	3.5	6.8	1.2	0.4	0.8
食道	434	90	524	3.3	0.9	2.3	31.9	6.2	18.6	16.8	3.0	9.4	2.2	6.8	1.6	0.3	0.9
胃	2,418	1,107	3,525	18.2	11.4	15.3	177.8	75.7	124.9	88.9	30.8	57.1	21.7	40.1	7.7	2.6	5.0
大腸(結腸・直腸)	1,984	1,559	3,543	14.9	16.0	15.4	145.9	106.6	125.5	77.4	48.0	61.3	34.5	44.0	6.7	4.1	5.3
結腸	1,230	1,096	2,326	9.2	11.3	10.1	90.4	74.9	82.4	46.3	31.5	38.2	22.4	27.0	3.9	2.7	3.3
直腸	754	463	1,217	5.7	4.8	5.3	55.4	31.7	43.1	31.1	16.4	23.2	17.0	17.0	2.8	1.4	2.1
肝および肝内胆管	867	415	1,282	6.5	4.3	5.6	63.7	28.4	45.4	31.8	9.2	19.6	6.0	13.3	2.6	0.6	1.6
胆のう・胆管	249	229	478	1.9	2.4	2.1	18.3	15.7	16.9	8.1	5.1	6.4	3.5	4.3	0.6	0.3	0.4
膵臓	444	448	892	3.3	4.6	3.9	32.6	30.6	31.6	16.3	10.9	13.4	7.4	9.4	1.4	0.8	1.1
喉頭	103	10	113	0.8	0.1	0.5	7.6	0.7	4.0	3.7	0.3	1.8	0.2	1.3	0.3	0.0	0.2
肺	1,884	891	2,775	14.2	9.2	12.0	138.5	60.9	98.3	67.8	26.3	44.7	18.9	31.4	5.7	2.5	4.0
皮膚	253	279	532	1.9	2.9	2.3	18.6	19.1	18.8	8.3	6.3	7.1	4.5	5.0	0.6	0.4	0.5
乳房	14	2,018	2,032	0.1	20.7	8.8	1.0	138.0	72.0	0.5	97.8	50.4	75.4	38.7	0.0	8.3	4.3
子宮	-	583	-	-	6.0	-	-	39.9	-	30.8	-	-	24.1	-	-	2.5	-
子宮頸部	-	222	-	-	2.3	-	-	15.2	-	13.0	-	-	10.3	-	-	1.0	-
子宮体部	-	345	-	-	3.5	-	-	23.6	-	17.5	-	-	13.6	-	-	1.5	-
卵巣	-	250	-	-	2.6	-	-	17.1	-	12.9	-	-	10.4	-	-	1.1	-
前立腺	1,970	-	-	14.8	-	-	144.8	-	-	68.8	-	46.6	-	-	6.1	-	-
膀胱	497	130	627	3.7	1.3	2.7	36.5	8.9	22.2	17.8	2.9	9.6	1.9	6.6	1.4	0.2	0.8
腎・尿路(膀胱除く)	461	211	672	3.5	2.2	2.9	33.9	14.4	23.8	18.6	6.5	12.1	4.9	8.8	1.6	0.6	1.0
脳・中枢神経系	80	64	144	0.6	0.7	0.6	5.9	4.4	5.1	4.0	3.0	3.5	2.7	3.1	0.3	0.2	0.3
甲状腺	147	385	532	1.1	4.0	2.3	10.8	26.3	18.8	7.9	20.2	14.1	15.9	11.0	0.7	1.7	1.2
悪性リンパ腫	470	405	875	3.5	4.2	3.8	34.6	27.7	31.0	19.1	14.2	16.3	14.0	12.1	1.5	1.2	1.3
多発性骨髄腫	105	98	203	0.8	1.0	0.9	7.7	6.7	7.2	3.9	2.5	3.2	1.7	2.2	0.3	0.2	0.2
白血病	168	113	281	1.3	1.2	1.2	12.4	7.7	10.0	8.5	5.1	6.7	7.8	6.2	0.6	0.4	0.5

表3. 年齢階級別罹患率（人口10万対）： 部位別、性別

A. 上皮内がんを除く

広島県

2015年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	000-C96	13,304	22.6	15.9	15.5	17.6	15.1	22.1	60.3	84.8	141.1	219.2	396.3	781.6	1,470.3	2,155.6	3,082.3	3,734.8	4,139.4	4,110.7	0.0	
	口腔・咽頭	000-C14	335	1.6	0.0	0.0	0.0	0.0	0.0	6.2	3.3	9.1	13.0	18.0	26.9	49.5	54.1	55.5	65.2	101.2	91.9	0.0	
	食道	C15	434	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	4.3	14.4	40.4	53.8	90.8	106.2	120.4	80.5	97.5	0.0	
	胃	C16	2,418	0.0	0.0	0.0	1.5	0.0	0.0	6.2	7.6	16.4	25.0	61.2	137.0	283.1	410.9	597.6	705.5	745.1	693.5	0.0	
	大腸（結腸・直腸）	C18-C20	1,984	0.0	0.0	0.0	0.0	1.5	4.2	8.6	14.1	21.8	48.8	81.7	134.6	259.4	329.3	435.8	504.9	579.5	551.4	0.0	
	結腸	C18	1,230	0.0	0.0	0.0	0.0	0.0	2.8	4.9	7.6	13.7	23.9	44.4	73.4	144.2	194.5	270.4	305.9	423.1	406.6	0.0	
	直腸	C19-C20	754	0.0	0.0	0.0	0.0	1.5	1.4	3.7	6.5	8.2	25.0	37.2	61.2	115.2	134.8	165.4	198.9	156.4	144.8	0.0	
	肝および肝内胆管	C22	867	0.0	0.0	0.0	0.0	1.5	0.0	1.2	2.2	1.8	11.9	22.8	48.9	100.1	122.0	217.3	274.2	333.4	211.7	0.0	
	胆のう・胆管	C23-C24	249	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.3	2.4	7.3	16.1	30.3	51.9	70.2	110.4	150.4	0.0
	膵臓	C25	444	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.3	3.6	5.4	16.8	23.2	50.6	78.9	90.5	118.7	119.6	186.6	0.0	
	喉頭	C32	103	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	6.1	8.6	20.2	24.1	35.1	20.7	39.0	0.0
	肺	C33-C34	1,884	0.0	0.0	0.0	0.0	0.0	1.4	3.7	6.5	12.7	22.8	43.2	91.7	191.6	316.5	444.3	556.7	660.0	604.4	0.0	
	皮膚	C43-C44	253	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.1	2.7	2.2	7.2	4.9	18.3	25.7	48.3	75.2	89.7	183.8	0.0	
	乳房	C50	14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.8	3.6	5.0	4.6	2.8	0.0	
	前立腺	C61	1,970	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	3.3	20.4	84.4	191.6	350.4	577.1	670.4	607.1	490.2	0.0	
	膀胱	C67	497	0.0	0.0	0.0	0.0	0.0	0.0	2.5	3.3	2.7	9.8	14.4	31.8	43.1	63.3	107.5	135.4	156.4	264.6	0.0	
	腎・尿路（膀胱除く）	C64-C66 C68	461	0.0	0.0	0.0	0.0	0.0	0.0	3.7	4.3	13.7	16.3	20.4	40.4	42.0	87.1	83.3	112.0	135.7	125.3	0.0	
	脳・中枢神経系	C70-C72	80	0.0	4.8	3.1	2.9	1.5	2.8	2.5	4.3	0.0	3.3	4.8	3.7	5.4	12.8	9.7	13.4	11.5	39.0	0.0	
	甲状腺	C73	147	0.0	0.0	0.0	0.0	0.0	2.8	4.9	7.6	10.0	10.9	19.2	20.8	20.5	19.3	16.9	13.4	18.4	27.9	0.0	
	悪性リンパ腫	C81-C85 C96	470	0.0	4.8	0.0	2.9	4.5	1.4	4.9	4.3	10.9	13.0	13.2	40.4	58.1	53.2	97.8	107.0	161.0	161.5	0.0	
	多発性骨髄腫	C88-C90	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.3	1.2	8.6	12.9	11.0	20.5	33.4	48.3	30.6	0.0	
白血病	C91-C95	168	12.9	4.8	6.2	4.4	1.5	4.2	0.0	5.4	8.2	6.5	7.2	8.6	11.8	20.2	27.8	35.1	48.3	41.8	0.0		
女	全部位	000-C96	9,735	15.1	18.3	13.0	21.7	17.4	42.1	89.1	164.5	307.0	506.2	617.1	694.7	905.6	1,111.1	1,316.9	1,548.1	1,711.8	1,857.1	0.0	
	口腔・咽頭	000-C14	142	0.0	0.0	0.0	0.0	0.0	1.5	5.2	1.1	5.6	3.3	3.6	8.3	14.5	19.6	19.5	15.3	27.0	33.8	0.0	
	食道	C15	90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.9	2.2	5.9	7.1	10.4	7.7	18.5	10.2	17.0	19.2	0.0	
	胃	C16	1,107	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.2	7.4	22.8	34.3	53.3	96.3	118.2	180.8	212.3	255.7	277.4	0.0	
	大腸（結腸・直腸）	C18-C20	1,559	0.0	0.0	0.0	0.0	0.0	0.0	6.5	7.8	15.8	48.9	74.6	84.2	143.9	199.8	239.3	288.5	319.6	329.2	0.0	
	結腸	C18	1,096	0.0	0.0	0.0	0.0	0.0	0.0	6.5	3.4	9.3	23.9	49.7	48.6	82.8	133.5	174.6	202.1	241.5	267.2	0.0	
	直腸	C19-C20	463	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	6.5	25.0	24.9	35.6	61.1	66.3	64.7	86.4	78.1	62.0	0.0	
	肝および肝内胆管	C22	415	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.2	3.6	7.1	13.5	37.4	55.5	110.6	139.2	119.5	0.0	
	胆のう・胆管	C23-C24	229	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.2	4.7	11.9	12.4	17.0	17.5	43.2	59.7	98.1	0.0	
	膵臓	C25	448	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	0.9	7.6	13.0	17.8	17.6	38.3	69.8	81.3	125.0	146.6	0.0	
	喉頭	C32	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	5.1	2.5	1.4	0.0	0.0	
	肺	C33-C34	891	0.0	0.0	0.0	0.0	0.0	1.5	0.0	2.2	5.6	16.3	29.6	40.3	85.9	130.9	178.7	156.3	177.6	168.0	0.0	
	皮膚	C43-C44	279	0.0	0.0	1.6	3.1	0.0	0.0	0.0	1.1	3.7	3.3	5.9	13.0	8.3	22.1	23.6	33.0	65.3	138.7	0.0	
	乳房	C50	2,018	0.0	0.0	0.0	0.0	1.6	7.3	31.0	66.0	137.7	222.7	252.3	216.9	252.5	245.7	226.0	244.0	147.7	147.7	0.0	
	子宮	C53-C55	583	0.0	0.0	0.0	1.5	1.6	11.6	12.9	31.3	52.1	71.7	65.1	83.0	66.2	65.5	33.9	55.9	48.3	40.6	0.0	
	子宮頸部	C53	222	0.0	0.0	0.0	0.0	1.6	7.3	11.6	23.5	27.9	31.5	16.6	24.9	20.7	28.1	5.1	19.1	9.9	13.5	0.0	
	子宮体部	C54	345	0.0	0.0	0.0	1.5	0.0	4.4	1.3	7.8	24.2	40.2	47.4	56.9	45.5	37.4	27.7	34.3	34.1	18.0	0.0	
	卵巣	C56	250	0.0	0.0	0.0	6.2	4.7	5.8	6.5	7.8	14.0	26.1	29.6	29.6	31.1	28.1	26.7	28.0	14.2	19.2	0.0	
	膀胱	C67	130	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	1.2	5.9	4.1	9.4	14.4	35.6	31.3	48.5	0.0	
	腎・尿路（膀胱除く）	C64-C66 C68	211	0.0	1.7	0.0	0.0	1.6	0.0	0.0	1.1	3.7	7.6	8.3	11.9	20.7	25.5	28.8	21.6	58.2	49.6	0.0	
	脳・中枢神経系	C70-C72	64	0.0	5.0	1.6	1.5	0.0	2.9	1.3	3.4	3.7	3.3	2.4	4.7	6.2	6.0	2.1	8.9	8.5	13.5	0.0	
甲状腺	C73	385	0.0	0.0	0.0	1.5	3.2	5.8	11.6	25.7	34.4	35.8	40.3	39.1	52.8	47.6	46.2	28.0	35.5	11.3	0.0		
悪性リンパ腫	C81-C85 C96	405	1.7	1.7	0.0	3.1	3.2	1.5	3.9	9.0	7.4	11.9	23.7	28.5	29.0	47.6	60.6	81.3	82.4	66.5	0.0		
多発性骨髄腫	C88-C90	98	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.4	4.7	8.3	10.2	13.4	21.6	24.1	27.1	0.0	
白血病	C91-C95	113	3.4	8.3	4.9	4.6	1.6	1.5	1.3	2.2	3.7	4.3	4.7	7.1	8.3	6.8	19.5	16.5	7.1	27.1	0.0		
総数	全部位	000-C96	23,039	18.9	17.1	14.3	19.6	16.2	31.9	74.4	124.1	223.1	362.7	507.4	737.5	1,182.4	1,613.5	2,128.4	2,492.5	2,638.7	2,506.6	0.0	
	口腔・咽頭	000-C14	477	0.8	0.0	0.0	0.0	0.0	0.7	5.7	2.2	7.4	8.1	10.7	17.5	31.7	36.2	36.1	36.8	55.3	50.6	0.0	
	食道	C15	524	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.7	3.3	10.1	23.5	31.7	47.7	58.8	57.8	41.3	41.7	0.0		
	胃	C16	3,525	0.0	0.0	0.0	0.8	0.0	0.0	3.8	5.0	12.0	23.9	47.7	94.5	187.8	259.0	372.4	425.3	442.6	397.3	0.0	
	大腸（結腸・直腸）	C18-C20	3,543	0.0	0.0	0.0	0.0	0.8	2.1	7.6	11.0	18.9	48.9	78.1	109.0	200.5	262.1	329.7	382.0	418.9	393.3	0.0	
	結腸	C18	2,326	0.0	0.0	0.0	0.0	0.0	1.4	5.7	5.5	11.5	23.9	47.1	60.8	112.9	162.8	218.7	246.9	310.9	307.4	0.0	
	直腸	C19-C20	1,217	0.0	0.0	0.0	0.0	0.8	0.7	1.9	5.5	7.4	25.0	31.0	48.2	87.6	99.3	111.0	135.0	108.0	85.9	0.0	
	肝および肝内胆管	C2																					

表3. 年齢階級別罹患率（人口10万対）：部位別、性別

B. 上皮内がんを含む

広島県 2015年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	000-C96 D00-D09	15,216	22.6	15.9	15.5	17.6	16.7	22.1	61.6	95.7	169.3	277.8	505.6	938.2	1,737.2	2,490.5	3,537.5	4,233.0	4,601.6	4,408.7	0.0	
	食道	C15 D001	506	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	5.5	4.3	18.0	45.3	64.6	109.2	128.0	135.4	89.7	105.8	0.0	
	大腸（結腸・直腸）*1	C18-C20 D010-D012	3,157	0.0	0.0	0.0	0.0	1.5	4.2	9.8	21.7	44.6	89.0	170.5	259.3	441.3	538.5	722.0	775.7	802.6	646.1	0.0	
	結腸 *1	C18 D010	2,110	0.0	0.0	0.0	0.0	0.0	2.8	6.2	10.9	30.0	51.0	112.9	166.4	270.2	353.2	493.8	516.6	595.6	473.5	0.0	
	直腸 *1	C19-C20 D011-D012	1,047	0.0	0.0	0.0	0.0	1.5	1.4	3.7	10.9	14.6	38.0	57.6	93.0	171.1	185.3	228.2	259.1	207.0	172.7	0.0	
	肺	C33-C34 D021-D022	1,890	0.0	0.0	0.0	0.0	0.0	1.4	3.7	6.5	12.7	22.8	43.2	91.7	192.7	317.4	446.7	558.4	662.3	604.4	0.0	
	皮膚	C43-C44 D030-D049	331	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.2	2.7	8.4	4.9	23.7	34.9	54.3	105.3	140.3	228.4	0.0	
	乳房	C50 D05	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.1	1.8	3.6	5.0	4.6	5.6	0.0	
	膀胱	C67 D090	946	0.0	0.0	0.0	0.0	1.5	0.0	2.5	4.3	6.4	18.5	25.2	53.8	86.1	139.4	211.3	275.8	305.9	403.8	0.0	
	女	全部位	000-C96 D00-D09	11,471	15.1	18.3	13.0	24.8	56.9	139.4	218.2	310.0	489.4	629.0	742.6	809.7	1,009.1	1,286.2	1,529.5	1,742.5	1,897.9	1,973.2	0.0
	食道	C15 D001	109	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.8	2.2	5.9	9.5	12.4	11.9	22.6	15.3	18.5	19.2	0.0	
	大腸（結腸・直腸）*1	C18-C20 D010-D012	2,171	0.0	0.0	0.0	0.0	3.2	2.9	9.0	10.1	37.2	67.4	110.1	137.5	195.6	304.3	365.7	404.2	419.1	365.3	0.0	
	結腸 *1	C18 D010	1,570	0.0	0.0	0.0	0.0	3.2	2.9	7.7	3.4	26.1	39.1	79.4	85.4	126.3	220.2	261.9	293.6	319.6	295.4	0.0	
	直腸 *1	C19-C20 D011-D012	601	0.0	0.0	0.0	0.0	0.0	0.0	1.3	6.7	11.2	28.2	30.8	52.2	69.3	84.2	103.7	110.6	99.4	69.9	0.0	
	肺	C33-C34 D021-D022	893	0.0	0.0	0.0	0.0	0.0	1.5	0.0	2.2	5.6	16.3	30.8	40.3	85.9	130.9	179.8	156.3	177.6	168.0	0.0	
	皮膚	C43-C44 D030-D049	376	0.0	0.0	1.6	3.1	0.0	0.0	0.0	2.2	3.7	5.4	5.9	16.6	11.4	27.2	30.8	48.3	95.2	186.0	0.0	
	乳房	C50 D05	2,264	0.0	0.0	0.0	0.0	3.2	7.3	31.0	76.1	170.3	256.4	279.5	241.8	274.3	271.1	259.9	263.1	161.9	159.0	0.0	
	子宮	C53-C55 D06	1,164	0.0	0.0	0.0	3.1	34.8	106.0	139.4	157.8	173.0	135.8	135.8	119.6	98.4	73.5	75.7	44.2	59.7	51.1	41.7	0.0
	子宮頸部	C53 D06	803	0.0	0.0	0.0	1.5	34.8	101.6	138.1	150.0	148.9	95.6	71.1	40.3	27.9	38.3	15.4	22.9	12.8	14.7	0.0	
	膀胱	C67 D090	228	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	2.2	2.4	15.4	12.4	20.4	34.9	55.9	55.4	60.9	0.0	
総数	全部位	000-C96 D00-D09	26,687	18.9	17.1	14.3	21.1	36.4	79.4	138.0	201.3	327.5	453.3	624.9	872.9	1,366.1	1,865.4	2,452.5	2,818.2	2,930.3	2,675.1	0.0	
食道	C15 D001	615	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.1	3.3	11.9	27.1	38.0	58.7	71.0	67.2	45.7	44.1	0.0		
大腸（結腸・直腸）*1	C18-C20 D010-D012	5,328	0.0	0.0	0.0	0.0	2.3	3.5	9.5	16.0	40.9	78.2	140.1	197.5	316.1	416.9	529.5	564.6	565.5	446.3	0.0		
結腸 *1	C18 D010	3,680	0.0	0.0	0.0	0.0	1.5	2.8	6.9	7.2	28.1	45.1	96.0	125.2	196.8	284.1	368.5	389.9	425.0	346.7	0.0		
直腸 *1	C19-C20 D011-D012	1,648	0.0	0.0	0.0	0.0	0.8	0.7	2.5	8.8	12.9	33.1	44.1	72.2	119.2	132.8	161.0	174.7	140.5	99.5	0.0		
肺	C33-C34 D021-D022	2,783	0.0	0.0	0.0	0.0	0.0	1.4	1.4	4.4	9.2	19.5	37.0	65.6	138.2	220.6	302.5	330.0	362.7	293.8	0.0		
皮膚	C43-C44 D030-D049	707	0.0	0.0	0.8	1.5	0.0	0.0	3.2	2.2	3.2	3.8	7.2	10.8	17.4	30.9	41.6	72.9	112.4	198.2	0.0		
乳房	C50 D05	2,279	0.0	0.0	0.0	0.0	1.5	3.5	15.1	37.5	85.1	128.1	140.7	122.8	140.4	144.7	142.1	151.6	101.9	114.8	0.0		
膀胱	C67 D090	1,174	0.0	0.0	0.0	0.0	0.8	0.8	0.0	1.3	2.2	5.1	10.3	13.7	34.3	48.5	77.7	116.0	150.9	151.0	159.7	0.0	

*1 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

広島県

2015年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	21,914	47.8	8.6	13.7	15.9	14.0	22.3
口腔・咽頭	C00-C14	469	40.7	14.7	28.8	5.5	10.2	43.5
食道	C15	511	39.5	5.1	24.3	16.2	14.9	29.4
胃	C16	3,451	58.5	8.5	7.5	13.7	11.9	16.0
大腸 (結腸・直腸)	C18-C20	3,468	42.7	15.8	14.4	16.6	10.5	30.2
結腸	C18	2,264	42.2	14.5	15.2	17.9	10.2	29.7
直腸	C19-C20	1,204	43.7	18.4	12.8	14.1	11.0	31.1
肝および肝内胆管	C22	1,217	64.6	1.2	8.9	8.1	17.3	10.0
胆のう・胆管	C23-C24	446	12.6	2.9	46.2	23.5	14.8	49.1
膵臓	C25	832	7.8	1.3	41.1	37.6	12.1	42.4
喉頭	C32	112	67.9	5.4	10.7	3.6	12.5	16.1
肺	C33-C34	2,658	39.1	8.2	8.0	33.1	11.7	16.2
皮膚	C43-C44	527	81.0	0.8	3.8	0.4	13.9	4.6
乳房	C50	2,014	56.9	21.9	3.7	6.0	11.5	25.6
乳房 (女性ののみ)	C50	2,000	57.2	22.0	3.6	5.9	11.4	25.5
子宮	C53-C55	570	60.5	1.8	17.9	8.6	11.2	19.6
子宮頸部	C53	219	42.5	2.7	32.4	11.4	11.0	35.2
子宮体部	C54	342	73.7	1.2	9.1	7.0	9.1	10.2
卵巣	C56	246	15.4	0.8	46.3	17.5	19.9	47.2
前立腺	C61	1,944	56.4	1.1	17.2	8.9	16.5	18.3
膀胱	C67	612	72.7	1.0	9.5	2.8	14.1	10.5
腎・尿路 (膀胱除く)	C64-C66 C68	656	54.4	0.6	21.6	10.7	12.7	22.3
脳・中枢神経系	C70-C72	133	62.4	0.0	10.5	1.5	25.6	10.5
甲状腺	C73	530	43.8	34.2	7.2	3.0	11.9	41.3
悪性リンパ腫	C81-C85 C96	806	25.4	0.2	11.8	40.1	22.5	12.0
多発性骨髄腫	C88-C90	8	25.0	0.0	0.0	0.0	75.0	0.0
白血病	C91-C95	4	25.0	0.0	0.0	0.0	75.0	0.0

*1 D00, 777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

広島県

2015年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	25,562	14.0	41.2	7.4	11.7	13.6	12.1	19.1
食道	C15 D001	602	15.1	33.6	4.3	20.6	13.8	12.6	24.9
大腸 (結腸・直腸) *3	C18-C20 D010-D012	5,253	33.9	28.2	10.5	9.5	10.9	7.0	20.0
結腸 *3	C18 D010	3,618	37.3	26.4	9.1	9.5	11.2	6.5	18.6
直腸 *3	C19-C20 D011-D012	1,635	26.4	32.2	13.5	9.4	10.4	8.1	22.9
肺	C33-C34 D021-D022	2,666	0.3	38.9	8.2	8.0	33.0	11.7	16.1
皮膚	C43-C44 D030-D049	702	24.9	60.8	0.6	2.8	0.3	10.4	3.4
乳房	C50 D05	2,261	10.7	50.6	19.5	3.3	5.4	10.5	22.8
乳房 (女性のみ)	C50 D05	2,246	10.7	50.9	19.5	3.2	5.3	10.4	22.7
子宮	C53-C55 D06	1,151	50.5	30.0	0.9	8.9	4.3	5.6	9.7
子宮頸部	C53 D06	800	72.6	11.6	0.8	8.9	3.1	3.0	9.6
膀胱	C67 D090	1,159	46.9	38.4	0.5	5.0	1.5	7.8	5.5

*1 D00、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

広島県

2015年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	21,914	47.4	8.5	13.6	15.8	14.5	22.1
口腔・咽頭	C00-C14	469	40.7	14.5	29.0	5.5	10.2	43.5
食道	C15	511	39.5	4.9	24.3	16.2	14.9	29.2
胃	C16	3,451	58.4	8.4	7.5	13.6	12.0	15.9
大腸 (結腸・直腸)	C18-C20	3,468	42.3	15.7	14.3	16.6	11.0	30.1
結腸	C18	2,264	42.0	14.5	15.2	17.9	10.4	29.6
直腸	C19-C20	1,204	42.9	18.1	12.8	14.0	12.0	30.9
肝および肝内胆管	C22	1,217	63.8	1.2	9.0	8.1	18.0	10.1
胆のう・胆管	C23-C24	446	12.6	2.9	46.2	23.5	14.8	49.1
膵臓	C25	832	7.8	1.3	40.7	37.7	12.4	42.1
喉頭	C32	112	67.0	5.4	10.7	3.6	13.4	16.1
肺	C33-C34	2,658	39.0	8.1	8.1	32.9	12.0	16.1
皮膚	C43-C44	527	80.3	0.6	3.8	0.2	14.8	4.4
乳房	C50	2,014	55.9	21.4	3.7	5.8	13.2	25.0
乳房 (女性のみに)	C50	2,000	56.2	21.3	3.6	5.8	13.1	24.9
子宮	C53-C55	570	60.0	1.8	17.9	8.6	11.8	19.6
子宮頸部	C53	219	41.6	2.7	32.4	11.4	11.9	35.2
子宮体部	C54	342	73.4	1.2	9.1	7.0	9.4	10.2
卵巣	C56	246	15.4	0.8	45.5	17.9	20.3	46.3
前立腺	C61	1,944	55.6	1.1	16.8	8.6	17.8	17.9
膀胱	C67	612	72.2	1.0	9.3	2.9	13.7	10.3
腎・尿管 (膀胱除く)	C64-C66 C68	656	54.3	0.6	21.3	10.5	13.0	22.0
脳・中枢神経系	C70-C72	133	57.9	0.0	11.3	1.5	29.3	11.3
甲状腺	C73	530	43.2	33.8	7.4	2.8	12.8	41.1
悪性リンパ腫	C81-C85 C96	806	25.2	0.2	11.8	39.6	23.2	12.0
多発性骨髄腫	C88-C90	8	25.0	0.0	0.0	0.0	75.0	0.0
白血病	C91-C95	4	25.0	0.0	0.0	0.0	75.0	0.0

*1 D00、777 : 該当せざるを除外総数

*2 リンパ節転移+隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

広島県

2015年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	25,562	13.9	40.9	7.3	11.7	13.5	12.7	19.0
食道	C15 D001	602	15.3	33.6	4.2	20.6	13.8	12.6	24.8
大腸 (結腸・直腸) *3	C18-C20 D010-D012	5,253	33.9	27.9	10.4	9.5	10.9	7.4	19.9
結腸 *3	C18 D010	3,618	37.4	26.3	9.1	9.5	11.2	6.6	18.5
直腸 *3	C19-C20 D011-D012	1,635	26.2	31.6	13.3	9.4	10.3	9.1	22.8
肺	C33-C34 D021-D022	2,666	0.3	38.9	8.0	8.1	32.8	11.9	16.1
皮膚	C43-C44 D030-D049	702	24.5	60.3	0.4	2.8	0.1	11.8	3.3
乳房	C50 D05	2,261	10.4	49.9	19.0	3.3	5.2	12.3	22.3
乳房 (女性のみ)	C50 D05	2,246	10.4	50.1	19.0	3.2	5.1	12.2	22.2
子宮	C53-C55 D06	1,151	50.1	29.7	0.9	8.9	4.3	6.2	9.7
子宮頸部	C53 D06	800	72.1	11.4	0.8	8.9	3.1	3.8	9.6
膀胱	C67 D090	1,159	46.9	38.1	0.5	4.9	1.6	8.0	5.4

*1 D00、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

広島県

2015年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	15,784	54.1	10.0	12.4	5.7	17.8	22.4
口腔・咽頭	C00-C14	243	50.6	8.6	21.4	2.5	16.9	30.0
食道	C15	300	49.7	5.0	18.0	3.3	24.0	23.0
胃	C16	2,909	65.1	9.0	7.5	5.8	12.6	16.5
大腸 (結腸・直腸)	C18-C20	3,152	44.7	16.7	14.8	13.0	10.7	31.5
結腸	C18	2,045	44.6	15.4	16.0	14.0	10.0	31.3
直腸	C19-C20	1,107	45.0	19.2	12.6	11.2	11.9	31.9
肝および肝内胆管	C22	592	62.5	0.8	5.4	0.8	30.4	6.3
胆のう・胆管	C23-C24	308	14.6	2.6	54.5	10.7	17.5	57.1
膵臓	C25	419	11.2	1.9	50.6	15.0	21.2	52.5
喉頭	C32	42	38.1	2.4	19.0	4.8	35.7	21.4
肺	C33-C34	1,421	62.5	8.9	6.0	3.5	19.1	14.8
皮膚	C43-C44	490	80.8	0.6	2.9	0.0	15.7	3.5
乳房	C50	1,805	59.4	21.6	2.8	1.5	14.7	24.4
乳房 (女性ののみ)	C50	1,792	59.7	21.6	2.6	1.5	14.6	24.2
子宮	C53-C55	453	71.7	1.5	11.0	2.2	13.5	12.6
子宮頸部	C53	136	60.3	2.9	17.6	1.5	17.6	20.6
子宮体部	C54	309	78.6	1.0	8.4	2.6	9.4	9.4
卵巣	C56	206	18.4	1.0	47.1	12.6	20.9	48.1
前立腺	C61	1,074	50.6	0.5	15.6	0.3	33.1	16.1
膀胱	C67	549	77.4	1.1	6.7	1.1	13.7	7.8
腎・尿路 (膀胱除く)	C64-C66 C68	549	59.2	0.4	22.4	4.2	13.8	22.8
脳・中枢神経系	C70-C72	91	56.0	0.0	11.0	1.1	31.9	11.0
甲状腺	C73	493	42.4	36.1	6.9	1.6	13.0	43.0
悪性リンパ腫	C81-C85 C96	211	21.8	0.5	5.7	6.6	65.4	6.2
多発性骨髄腫	C88-C90	4	25.0	0.0	0.0	0.0	75.0	0.0
白血病	C91-C95	3	0.0	0.0	0.0	0.0	100.0	0.0

*1 D00、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

広島県

2015年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	19,328	17.9	44.4	8.2	10.1	4.7	14.7	18.3
食道	C15 D001	386	22.3	38.6	3.9	14.0	2.6	18.7	17.9
大腸 (結腸・直腸) *3	C18-C20 D010-D012	4,934	36.0	28.6	10.7	9.5	8.3	6.9	20.1
結腸 *3	C18 D010	3,397	39.7	26.8	9.2	9.6	8.4	6.1	18.9
直腸 *3	C19-C20 D011-D012	1,537	27.9	32.4	13.9	9.1	8.1	8.7	23.0
肺	C33-C34 D021-D022	1,427	0.4	62.2	8.8	6.0	3.5	19.1	14.8
皮膚	C43-C44 D030-D049	654	24.6	60.6	0.5	2.1	0.0	12.2	2.6
乳房	C50 D05	2,046	11.1	52.4	19.1	2.4	1.3	13.7	21.5
乳房 (女性のみ)	C50 D05	2,033	11.2	52.6	19.0	2.3	1.3	13.6	21.3
子宮	C53-C55 D06	1,001	54.4	32.5	0.7	5.0	1.0	6.4	5.7
子宮頸部	C53 D06	684	79.7	12.0	0.6	3.5	0.3	3.9	4.1
膀胱	C67 D090	1,076	48.1	39.5	0.6	3.4	0.6	7.8	4.0

*1 D00、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 受療割合 (%) : 部位別

A. 上皮内がんを除く

広島県 2015年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	22,411	29.8	16.5	11.2	9.4	27.8	7.9	3.7	28.8
口腔・咽頭	C00-C14	469	39.4	0.0	1.3	45.6	42.4	0.0	1.5	23.9
食道	C15	511	16.8	3.7	23.9	34.6	41.1	0.0	0.4	27.6
胃	C16	3,451	24.8	13.2	35.2	0.6	16.8	0.1	0.8	25.7
大腸 (結腸・直腸)	C18-C20	3,468	35.2	35.0	13.3	1.7	28.9	0.1	1.2	23.0
結腸	C18	2,264	37.0	34.1	13.6	0.4	26.9	0.2	1.3	23.4
直腸	C19-C20	1,204	31.9	36.7	12.8	4.2	32.6	0.0	1.1	22.3
肝および肝内胆管	C22	1,217	23.5	3.9	1.2	2.8	32.5	0.0	30.7	42.0
胆のう・胆管	C23-C24	446	35.9	3.1	25.6	1.8	29.6	0.0	4.3	37.0
膵臓	C25	832	25.2	0.8	16.0	3.8	46.5	0.0	5.9	40.3
喉頭	C32	112	19.6	0.0	4.5	72.3	47.3	0.0	4.5	17.0
肺	C33-C34	2,658	6.4	37.5	0.1	15.8	35.7	0.0	2.0	32.7
皮膚	C43-C44	527	71.0	0.0	0.0	4.0	2.1	0.0	1.5	26.6
乳房	C50	2,014	73.5	0.0	0.0	26.4	33.8	41.6	1.7	19.7
乳房 (女性のみの)	C50	2,000	73.7	0.1	0.0	26.5	33.9	41.6	1.8	19.6
子宮	C53-C55	570	58.6	7.0	0.2	14.6	32.6	0.5	0.9	21.6
子宮頸部	C53	219	47.5	1.8	0.5	32.9	41.6	0.5	1.4	20.5
子宮体部	C54	342	67.3	10.5	0.0	3.2	27.8	0.6	0.3	18.4
卵巣	C56	246	61.4	2.0	0.0	0.0	61.0	0.0	1.2	28.0
前立腺	C61	1,944	8.0	27.1	1.4	7.6	1.9	38.5	0.6	28.1
膀胱	C67	612	8.2	4.1	61.4	3.9	25.3	0.2	11.6	29.7
腎・尿路 (膀胱除く)	C64-C66 C68	656	20.6	48.6	0.9	2.7	13.3	0.2	1.7	26.7
脳・中枢神経系	C70-C72	133	52.6	0.0	0.8	48.9	43.6	0.0	1.5	39.8
甲状腺	C73	530	74.3	0.0	0.6	3.2	2.3	30.8	1.3	24.3
悪性リンパ腫	C81-C85 C96	849	9.1	0.8	0.9	7.1	56.8	0.2	3.5	37.7
多発性骨髄腫	C88-C90	194	1.0	0.0	0.0	7.7	47.4	2.6	4.1	51.5
白血病	C91-C95	272	0.0	0.0	0.0	0.7	71.0	0.4	10.7	31.3

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 受療割合 (%) : 部位別

B. 上皮内がんを含む

広島県

2015年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	26,059	29.2	14.7	16.5	8.4	24.3	7.0	3.4	27.8
食道	C15 D001	602	14.8	3.3	30.9	29.7	34.9	0.0	0.3	27.1
大腸 (結腸・直腸) *2	C18-C20 D010-D012	5,253	24.1	24.3	34.5	1.1	19.1	0.1	0.9	21.8
結腸 *2	C18 D010	3,618	24.0	22.8	36.7	0.2	16.9	0.1	0.9	22.0
直腸 *2	C19-C20 D011-D012	1,635	24.3	27.7	29.6	3.1	24.0	0.0	0.9	21.3
肺	C33-C34 D021-D022	2,666	6.4	37.5	0.1	15.8	35.6	0.0	2.0	32.7
皮膚	C43-C44 D030-D049	702	70.5	0.0	0.0	3.0	1.6	0.0	2.0	26.9
乳房	C50 D05	2,261	74.6	0.0	0.0	26.7	30.2	39.3	1.6	19.2
乳房 (女性のみ)	C50 D05	2,246	74.7	0.0	0.0	26.8	30.3	39.2	1.6	19.1
子宮	C53-C55 D06	1,151	70.0	5.0	1.0	7.2	16.2	0.3	2.0	17.3
子宮頸部	C53 D06	800	72.0	2.6	1.4	9.0	11.4	0.1	2.6	15.1
膀胱	C67 D090	1,159	4.6	3.1	62.0	2.1	20.7	0.4	10.2	31.1

*1 D00を除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 観血的治療の範囲 (%) : 部位別
A. 上皮内がんを除く

広島県 2015年

部位	ICD-10	外科・鏡視下 ・内視鏡治療数 *1	原発巣切除	姑息的な観血的治療	不明
全部位	C00-C96	12, 319	85.1	13.7	1.2
口腔・咽頭	C00-C14	191	76.4	22.5	1.0
食道	C15	215	85.6	13.5	0.9
胃	C16	2, 413	89.8	9.1	1.1
大腸 (結腸・直腸)	C18-C20	2, 637	82.3	16.1	1.6
結腸	C18	1, 730	81.7	16.6	1.7
直腸	C19-C20	907	83.4	15.1	1.5
肝および肝内胆管	C22	347	88.2	8.9	2.9
胆のう・胆管	C23-C24	257	51.4	47.5	1.2
膵臓	C25	319	54.9	43.6	1.6
喉頭	C32	27	63.0	33.3	3.7
肺	C33-C34	1, 092	91.9	7.5	0.5
皮膚	C43-C44	374	95.7	4.3	0.0
乳房	C50	1, 482	94.9	4.5	0.7
乳房 (女性ののみ)	C50	1, 474	94.9	4.4	0.7
子宮	C53-C55	375	92.0	6.7	1.3
子宮頸部	C53	109	87.2	11.9	0.9
子宮体部	C54	266	94.0	4.5	1.5
卵巣	C56	156	56.4	42.3	1.3
前立腺	C61	704	88.8	10.4	0.9
膀胱	C67	416	74.0	23.3	2.6
腎・尿路 (膀胱除く)	C64-C66 C68	458	91.5	7.6	0.9
脳・中枢神経系	C70-C72	70	37.1	57.1	5.7
甲状腺	C73	397	91.2	8.6	0.3
悪性リンパ腫	C81-C85 C96	90	27.8	66.7	5.6
多発性骨髄腫	C88-C90	2	50.0	50.0	0.0
白血病	C91-C95	0	0.0	0.0	0.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが1:あり

表7. 観血的治療の範囲 (%) : 部位別

B. 上皮内がんを含む

広島県

2015年

部位	ICD-10	外科・鏡視下 ・内視鏡治療数 *1	原発巣切除	姑息的な観血的治療	不明
全部位	C00-C96 D00-D09	15, 146	87.1	11.7	1.2
食道	C15 D001	282	88.7	10.6	0.7
大腸 (結腸・直腸) *2	C18-C20 D010-D012	4, 077	87.6	10.9	1.5
結腸 *2	C18 D010	2, 819	87.9	10.6	1.5
直腸 *2	C19-C20 D011-D012	1, 258	87.0	11.5	1.4
肺	C33-C34 D021-D022	1, 098	91.9	7.5	0.6
皮膚	C43-C44 D030-D049	495	96.4	3.4	0.2
乳房	C50 D05	1, 687	95.0	4.4	0.6
乳房 (女性のみ)	C50 D05	1, 679	95.1	4.3	0.6
子宮	C53-C55 D06	871	94.4	4.6	1.0
子宮頸部	C53 D06	605	94.5	4.6	0.8
膀胱	C67 D090	772	81.0	16.5	2.6

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1 : あり

*2 粘膜がんを含む

表8. 精度指標 : 部位別、性別

A. 上皮内がんを除く

広島県 2015年

部位	死亡/罹患比 (M1比)		死亡情報で初めて把握された症例 DCN (%)		死亡情報のみの症例 DCQ (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)						
	男	女	男	女	男	女	男	女	男	女					
	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数					
ICD-10															
全部位	0.36	0.35	0.36	0.36	4.6	2.7	2.3	3.3	2.7	89.1	88.5	88.9	86.2	85.7	86.0
C00-C96															
口腔・咽頭	0.37	0.31	0.35	0.35	2.1	4.2	0.9	3.5	1.7	95.8	94.4	95.4	93.7	93.7	93.7
C00-C14															
食道	0.38	0.59	0.42	0.42	2.3	5.6	2.1	4.4	2.5	94.5	90.0	93.7	94.5	90.0	93.7
C15															
胃	0.26	0.33	0.28	0.28	2.2	4.5	1.7	3.0	2.1	96.3	93.9	95.5	96.2	93.6	95.4
C16															
大腸 (結腸・直腸)	0.27	0.30	0.28	0.28	2.5	4.4	1.6	2.8	2.1	95.2	92.3	93.9	95.2	92.2	93.9
C18-C20															
結腸	0.26	0.33	0.30	0.30	2.8	5.4	2.0	3.4	2.7	94.2	90.4	92.4	94.2	90.2	92.3
C18															
直腸	0.27	0.22	0.25	0.25	1.9	1.9	0.9	1.3	1.1	96.8	96.8	96.8	96.8	96.8	96.8
C19-C20															
肝および肝内胆管	0.64	0.70	0.66	0.66	6.2	14.7	3.0	9.4	5.1	51.7	42.7	48.8	50.9	42.4	48.1
C22															
胆のう・胆管	0.66	0.72	0.69	0.69	7.2	18.3	3.6	10.0	6.7	79.1	66.8	73.2	68.3	51.5	60.3
C23-C24															
膵臓	0.77	0.82	0.80	0.80	9.7	17.4	4.5	8.9	6.7	70.3	63.2	66.7	57.4	54.5	55.9
C25															
喉頭	0.17	0.10	0.17	0.17	1.0	0.0	0.9	0.0	0.9	93.2	100.0	93.8	91.3	100.0	92.0
C32															
肺	0.64	0.54	0.61	0.61	7.2	9.0	4.1	4.5	4.2	83.7	83.4	83.6	72.6	73.5	72.9
C33-C34															
皮膚	0.07	0.07	0.07	0.07	1.2	0.7	0.9	0.7	0.9	99.2	98.9	99.1	98.8	98.9	98.9
C43-C44															
乳房	0.21	0.14	0.14	0.14	0.0	1.3	0.0	0.9	0.9	92.9	97.6	97.6	92.9	97.0	97.0
C50															
子宮	-	0.24	0.24	0.24	-	3.1	-	2.2	2.2	-	93.3	93.3	-	91.4	91.4
C53-C55															
子宮頸部	-	0.27	0.27	0.27	-	1.8	-	1.4	1.4	-	95.9	95.9	-	93.7	93.7
C53															
子宮体部	-	0.16	0.16	0.16	-	2.0	-	0.9	0.9	-	95.4	95.4	-	93.6	93.6
C54															
卵巣	-	0.40	0.40	0.40	-	2.8	-	1.6	1.6	-	90.4	90.4	-	87.6	87.6
C56															
前立腺	0.13	-	0.13	0.13	1.7	-	1.3	-	1.3	94.2	-	94.2	94.2	-	94.2
C61															
膀胱	0.27	0.42	0.30	0.30	2.6	6.9	1.6	5.4	2.4	94.6	87.7	93.1	92.2	84.6	90.6
C67															
腎・尿路 (膀胱除く)	0.31	0.41	0.34	0.34	2.8	7.6	4.3	3.8	2.4	88.3	82.0	86.3	84.6	79.1	82.9
C64-C66 C68															
脳・中枢神経系	0.34	0.41	0.37	0.37	10.0	14.1	6.3	9.4	7.6	72.5	71.9	72.2	71.3	71.9	71.5
C70-C72															
甲状腺	0.09	0.08	0.08	0.08	1.4	0.3	0.6	0.3	0.4	97.3	97.4	97.4	91.2	93.2	92.7
C73															
悪性リンパ腫	0.37	0.30	0.34	0.34	4.7	4.9	4.8	3.0	3.0	93.2	93.3	93.3	91.7	90.9	91.3
C81-C85 C96															
多発性骨髄腫	0.43	0.48	0.45	0.45	7.6	10.2	8.9	6.1	4.4	91.4	85.7	88.7	86.7	82.7	84.7
C88-C90															
白血病	0.67	0.71	0.69	0.69	4.2	5.3	4.6	4.4	3.2	98.8	97.3	98.2	87.5	85.0	86.5
C91-C95															

表8. 精度指標 : 部位別、性別

B. 上皮内がんを含む

広島県 2015年

部位	ICD-10	死亡/罹患比 (M1比)		死亡情報で初めて把握された症例 DGN (%)		死亡情報のみの症例 DCG (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)						
		男	女	男	女	男	女	男	女	男	女					
全部位	C00-C96 D00-D09	0.32	0.30	0.31	3.3	4.8	3.9	2.0	2.8	2.4	90.5	90.3	90.4	87.9	87.8	87.8
食道	C15 D001	0.33	0.49	0.35	2.0	4.6	2.4	1.8	3.7	2.1	95.3	91.7	94.6	95.3	91.7	94.6
大腸 (結腸・直腸) *1	C18-C20 D010-D012	0.17	0.22	0.19	1.6	3.1	2.2	1.0	2.0	1.4	97.0	94.5	96.0	97.0	94.4	95.9
結腸 *1	C18 D010	0.15	0.23	0.19	1.7	3.8	2.6	1.2	2.4	1.7	96.6	93.3	95.2	96.6	93.2	95.1
直腸 *1	C19-C20 D011-D012	0.19	0.17	0.19	1.3	1.5	1.4	0.7	1.0	0.8	97.7	97.5	97.6	97.7	97.5	97.6
肺	C33-C34 D021-D022	0.64	0.54	0.61	7.2	9.0	7.8	4.1	4.5	4.2	83.7	83.4	83.6	72.6	73.6	72.9
皮膚	C43-C44 D030-D049	0.05	0.05	0.05	0.9	0.5	0.7	0.9	0.5	0.7	99.4	99.2	99.3	99.1	99.2	99.2
乳房	C50 D05	0.20	0.12	0.12	0.0	1.1	1.1	0.0	0.8	0.8	93.3	97.9	97.8	93.3	97.2	97.1
子宮	C53-C55 D06	-	0.12	0.12	-	1.5	1.5	-	1.1	1.1	-	96.6	96.6	-	95.4	95.4
子宮頸部	C53 D06	-	0.08	0.08	-	0.5	0.5	-	0.4	0.4	-	98.9	98.9	-	97.8	97.8
膀胱	C67 D090	0.14	0.24	0.16	1.4	3.9	1.9	0.8	3.1	1.3	97.1	93.0	96.3	95.2	90.4	94.3

*1 粘膜がんを含む

表9. 死亡数、死亡割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)及び累積死亡率(人口100対) : 部位別、性別 広島県 2015年

部位	死亡数		死亡割合		粗死亡率		年齢調整死亡率		世界人口		累積死亡率(0-74歳)							
	男	女	男	女	男	女	男	女	男	女	男	女						
	ICD-10	ICD-10	男	女	男	女	男	女	男	女	男	女						
全部位	4,858	3,387	8,245	100.0	100.0	100.0	361.9	234.8	296.1	159.9	81.6	114.6	107.6	57.4	78.7	11.3	5.9	8.4
口腔・咽頭	123	44	167	2.5	1.3	2.0	9.2	3.1	6.0	4.2	0.7	2.2	2.9	0.5	1.6	0.3	0.0	0.2
食道	165	53	218	3.4	1.6	2.6	12.3	3.7	7.8	5.8	1.3	3.4	4.1	1.0	2.4	0.5	0.1	0.3
胃	636	360	996	13.1	10.6	12.1	47.4	25.0	35.8	20.8	8.1	13.6	13.9	5.6	9.2	1.5	0.6	1.0
大腸(結腸・直腸)	527	468	995	10.8	13.8	12.1	39.3	32.4	35.7	18.2	11.2	14.2	12.4	8.0	10.0	1.3	0.8	1.0
結腸	325	364	689	6.7	10.7	8.4	24.2	25.2	24.7	10.8	8.1	9.2	7.3	5.7	6.3	0.7	0.5	0.6
直腸	202	104	306	4.2	3.1	3.7	15.0	7.2	11.0	7.4	3.2	5.0	5.2	2.4	3.6	0.6	0.2	0.4
肝および肝内胆管	557	290	847	11.5	8.6	10.3	41.5	20.1	30.4	18.5	5.5	11.3	12.4	3.6	7.6	1.4	0.3	0.8
胆のう・胆管	164	166	330	3.4	4.9	4.0	12.2	11.5	11.8	5.1	3.1	4.0	3.3	2.1	2.6	0.3	0.2	0.3
膵臓	344	367	711	7.1	10.8	8.6	25.6	25.4	25.5	11.7	7.4	9.4	7.9	5.0	6.3	0.9	0.5	0.7
喉頭	18	1	19	0.4	0.0	0.2	1.3	0.1	0.7	0.5	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
肺	1,212	484	1,696	24.9	14.3	20.6	90.3	33.6	60.9	40.0	10.9	23.5	26.9	7.4	15.9	3.0	0.8	1.8
皮膚	18	20	38	0.4	0.6	0.5	1.3	1.4	1.4	0.6	0.5	0.5	0.4	0.3	0.4	0.0	0.0	0.0
乳房	3	279	282	0.1	8.2	3.4	0.2	19.3	10.1	0.1	9.9	5.2	0.0	7.3	3.8	0.0	0.9	0.4
子宮	-	140	-	-	4.1	-	-	9.7	-	-	5.3	-	-	4.0	-	-	0.4	-
子宮頸部	-	61	-	-	1.8	-	-	4.2	-	-	2.6	-	-	2.0	-	-	0.2	-
子宮体部	-	56	-	-	1.7	-	-	3.9	-	-	2.2	-	-	1.6	-	-	0.2	-
卵巣	-	99	-	-	2.9	-	-	6.9	-	-	3.4	-	-	2.5	-	-	0.3	-
前立腺	265	-	-	5.5	-	-	19.7	-	-	7.3	-	-	4.6	-	-	0.3	-	-
膀胱	132	55	187	2.7	1.6	2.3	9.8	3.8	6.7	3.7	0.8	2.0	2.4	0.5	1.3	0.2	0.0	0.1
腎・尿路(膀胱除く)	141	87	228	2.9	2.6	2.8	10.5	6.0	8.2	4.7	1.6	3.0	3.2	1.1	2.0	0.3	0.1	0.2
脳・中枢神経系	27	26	53	0.6	0.8	0.6	2.0	1.8	1.9	1.2	0.8	1.0	0.9	0.7	0.8	0.1	0.1	0.1
甲状腺	13	29	42	0.3	0.9	0.5	1.0	2.0	1.5	0.4	0.6	0.5	0.3	0.4	0.4	0.0	0.1	0.0
悪性リンパ腫	174	123	297	3.6	3.6	3.6	13.0	8.5	10.7	5.5	2.8	3.9	3.7	1.8	2.6	0.3	0.2	0.2
多発性骨髄腫	45	47	92	0.9	1.4	1.1	3.4	3.3	3.3	1.4	1.0	1.1	0.8	0.6	0.7	0.1	0.1	0.1
白血病	113	80	193	2.3	2.4	2.3	8.4	5.5	6.9	4.2	2.1	3.1	3.1	1.7	2.3	0.3	0.2	0.2

表11. 年齢階級別死亡率（人口10万対）

： 部位別、性別

広島県

2015年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	000-C97	4,858	0.0	0.0	3.1	1.5	1.6	2.9	6.4	12.2	26.6	39.4	88.3	174.9	358.5	612.9	930.5	1,335.3	2,086.4	3,045.4	0.0	
	口腔・咽頭	000-C14	123	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.9	0.0	2.4	4.9	18.4	15.7	15.8	31.9	48.4	78.2	0.0	
	食道	C15	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.4	4.9	22.7	25.8	46.1	47.0	48.4	58.6	0.0	
	胃	C16	636	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.7	4.4	16.9	17.2	50.9	74.7	122.5	166.3	302.0	390.8	0.0	
	大腸（結腸・直腸）	C18-C20	527	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.5	5.5	12.1	24.6	49.8	77.4	91.0	144.5	205.2	290.3	0.0	
	結腸	C18	325	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.8	3.3	8.5	8.6	29.2	35.9	57.0	95.7	138.3	206.6	0.0	
	直腸	C19-C20	202	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	2.2	3.6	16.0	20.6	41.5	34.0	48.7	66.9	83.7	0.0	
	肝および肝内胆管	C22	557	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.9	2.2	12.1	18.5	45.5	75.6	121.3	157.9	235.1	298.7	0.0	
	胆のう・胆管	C23-C24	164	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	10.8	18.4	25.5	37.0	99.1	111.7	0.0	
	膵臓	C25	344	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.2	7.3	14.8	27.1	55.3	66.7	110.9	131.4	164.7	0.0	0.0	
	喉頭	C32	18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	4.9	3.4	9.2	14.0	0.0
	肺	C33-C34	1,212	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.8	12.0	18.1	48.0	93.1	157.6	258.4	344.3	500.3	700.6	0.0	0.0
	皮膚	C43-C44	18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	2.8	2.4	6.7	9.2	8.4	0.0
	乳房	C50	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5.6	0.0
	前立腺	C61	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6.2	5.4	13.8	32.8	95.7	115.3	290.3	0.0
	膀胱	C67	132	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.2	2.5	3.2	12.0	17.0	23.5	64.6	150.7	0.0	
	腎・尿路（膀胱除く）	C64-C66 C68	141	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	3.7	3.3	2.4	3.7	3.2	18.4	32.8	28.6	66.9	89.3	0.0	
	脳・中枢神経系	C70-C72	27	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	1.8	1.1	1.2	0.0	4.3	1.8	7.3	10.1	0.0	8.4	0.0	
	甲状腺	C73	13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.1	0.9	2.4	3.4	9.2	5.6	0.0	
	悪性リンパ腫	C81-C85 C96	174	0.0	0.0	0.0	0.0	1.6	0.0	3.8	1.1	0.9	0.0	2.4	6.2	5.4	12.9	30.3	42.0	87.6	150.7	0.0	
	多発性骨髄腫	C88-C90	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.7	0.0	1.8	7.3	6.7	39.2	33.5	0.0	
	白血病	C91-C95	113	0.0	0.0	1.6	1.5	0.0	2.9	1.3	1.1	1.8	2.2	2.4	2.5	4.3	20.3	20.6	21.8	57.6	50.2	0.0	
	女	全部位	000-C97	3,387	3.4	0.0	4.9	1.6	0.0	4.6	9.4	17.2	27.3	47.4	104.1	120.6	207.4	267.5	355.2	537.5	881.2	1,339.6	0.0
		口腔・咽頭	000-C14	44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	2.1	0.0	2.1	3.8	7.1	32.8	0.0
		食道	C15	53	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	4.8	1.2	4.2	2.6	5.2	5.1	10.0	26.0	0.0
		胃	C16	360	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.3	0.0	2.2	9.6	15.5	25.0	23.9	32.0	56.2	87.0	163.9	0.0
		大腸（結腸・直腸）	C18-C20	468	0.0	0.0	0.0	0.0	0.0	3.1	0.0	2.3	0.9	6.6	21.5	14.3	38.6	34.2	36.1	67.7	115.5	199.0	0.0
		結腸	C18	364	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.9	5.5	15.5	8.4	20.8	26.5	28.9	53.6	91.3	166.2	0.0
		直腸	C19-C20	104	0.0	0.0	0.0	0.0	0.0	1.5	0.0	2.3	0.0	1.1	6.0	6.0	17.7	7.7	7.2	14.0	24.2	32.8	0.0
		肝および肝内胆管	C22	290	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	0.0	8.3	22.2	31.0	51.1	114.1	116.4	0.0
		胆のう・胆管	C23-C24	166	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.2	6.0	3.1	12.0	17.6	24.3	39.9	85.9	0.0
膵臓		C25	367	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.1	2.4	4.8	20.8	27.3	44.4	57.5	115.5	154.9	0.0		
喉頭		C32	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0		
肺		C33-C34	484	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	5.7	2.2	4.8	14.3	30.2	37.6	63.0	90.7	118.4	191.1	0.0	
皮膚		C43-C44	20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.2	0.0	1.7	1.0	3.8	4.3	9.0	0.0	
乳房		C50	279	0.0	0.0	0.0	0.0	0.0	0.0	1.3	6.9	3.8	11.0	16.7	29.9	25.0	43.6	35.1	37.0	48.5	50.9	0.0	
子宮		C53-C55	140	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	7.5	7.7	13.2	11.9	16.7	12.8	14.5	17.9	27.1	27.1	0.0	
子宮頸部		C53	61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	5.5	7.2	4.8	6.3	6.8	6.2	6.4	7.1	11.3	0.0	
子宮体部		C54	56	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.9	2.2	6.0	4.8	9.4	5.1	7.2	7.7	12.8	6.8	0.0	
卵巣		C56	99	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	1.9	6.6	7.2	4.8	11.5	9.4	12.4	12.8	21.4	22.6	0.0	
膀胱		C67	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.7	3.1	8.9	17.1	31.7	0.0		
腎・尿路（膀胱除く）		C64-C66 C68	87	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.1	0.0	2.4	3.1	2.6	6.2	15.3	21.4	49.7	0.0	
脳・中枢神経系		C70-C72	26	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.4	2.1	3.4	3.1	2.6	11.4	3.4	0.0	
甲状腺		C73	29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	3.4	6.2	1.3	8.6	10.2	
悪性リンパ腫		C81-C85 C96	123	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	2.4	4.8	3.1	8.5	12.4	33.2	38.5	41.8	0.0	
多発性骨髄腫		C88-C90	47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.2	1.0	1.7	5.2	10.2	14.3	20.3	0.0	
白血病		C91-C95	80	0.0	0.0	1.6	1.6	0.0	1.5	0.0	0.0	1.9	0.0	4.8	1.2	4.2	5.1	8.3	11.5	17.1	35.0	0.0	
総数		全部位	000-C97	8,245	1.7	0.0	4.0	1.5	0.8	3.8	7.9	14.6	27.0	43.4	96.2	147.3	281.5	433.7	619.7	882.1	1,341.8	1,831.3	0.0
		口腔・咽頭	000-C14	167	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.0	2.4	2.4	10.1	7.5	8.4	16.0	22.9	45.9	0.0
		食道	C15	218	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.6	3.6	3.0	13.3	13.7	24.0	23.2	24.7	35.4	0.0	
		胃	C16	996	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.7	1.9	3.3	13.2	16.4	37.7	48.3	73.6	103.7	169.2	229.3	0.0
		大腸（結腸・直腸）	C18-C20	995	0.0	0.0	0.0	0.0	0.0	1.5	0.0	2.3	3.3	6.0	16.8	19.4	44.1	55.0	61.4	100.8	149.8	225.3	0.0
		結腸	C18	689	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.1	1.4	4.4	12.0	8.5	25.0	31.0	41.8	71.8	109.2	177.8	0.0
	直腸	C19-C20	306	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.1	1.9	1.6	4.8	10.9	19.1	23.9	19.5	29.0	40.5	47.5	0.0	
	肝および肝内胆管	C22	847	0.8	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.5	1.6	6.6	9.1	26.6	47.9	72.5	97.2	160.3	169.0	0.0	
	胆のう・胆管	C23-C24	330	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.6	7.9	6.9	15.1	21.2	29.7	62.6	93.3			

表12. 5年相対生存率(%) : 部位別、性別

広島県 2010年

部位	男				女				総数	
	ICD-10	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
全部位		9,312	64.9	0.6	7,206	70.1	0.6	16,518	67.2	0.4
口腔・咽頭	C00-C096	185	70.8	4.1	94	76.0	5.4	279	72.6	3.3
食道	C15	302	44.9	3.2	59	50.8	7.4	361	45.8	3.0
胃	C16	1,820	69.9	1.4	883	65.6	2.0	2,703	68.5	1.1
大腸(結腸・直腸)	C18-C20	1,351	74.7	1.6	1,052	72.7	1.7	2,403	73.8	1.2
結腸	C18	839	73.2	2.1	756	72.6	2.0	1,595	72.9	1.5
直腸	C19-C20	512	77.2	2.4	296	73.1	3.1	808	75.7	1.9
肝および肝内胆管	C22	721	36.3	2.1	392	37.5	2.7	1,113	36.7	1.6
胆のう・胆管	C23-C24	167	24.3	3.8	170	24.9	3.7	337	24.7	2.7
膵臓	C25	298	8.0	1.7	254	8.9	1.9	552	8.4	1.3
喉頭	C32	71	83.1	6.6	6	100.0	0.0	77	84.7	6.1
肺	C33-C34	1,203	33.2	1.6	647	53.8	2.2	1,850	40.5	1.3
皮膚	C43-C44	163	91.7	4.7	209	96.9	4.3	372	95.2	3.2
乳房	C50	14	91.8	10.9	1,546	93.8	0.9	1,560	93.9	0.9
子宮	C53-C55	-	-	-	500	80.8	2.0	500	80.8	2.0
子宮頸部	C53	-	-	-	223	77.6	3.0	223	77.6	3.0
子宮体部	C54	-	-	-	273	83.4	2.6	273	83.4	2.6
卵巣	C56	-	-	-	175	62.6	3.9	175	62.6	3.9
前立腺	C61	1,479	99.3	1.3	-	-	-	1,479	99.3	1.3
膀胱	C67	317	83.0	3.4	94	61.9	6.3	411	78.2	3.0
腎・尿路(膀胱除く)	C64-C66 C68	300	76.4	3.2	131	65.7	4.8	431	73.4	2.7
脳・中枢神経系	C70-C72	52	41.1	7.2	29	17.6	7.2	81	32.7	5.4
甲状腺	C73	94	92.7	3.7	351	98.9	1.0	445	97.8	1.1
悪性リンパ腫	C81-C85 C96	293	70.6	3.3	257	70.4	3.3	550	70.5	2.3
多発性骨髄腫	C88-C90	66	54.7	7.4	54	50.2	7.6	120	52.5	5.3
白血病	C91-C95	117	30.0	4.5	94	46.0	5.6	211	37.1	3.6

*1 DCO、上皮内、診断時年齢100歳以上、第2がん以降を除く

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

広島県

2010年

部位	ICD-10	進展度・総合				男				女				総数			
		集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	標準誤差
全部位	C00-C96	4,045	93.6	0.8	0.2	3,332	94.0	0.7	0.5	7,377	93.8	0.7	0.5	7,377	93.8	0.7	0.5
		656	74.1	2.2	1.5	788	87.0	1.5	1.3	1,444	81.3	1.5	1.3	1,444	81.3	1.5	1.3
		1,540	49.0	1.5	1.0	1,057	51.3	1.7	1.3	2,597	50.0	1.7	1.1	2,597	50.0	1.7	1.1
		1,723	15.4	1.0	0.6	1,068	18.8	1.3	0.8	2,791	16.7	1.3	0.8	2,791	16.7	1.3	0.8
		1,137	58.9	1.9	0.6	796	50.8	2.1	1.4	1,933	55.5	2.1	1.4	1,933	55.5	2.1	1.4
		9,312	64.9	0.6	0.6	7,206	70.1	0.6	0.4	16,518	67.2	0.6	0.4	16,518	67.2	0.6	0.4
		2,196	56.6	1.3	1.3	1,845	66.8	1.3	0.9	4,041	61.3	1.3	0.9	4,041	61.3	1.3	0.9
胃	C16	963	99.1	1.4	1.4	454	96.8	2.1	1.2	1,417	98.4	2.1	1.2	1,417	98.4	2.1	1.2
		200	74.2	4.0	4.0	74	70.4	6.4	3.4	274	73.1	6.4	3.4	274	73.1	6.4	3.4
		187	39.0	4.1	4.1	79	30.5	5.7	3.3	266	36.4	5.7	3.3	266	36.4	5.7	3.3
		326	10.5	1.9	1.9	169	12.1	2.6	1.5	495	11.1	2.6	1.5	495	11.1	2.6	1.5
		142	39.6	5.1	5.1	107	38.5	6.2	4.0	249	39.1	6.2	4.0	249	39.1	6.2	4.0
		1,820	69.9	1.4	1.4	883	65.6	2.0	1.1	2,703	68.5	2.0	1.1	2,703	68.5	2.0	1.1
		387	57.2	3.0	3.0	153	49.9	4.6	2.5	540	55.1	4.6	2.5	540	55.1	4.6	2.5
大腸(結腸・直腸)	C18-C20	617	97.9	1.8	1.8	430	98.4	1.9	1.3	1,047	98.2	1.9	1.3	1,047	98.2	1.9	1.3
		223	85.8	3.5	3.5	181	87.7	3.5	2.5	404	87.4	3.5	2.5	404	87.4	3.5	2.5
		178	72.1	4.6	4.6	186	61.8	4.3	3.2	364	66.8	4.3	3.2	364	66.8	4.3	3.2
		258	16.8	2.5	2.5	197	20.3	3.1	1.9	455	18.3	3.1	1.9	455	18.3	3.1	1.9
		72	53.2	8.1	8.1	57	38.9	7.8	5.7	129	47.4	7.8	5.7	129	47.4	7.8	5.7
		1,351	74.7	1.6	1.6	1,052	72.7	1.7	1.2	2,403	73.8	1.7	1.2	2,403	73.8	1.7	1.2
		401	79.8	2.8	2.8	367	75.5	2.9	2.0	768	77.8	2.9	2.0	768	77.8	2.9	2.0
結腸	C18	364	99.7	2.4	2.4	307	97.9	2.3	1.7	671	98.9	2.3	1.7	671	98.9	2.3	1.7
		137	80.8	4.7	4.7	114	88.2	4.5	3.3	251	84.4	4.5	3.3	251	84.4	4.5	3.3
		113	70.8	6.0	6.0	149	65.9	4.9	3.8	262	68.0	4.9	3.8	262	68.0	4.9	3.8
		169	15.8	3.1	3.1	155	21.5	3.5	2.3	324	18.6	3.5	2.3	324	18.6	3.5	2.3
		53	53.0	9.7	9.7	31	30.6	10.0	7.2	84	45.6	10.0	7.2	84	45.6	10.0	7.2
		839	73.2	2.1	2.1	756	72.6	2.0	1.5	1,595	72.9	2.0	1.5	1,595	72.9	2.0	1.5
		250	76.3	3.8	3.8	263	76.7	3.5	2.6	513	76.9	3.5	2.6	513	76.9	3.5	2.6
直腸	C19-C20	253	94.5	2.8	2.8	123	96.6	3.4	2.2	376	95.6	3.4	2.2	376	95.6	3.4	2.2
		86	91.4	4.9	4.9	67	87.0	5.5	3.7	153	89.7	5.5	3.7	153	89.7	5.5	3.7
		65	74.0	7.3	7.3	37	45.6	9.1	5.8	102	63.6	9.1	5.8	102	63.6	9.1	5.8
		89	18.6	4.4	4.4	42	15.6	5.9	3.5	131	17.6	5.9	3.5	131	17.6	5.9	3.5
		19	49.2	14.5	14.5	26	47.6	11.9	9.2	45	51.1	11.9	9.2	45	51.1	11.9	9.2
		512	77.2	2.4	2.4	296	73.1	3.1	1.9	808	75.7	3.1	1.9	808	75.7	3.1	1.9
		151	84.2	4.3	4.3	104	72.5	5.2	3.3	255	79.4	5.2	3.3	255	79.4	5.2	3.3
肝および肝内胆管	C22	371	57.7	3.1	3.1	230	56.5	3.8	2.4	601	57.2	3.8	2.4	601	57.2	3.8	2.4
		9	12.4	13.0	13.0	3	33.5	28.2	12.3	12	18.0	28.2	12.3	12	18.0	28.2	12.3
		182	16.0	3.0	3.0	68	9.6	3.7	2.4	250	14.2	3.7	2.4	250	14.2	3.7	2.4
		81	4.3	2.6	2.6	40	5.9	4.3	2.2	121	5.1	4.3	2.2	121	5.1	4.3	2.2
		78	17.4	4.9	4.9	51	11.9	5.1	3.6	129	15.4	5.1	3.6	129	15.4	5.1	3.6
		721	36.3	2.1	2.1	392	37.5	2.7	1.6	1,113	36.7	2.7	1.6	1,113	36.7	2.7	1.6
		191	15.8	2.9	2.9	71	10.6	3.8	2.3	262	14.4	3.8	2.3	262	14.4	3.8	2.3
肺	C33-C34	310	78.7	3.3	3.3	268	97.2	2.1	2.0	578	88.0	2.1	2.0	578	88.0	2.1	2.0
		93	42.9	5.9	5.9	33	53.2	9.6	5.0	126	45.6	9.6	5.0	126	45.6	9.6	5.0
		224	30.2	3.5	3.5	85	42.4	6.1	3.1	309	33.6	6.1	3.1	309	33.6	6.1	3.1
		453	6.9	1.3	1.3	201	9.4	2.2	1.1	654	7.7	2.2	1.1	654	7.7	2.2	1.1
		109	15.7	4.1	4.1	52	15.6	6.0	3.4	161	15.7	6.0	3.4	161	15.7	6.0	3.4
		1,203	33.2	1.6	1.6	647	53.8	2.2	1.3	1,850	40.5	2.2	1.3	1,850	40.5	2.2	1.3
		317	33.9	3.0	3.0	118	45.5	5.2	2.6	435	37.1	5.2	2.6	435	37.1	5.2	2.6

表13. 5年相対生存率 (%) : 主要部位別、性別、進展度・総合別

広島県 2010年

部位	ICD-10	進展度・総合				男				女				総数			
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	
乳房	C50	限局	8	91.4	14.1	896	99.9	0.8	904	99.9	0.8	904	99.9	0.8			
		所り	3	67.8	29.5	332	92.8	1.8	335	92.7	1.8	335	92.7	1.8			
		隣接	0	100.0	0.0	98	90.4	5.1	101	91.2	4.9	101	91.2	4.9			
		遠隔	0	0.0	0.0	78	43.2	5.9	78	43.2	5.9	78	43.2	5.9			
		不明	0	0.0	0.0	139	80.2	3.9	139	80.2	3.9	139	80.2	3.9			
合計	14	91.8	10.9	1,546	93.8	0.9	1,560	93.9	0.9	1,560	93.9	0.9					
領域	6	85.3	17.1	430	92.3	1.8	436	92.3	1.8	436	92.3	1.8					
子宮	C53-C55	限局	-	-	-	299	94.1	1.7	299	94.1	1.7	299	94.1	1.7			
		所り	-	-	-	15	80.6	10.6	15	80.6	10.6	15	80.6	10.6			
		隣接	-	-	-	115	67.6	4.7	115	67.6	4.7	115	67.6	4.7			
		遠隔	-	-	-	35	24.3	7.7	35	24.3	7.7	35	24.3	7.7			
		不明	-	-	-	36	63.9	9.0	36	63.9	9.0	36	63.9	9.0			
合計	-	-	-	500	80.8	2.0	500	80.8	2.0	500	80.8	2.0					
領域	-	-	-	130	69.3	4.3	130	69.3	4.3	130	69.3	4.3					
子宮頸部	C53	限局	-	-	-	118	95.9	2.1	118	95.9	2.1	118	95.9	2.1			
		所り	-	-	-	8	100.0	0.0	8	100.0	0.0	8	100.0	0.0			
		隣接	-	-	-	65	59.9	6.5	65	59.9	6.5	65	59.9	6.5			
		遠隔	-	-	-	16	20.8	11.1	16	20.8	11.1	16	20.8	11.1			
		不明	-	-	-	16	46.7	13.7	16	46.7	13.7	16	46.7	13.7			
合計	-	-	-	223	77.6	3.0	223	77.6	3.0	223	77.6	3.0					
領域	-	-	-	73	64.5	6.0	73	64.5	6.0	73	64.5	6.0					
子宮体部	C54	限局	-	-	-	179	92.4	2.5	179	92.4	2.5	179	92.4	2.5			
		所り	-	-	-	7	57.8	19.5	7	57.8	19.5	7	57.8	19.5			
		隣接	-	-	-	49	79.2	6.4	49	79.2	6.4	49	79.2	6.4			
		遠隔	-	-	-	19	27.1	10.5	19	27.1	10.5	19	27.1	10.5			
		不明	-	-	-	19	72.2	11.7	19	72.2	11.7	19	72.2	11.7			
合計	-	-	-	273	83.4	2.6	273	83.4	2.6	273	83.4	2.6					
領域	-	-	-	56	76.8	6.2	56	76.8	6.2	56	76.8	6.2					
前立腺	C61	限局	771	100.0	1.3	-	-	-	771	100.0	1.3	-	-	-			
		所り	10	79.9	32.3	-	-	-	10	79.9	32.3	-	-	-			
		隣接	222	99.6	2.7	-	-	-	222	99.6	2.7	-	-	-			
		遠隔	117	50.9	5.8	-	-	-	117	50.9	5.8	-	-	-			
		不明	359	94.3	3.1	-	-	-	359	94.3	3.1	-	-	-			
合計	1,479	99.3	1.3	-	-	-	1,479	99.3	1.3	-	-	-					
領域	232	100.0	2.8	-	-	-	232	100.0	2.8	-	-	-					

*1 Dc0、上皮内、診断時年齢100歳以上、第2がん以降を除く

所り：所属リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：所属リンパ節転移＋隣接臓器浸潤

付表1. がん罹患数及び罹患率 : 詳細部位別、性別

広島県

2015年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率			年齢調整罹患率(人口10万対)						累積罹患率(0-74歳)		
		男	女	総数	男	女	総数	日本人口			世界人口			(人口100対)					
								男	女	総数	男	女	総数	男	女	総数			
全部位	C00-C96	13,304	9,735	23,039	100.0	100.0	100.0	978.1	665.7	816.2	502.2	351.1	414.0	355.4	263.4	301.7	42.5	29.2	35.4
口唇	C00	1	3	4	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	C01	7	1	8	0.1	0.0	0.0	0.5	0.1	0.3	0.3	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の舌	C02	66	47	113	0.5	0.5	0.5	4.9	3.2	4.0	2.9	1.8	2.3	2.1	1.4	1.7	0.2	0.1	0.2
歯肉	C03	34	35	69	0.3	0.4	0.3	2.5	2.4	2.4	1.2	0.8	1.0	0.8	0.6	0.6	0.1	0.1	0.1
口腔底	C04	19	1	20	0.1	0.0	0.1	1.4	0.1	0.7	0.9	0.0	0.5	0.7	0.0	0.4	0.1	0.0	0.0
口蓋	C05	8	1	9	0.1	0.0	0.0	0.6	0.1	0.3	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
その他および部位不明の口腔	C06	14	9	23	0.1	0.1	0.1	1.0	0.6	0.8	0.5	0.2	0.3	0.4	0.1	0.2	0.0	0.0	0.0
耳下腺	C07	19	13	32	0.1	0.1	0.1	1.4	0.9	1.1	0.9	0.5	0.7	0.8	0.3	0.6	0.1	0.0	0.1
その他および部位不明の大唾液腺	C08	13	7	20	0.1	0.1	0.1	1.0	0.5	0.7	0.5	0.3	0.4	0.4	0.2	0.3	0.1	0.0	0.0
扁桃	C09	10	3	13	0.1	0.0	0.1	0.7	0.2	0.5	0.5	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0
中咽頭	C10	34	3	37	0.3	0.0	0.2	2.5	0.2	1.3	1.4	0.1	0.7	1.1	0.1	0.5	0.1	0.0	0.1
鼻<上>咽頭	C11	10	3	13	0.1	0.0	0.1	0.7	0.2	0.5	0.5	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0
梨状陥凹<洞>	C12	61	9	70	0.5	0.1	0.3	4.5	0.6	2.5	2.5	0.4	1.3	1.8	0.3	1.0	0.2	0.0	0.1
下咽頭	C13	35	6	41	0.3	0.1	0.2	2.6	0.4	1.5	1.4	0.2	0.7	1.0	0.1	0.5	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	4	1	5	0.0	0.0	0.0	0.3	0.1	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
食道	C15	434	90	524	3.3	0.9	2.3	31.9	6.2	18.6	16.8	3.0	9.4	12.0	2.2	6.8	1.6	0.3	0.9
胃	C16	2,418	1,107	3,525	18.2	11.4	15.3	177.8	75.7	124.9	88.9	30.8	57.1	61.8	21.7	40.1	7.7	2.6	5.0
小腸	C17	69	35	104	0.5	0.4	0.5	5.1	2.4	3.7	2.7	1.2	1.9	2.0	0.8	1.4	0.2	0.1	0.2
結腸	C18	1,230	1,096	2,326	9.2	11.3	10.1	90.4	74.9	82.4	46.3	31.5	38.2	32.6	22.4	27.0	3.9	2.7	3.3
直腸S状結腸移行部	C19	179	118	297	1.3	1.2	1.3	13.2	8.1	10.5	7.4	4.1	5.6	5.4	2.9	4.1	0.7	0.3	0.5
直腸	C20	575	345	920	4.3	3.5	4.0	42.3	23.6	32.6	23.7	12.4	17.5	17.2	9.2	12.9	2.1	1.1	1.6
肛門および肛門管	C21	10	16	26	0.1	0.2	0.1	0.7	1.1	0.9	0.4	0.5	0.4	0.3	0.3	0.3	0.0	0.0	0.0
肝および肝内胆管	C22	867	415	1,282	6.5	4.3	5.6	63.7	28.4	45.4	31.8	9.2	19.6	21.7	6.0	13.3	2.6	0.6	1.6
胆のう	C23	92	107	199	0.7	1.1	0.9	6.8	7.3	7.1	3.1	2.3	2.6	2.1	1.6	1.8	0.2	0.2	0.2
その他および部位不明の胆道	C24	157	122	279	1.2	1.3	1.2	11.5	8.3	9.9	5.0	2.8	3.8	3.3	1.9	2.5	0.4	0.2	0.3
膵臓	C25	444	448	892	3.3	4.6	3.9	32.6	30.6	31.6	16.3	10.9	13.4	11.5	7.4	9.4	1.4	0.8	1.1
その他および部位不明の消化器	C26	26	15	41	0.2	0.2	0.2	1.9	1.0	1.5	1.1	0.4	0.8	0.8	0.3	0.5	0.1	0.0	0.1
鼻腔および中耳	C30	9	5	14	0.1	0.1	0.1	0.7	0.3	0.5	0.4	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0
副鼻腔	C31	17	7	24	0.1	0.1	0.1	1.2	0.5	0.9	0.8	0.2	0.5	0.6	0.1	0.3	0.1	0.0	0.0
喉頭	C32	103	10	113	0.8	0.1	0.5	7.6	0.7	4.0	3.7	0.3	1.8	2.6	0.2	1.3	0.3	0.0	0.2
気管	C33	1	1	2	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
気管支および肺	C34	1,883	890	2,773	14.2	9.1	12.0	138.4	60.9	98.2	67.7	26.3	44.7	46.6	18.8	31.3	5.7	2.4	4.0
胸腺	C37	20	17	37	0.2	0.2	0.2	1.5	1.2	1.3	1.1	0.8	0.9	0.8	0.6	0.7	0.1	0.1	0.1
心臓、縦隔および胸膜	C38	9	2	11	0.1	0.0	0.0	0.7	0.1	0.4	0.6	0.0	0.3	0.6	0.0	0.3	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 眼の骨および関節軟骨	C40	6	6	12	0.0	0.1	0.1	0.4	0.4	0.4	0.5	0.3	0.4	0.5	0.4	0.4	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	11	12	23	0.1	0.1	0.1	0.8	0.8	0.8	0.6	0.7	0.6	0.4	0.7	0.6	0.0	0.1	0.0
皮膚の悪性黒色腫	C43	10	21	31	0.1	0.2	0.1	0.7	1.4	1.1	0.4	0.8	0.6	0.3	0.7	0.5	0.0	0.1	0.1
皮膚のその他	C44	243	258	501	1.8	2.7	2.2	17.9	17.6	17.7	7.9	5.4	6.5	5.3	3.8	4.5	0.5	0.4	0.4
中皮腫	C45	44	3	47	0.3	0.0	0.2	3.2	0.2	1.7	1.5	0.0	0.7	1.0	0.0	0.5	0.1	0.0	0.1
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	16	41	57	0.1	0.4	0.2	1.2	2.8	2.0	1.1	1.4	1.3	1.2	1.0	1.1	0.1	0.1	0.1
その他の結合組織および軟部組織	C49	29	26	55	0.2	0.3	0.2	2.1	1.8	1.9	1.2	0.9	1.0	0.9	0.7	0.8	0.1	0.1	0.1
乳房	C50	14	2,018	2,032	0.1	20.7	8.8	1.0	138.0	72.0	0.5	97.8	50.4	0.4	75.4	38.7	0.0	8.3	4.3
外陰	C51	-	20	-	-	0.2	-	-	1.4	-	-	0.5	-	-	0.3	-	-	0.0	-
陰	C52	-	6	-	-	0.1	-	-	0.4	-	-	0.2	-	-	0.2	-	-	0.0	-
子宮頸部	C53	-	222	-	-	2.3	-	-	15.2	-	-	13.0	-	-	10.3	-	-	1.0	-
子宮体部	C54	-	345	-	-	3.5	-	-	23.6	-	-	17.5	-	-	13.6	-	-	1.5	-
子宮部位不明	C55	-	16	-	-	0.2	-	-	1.1	-	-	0.3	-	-	0.2	-	-	0.0	-
卵巣	C56	-	250	-	-	2.6	-	-	17.1	-	-	12.9	-	-	10.4	-	-	1.1	-
その他および部位不明の女性生殖器	C57	-	9	-	-	0.1	-	-	0.6	-	-	0.3	-	-	0.3	-	-	0.0	-
陰茎	C58	-	1	-	-	0.0	-	-	0.1	-	-	0.0	-	-	0.0	-	-	0.0	-
陰嚢	C60	13	-	-	-	0.1	-	-	1.0	-	-	0.5	-	-	0.3	-	-	0.0	-
前立腺	C61	1,970	-	-	-	14.8	-	-	144.8	-	-	68.8	-	-	46.6	-	-	6.1	-
精巣	C62	38	-	-	-	0.3	-	-	2.8	-	-	2.9	-	-	2.4	-	-	0.2	-
その他および部位不明の男性生殖器	C63	12	-	-	-	0.1	-	-	0.9	-	-	0.4	-	-	0.2	-	-	0.0	-
腎盂を除く腎	C64	291	140	431	2.2	1.4	1.9	21.4	9.6	15.3	13.1	5.1	8.9	9.6	3.9	6.6	1.1	0.4	0.8
腎盂	C65	83	28	111	0.6	0.3	0.5	6.1	1.9	3.9	2.8	0.7	1.6	1.9	0.5	1.1	0.2	0.1	0.1
尿管	C66	84	40	124	0.6	0.4	0.5	6.2	2.7	4.4	2.7	0.7	1.6	1.8	0.5	1.1	0.2	0.0	0.1
膀胱	C67	497	130	627	3.7	1.3	2.7	36.5	8.9	22.2	17.8	2.9	9.6	13.2	1.9	6.6	1.4	0.2	0.8
その他および部位不明の泌尿器	C68	3	3	6	0.0	0.0	0.0	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
眼および付属器	C69	6	4	10	0.0	0.0	0.0	0.4	0.3	0.4	0.4	0.3	0.3	0.5	0.3	0.4	0.0	0.0	0.0
瞳膜	C70	1	4	5	0.0	0.0	0.0	0.1	0.3	0.2	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.0	0.0
脳	C71	74	53	127	0.6	0.5	0.6	5.4	3.6	4.5	3.7	2.4	3.0	3.3	2.1	2.6	0.3	0.2	0.2
脊髄、脳神経および中枢神経系のその他の部位	C72</																		

付表1. がん罹患数及び罹患率 : 詳細部位別、性別

広島県

2015年

部位	ICD-10	罹患数		罹患割合(%)			粗罹患率 (人口10万対)			年齢調整罹患率(人口10万対)						累積罹患率(0-74歳) (人口100対)			
		男	女	総数	男	女	総数	男	女	総数	日本人口			世界人口			男	女	総数
											男	女	総数	男	女	総数			
上皮内がん																			
全部位	D00-D09	1,912	1,736	3,648	14.4	17.8	15.8	140.6	118.7	129.2	78.4	93.1	83.8	56.4	74.0	63.9	7.1	7.3	7.1
口腔、食道および胃	D00	102	33	135	0.8	0.3	0.6	7.5	2.3	4.8	4.1	1.3	2.6	3.0	0.9	1.9	0.4	0.1	0.3
食道	D001	72	19	91	0.5	0.2	0.4	5.3	1.3	3.2	2.9	0.7	1.7	2.1	0.5	1.3	0.3	0.1	0.2
その他および部位不明の消化器	D01	1,233	654	1,887	9.3	6.7	8.2	90.6	44.7	66.9	53.6	24.3	38.1	39.2	17.8	28.0	5.1	2.2	3.6
結腸	D010	880	474	1,354	6.6	4.9	5.9	64.7	32.4	48.0	37.9	17.6	27.1	27.6	13.0	19.9	3.6	1.6	2.6
直腸S状結腸移行部	D011	58	20	78	0.4	0.2	0.3	4.3	1.4	2.8	2.5	0.8	1.6	1.9	0.6	1.2	0.2	0.1	0.2
直腸	D012	235	118	353	1.8	1.2	1.5	17.3	8.1	12.5	10.6	4.3	7.3	7.9	3.1	5.4	1.0	0.4	0.7
中耳および呼吸器系	D02	18	5	23	0.1	0.1	0.1	1.3	0.3	0.8	0.8	0.2	0.5	0.6	0.1	0.4	0.1	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	6	2	8	0.0	0.0	0.0	0.4	0.1	0.3	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0
上皮内黒色腫	D03	3	7	10	0.0	0.1	0.0	0.2	0.5	0.4	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
皮膚のその他	D04	75	90	165	0.6	0.9	0.7	5.5	6.2	5.8	2.3	1.6	1.9	1.4	1.0	1.2	0.1	0.1	0.1
乳房	D05	1	246	247	0.0	2.5	1.1	0.1	16.8	8.8	0.0	12.7	6.5	0.0	9.9	5.0	0.0	1.1	0.6
子宮頸部	D06	-	581	581	-	6.0	2.5	-	39.7	20.6	-	48.4	23.9	-	40.8	20.1	-	3.3	1.6
その他および部位不明の性器	D07	11	16	27	0.1	0.2	0.1	0.8	1.1	1.0	0.4	1.0	0.7	0.2	0.9	0.5	0.0	0.1	0.0
その他および部位不明	D09	469	104	573	3.5	1.1	2.5	34.5	7.1	20.3	17.1	3.2	9.5	11.8	2.2	6.6	1.4	0.3	0.8
膀胱	D090	449	98	547	3.4	1.0	2.4	33.0	6.7	19.4	16.3	3.1	9.0	11.3	2.1	6.3	1.4	0.3	0.8
良性腫瘍																			
髄膜	D32	42	141	183	0.3	1.4	0.8	3.1	9.6	6.5	2.0	6.1	4.2	1.6	4.6	3.1	0.2	0.5	0.4
脳および中枢神経系	D33	17	20	37	0.1	0.2	0.2	1.2	1.4	1.3	0.8	1.4	1.1	0.6	1.3	0.9	0.1	0.1	0.1
下垂体、頭蓋咽頭管、松果体	D352-D354	101	115	216	0.8	1.2	0.9	7.4	7.9	7.7	5.3	7.5	6.3	4.1	6.2	5.1	0.5	0.6	0.5
性状不詳または不明の腫瘍																			
髄膜	D42	7	12	19	0.1	0.1	0.1	0.5	0.8	0.7	0.3	0.5	0.4	0.2	0.4	0.3	0.0	0.0	0.0
脳および中枢神経系	D43	23	25	48	0.2	0.3	0.2	1.7	1.7	1.7	1.4	1.0	1.2	1.5	0.7	1.1	0.1	0.1	0.1
下垂体、頭蓋咽頭管、松果体	D443-D445	16	18	34	0.1	0.2	0.1	1.2	1.2	1.2	1.1	1.2	1.1	0.9	1.1	1.0	0.1	0.1	0.1
真正赤血球増多症	D45	8	6	14	0.1	0.1	0.1	0.6	0.4	0.5	0.4	0.3	0.3	0.3	0.2	0.3	0.0	0.0	0.0
骨髄異形成症候群	D46	150	103	253	1.1	1.1	1.1	11.0	7.0	9.0	5.0	2.6	3.6	3.3	1.9	2.5	0.3	0.2	0.3
慢性骨増殖性疾患他	D47	36	34	70	0.3	0.3	0.3	2.6	2.3	2.5	1.6	1.3	1.4	1.1	1.0	1.0	0.1	0.1	0.1

付表2. がん死亡数及び死亡率 : 詳細部位別、性別

広島県

2015年

部位	ICD-10	死亡数			死亡割合(%)			粗死亡率(人口10万対)			年齢調整死亡率(人口10万対)			累積死亡率(0-74歳)(人口100対)					
		男	女	総数	男	女	総数	男	女	総数	日本人口		世界人口		男	女	総数		
											男	女	男	女					
全部位	C00-C97	4,858	3,387	8,245	100.0	100.0	100.0	361.9	234.8	296.1	159.9	81.6	114.6	107.6	57.4	78.7	11.3	5.9	8.4
口唇	C00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	C01	2	0	2	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	C02	15	16	31	0.3	0.5	0.4	1.1	1.1	1.1	0.6	0.2	0.4	0.5	0.2	0.3	0.1	0.0	0.0
歯肉	C03	23	7	30	0.5	0.2	0.4	1.7	0.5	1.1	0.7	0.1	0.3	0.4	0.0	0.2	0.0	0.0	0.0
口腔底	C04	4	0	4	0.1	0.0	0.0	0.3	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
口蓋	C05	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	C06	5	8	13	0.1	0.2	0.2	0.4	0.6	0.5	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
耳下腺	C07	11	2	13	0.2	0.1	0.2	0.8	0.1	0.5	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	C08	4	2	6	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
扁桃	C09	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	C10	16	4	20	0.3	0.1	0.2	1.2	0.3	0.7	0.5	0.1	0.3	0.4	0.0	0.2	0.0	0.0	0.0
鼻<上>咽頭	C11	9	0	9	0.2	0.0	0.1	0.7	0.0	0.3	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
梨状陥凹<洞>	C12	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	C13	22	3	25	0.5	0.1	0.3	1.6	0.2	0.9	0.7	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
その他および部位不明の口唇、口腔および咽頭	C14	10	2	12	0.2	0.1	0.1	0.7	0.1	0.4	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
食道	C15	165	53	218	3.4	1.6	2.6	12.3	3.7	7.8	5.8	1.3	3.4	4.1	1.0	2.4	0.5	0.1	0.3
胃	C16	636	360	996	13.1	10.6	12.1	47.4	25.0	35.8	20.8	8.1	13.6	13.9	5.6	9.2	1.5	0.6	1.0
小腸	C17	18	14	32	0.4	0.4	0.4	1.3	1.0	1.1	0.5	0.4	0.5	0.4	0.3	0.3	0.1	0.0	0.0
結腸	C18	325	364	689	6.7	10.7	8.4	24.2	25.2	24.7	10.8	8.1	9.2	7.3	5.7	6.3	0.7	0.5	0.6
直腸S状結腸移行部	C19	5	5	10	0.1	0.1	0.1	0.4	0.3	0.4	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0
直腸	C20	197	99	296	4.1	2.9	3.6	14.7	6.9	10.6	7.2	3.1	4.9	5.1	2.3	3.5	0.6	0.2	0.4
肛門および肛門管	C21	7	8	15	0.1	0.2	0.2	0.5	0.6	0.5	0.2	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.0
肝および肝内胆管	C22	557	290	847	11.5	8.6	10.3	41.5	20.1	30.4	18.5	5.5	11.3	12.4	3.6	7.6	1.4	0.3	0.8
胆のう	C23	58	78	136	1.2	2.3	1.6	4.3	5.4	4.9	1.8	1.5	1.6	1.2	1.1	1.1	0.1	0.1	0.1
その他および部位不明の胆道	C24	106	88	194	2.2	2.6	2.4	7.9	6.1	7.0	3.3	1.6	2.3	2.1	1.0	1.5	0.2	0.1	0.1
膵臓	C25	344	367	711	7.1	10.8	8.6	25.6	25.4	25.5	11.7	7.4	9.4	7.9	5.0	6.3	0.9	0.5	0.7
その他および部位不明の消化器	C26	12	3	15	0.2	0.1	0.2	0.9	0.2	0.5	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
鼻腔および中耳	C30	2	5	7	0.0	0.1	0.1	0.1	0.3	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0
副鼻腔	C31	4	2	6	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
喉頭	C32	18	1	19	0.4	0.0	0.2	1.3	0.1	0.7	0.5	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	1,212	484	1,696	24.9	14.3	20.6	90.3	33.6	60.9	40.0	10.9	23.5	26.9	7.4	15.9	3.0	0.8	1.8
胸腺	C37	6	8	14	0.1	0.2	0.2	0.4	0.6	0.5	0.2	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
心臓、縦隔および胸膜	C38	2	1	3	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 眼の骨および関節軟骨	C40	0	2	2	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	2	4	6	0.0	0.1	0.1	0.1	0.3	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	8	8	16	0.2	0.2	0.2	0.6	0.6	0.6	0.3	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.0
皮膚のその他	C44	10	12	22	0.2	0.4	0.3	0.7	0.8	0.8	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
中皮腫	C45	43	6	49	0.9	0.2	0.6	3.2	0.4	1.8	1.3	0.1	0.6	0.9	0.0	0.4	0.1	0.0	0.0
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
後腹膜および腹膜	C48	7	25	32	0.1	0.7	0.4	0.5	1.7	1.1	0.3	0.6	0.5	0.3	0.4	0.3	0.0	0.0	0.0
その他の結合組織および軟部組織	C49	14	10	24	0.3	0.3	0.3	1.0	0.7	0.9	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
乳房	C50	3	279	282	0.1	8.2	3.4	0.2	19.3	10.1	0.1	9.9	5.2	0.0	7.3	3.8	0.0	0.9	0.4
外陰	C51	0	4	4	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰	C52	0	1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	C53	0	61	61	0.0	1.8	0.7	0.0	4.2	2.2	0.0	2.6	1.3	0.0	2.0	1.0	0.0	0.2	0.1
子宮体部	C54	0	56	56	0.0	1.7	0.7	0.0	3.9	2.0	0.0	2.2	1.1	0.0	1.6	0.8	0.0	0.2	0.1
子宮部位不明	C55	0	23	23	0.0	0.7	0.3	0.0	1.6	0.8	0.0	0.6	0.3	0.0	0.4	0.2	0.0	0.0	0.0
卵巣	C56	0	99	99	0.0	2.9	1.2	0.0	6.9	3.6	0.0	3.4	1.8	0.0	2.5	1.3	0.0	0.3	0.1
その他および部位不明の女性生殖器	C57	0	3	3	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰茎	C58	0	1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰嚢	C60	2	0	2	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	C61	265	0	265	5.5	0.0	3.2	19.7	0.0	9.5	7.3	0.0	2.9	4.6	0.0	1.8	0.3	0.0	0.1
精巣	C62	2	0	2	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
その他および部位不明の男性生殖器	C63	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
腎盂を除く腎	C64	59	39	98	1.2	1.2	1.2	4.4	2.7	3.5	2.0	0.7	1.3	1.4	0.5	0.9	0.2	0.0	0.1
腎盂	C65	39	20	59	0.8	0.6	0.7	2.9	1.4	2.1	1.4	0.5	0.9	0.9	0.3	0.6	0.1	0.0	0.1
尿管	C66	31	23	54	0.6	0.7	0.7	2.3	1.6	1.9	1.0	0.3	0.6	0.6	0.2	0.4	0.1	0.0	0.0
膀胱	C67	132	55	187	2.7	1.6	2.3	9.8	3.8	6.7	3.7	0.8	2.0	2.4	0.5	1.3	0.2	0.0	0.1
その他および部位不明の泌尿器	C68	12	5	17	0.2	0.1	0.2	0.9	0.3	0.6	0.4	0.1	0.2	0.3	0.0	0.1	0.0	0.0	0.0
眼および付属器	C69	1	2	3	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0
髄膜	C70	0	2	2	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0						

付表2. がん死亡数及び死亡率 : 詳細部位別、性別

広島県

2015年

部位	ICD-10	死亡数		死亡割合(%)			粗死亡率 (人口10万対)			年齢調整死亡率(人口10万対)						累積死亡率(0-74歳) (人口100対)			
		男	女	総数	男	女	総数	男	女	総数	日本人口			世界人口			男	女	総数
											男	女	総数	男	女	総数			
良性腫瘍																			
髄膜	D32	2	2	4	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の内分腺	D35	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳または不明の腫瘍																			
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	24	25	49	0.5	0.7	0.6	1.8	1.7	1.8	1.0	0.6	0.8	0.9	0.5	0.7	0.1	0.0	0.0
内分泌腺	D44	1	2	3	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	69	34	103	1.4	1.0	1.2	5.1	2.4	3.7	1.9	0.5	1.1	1.2	0.3	0.7	0.1	0.0	0.0
リンパ組織、造血組織および関連組織	D47	5	1	6	0.1	0.0	0.1	0.4	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0

付表3. 受療割合詳細 (%) : 部位別

A. 上皮内がんを除く

広島県 2015年

部位	ICD-10	集計対象数*1	手術のみ	内視鏡のみ	手術+内視鏡	放射線のみ	放射線+薬物療法のみ	放射線+薬物	薬物+その他	手術/内視鏡+放射線	手術/内視鏡+薬物	手術/内視鏡+放射線+その他	手術/内視鏡+放射線+薬物+その他	他の組合せ	治療なし
全部位	000-C96	22,411	25.6	7.9	1.5	1.8	11.1	3.5	1.4	0.9	15.0	0.6	3.0	1.5	28.8
口腔・咽頭	000-C14	469	20.9	0.9	0.0	7.2	4.9	24.1	0.0	5.1	4.5	0.6	8.7	20.5	23.9
食道	C15	511	6.7	18.4	2.2	5.5	4.7	22.3	0.0	0.8	8.0	0.0	6.1	18.8	27.6
胃	C16	3,451	23.9	32.0	2.8	0.2	5.6	0.2	0.1	0.1	10.8	0.2	0.1	3.2	25.7
大腸(結腸・直腸)	C18-C20	3,468	37.4	6.4	5.2	0.2	2.1	0.2	0.0	0.0	25.1	0.3	1.2	3.3	23.0
結腸	C18	2,264	39.2	5.8	6.1	0.1	2.1	0.0	0.0	0.0	24.4	0.2	0.2	4.9	23.4
直腸	C19-C20	1,204	34.0	7.6	3.6	0.4	2.2	0.5	0.0	0.0	26.2	0.4	3.2	8.1	22.3
肝および肝内胆管	C22	1,217	21.6	0.6	0.1	0.7	6.3	0.7	19.1	0.0	2.5	1.0	0.1	14.5	42.0
胆のう・胆管	C23-C24	446	19.1	13.2	4.3	0.0	9.0	0.2	0.4	0.7	18.6	0.4	0.9	24.0	37.0
膵臓	C25	832	6.7	6.9	1.2	0.8	21.8	1.3	0.7	0.4	21.0	0.6	1.0	15.0	40.3
喉頭	C32	112	4.5	2.7	0.0	23.2	0.0	33.0	0.9	5.4	2.7	0.9	8.0	83.9	17.0
肺	C33-C34	2,658	29.1	0.0	0.0	5.5	14.6	8.6	0.7	0.2	10.3	0.1	1.3	4.6	32.7
皮膚	C43-C44	527	68.1	0.0	0.0	2.1	0.4	0.9	0.0	0.9	0.4	1.1	0.0	17.8	26.6
乳房	C50	2,014	12.2	0.0	0.0	0.1	6.4	0.5	0.2	5.5	35.6	0.2	19.2	4.8	19.7
乳房(女性のみに)	C50	2,000	12.2	0.0	0.0	0.1	6.5	0.5	0.3	5.5	35.5	0.2	19.3	4.8	19.6
子宮	C53-C55	570	42.6	0.0	0.0	3.7	2.8	8.1	0.0	0.9	20.0	0.2	1.8	16.7	21.6
子宮頸部	C53	219	30.1	0.0	0.0	6.4	4.1	20.1	0.0	1.8	12.8	0.5	4.1	42.9	20.5
子宮体部	C54	342	51.8	0.0	0.0	2.0	2.0	0.6	0.0	0.3	25.1	0.0	0.3	27.5	18.4
卵巣	C56	246	11.8	0.0	0.0	0.0	8.9	0.0	0.4	0.0	51.6	0.0	0.0	39.0	28.0
前立腺	C61	1,944	29.8	0.8	0.1	2.5	29.5	4.7	0.1	0.2	4.9	0.3	0.3	5.0	28.1
膀胱	C67	612	3.6	30.9	2.6	0.7	3.1	0.3	0.2	1.0	17.5	8.0	1.5	15.7	29.7
腎・尿路(膀胱除く)	C64-C66 C68	656	59.5	0.6	0.0	0.8	3.8	0.9	0.0	0.2	7.6	0.9	0.8	14.8	26.7
脳・中枢神経系	C70-C72	133	14.3	0.0	0.0	6.0	0.0	8.3	0.0	3.0	3.8	0.0	31.6	72.2	39.8
甲状腺	C73	530	40.0	0.0	0.0	0.2	0.6	0.4	0.0	1.5	30.9	1.3	1.1	17.7	24.3
悪性リンパ腫	C81-C85 C96	849	4.0	0.2	0.0	2.4	45.1	3.9	1.6	0.1	5.4	0.0	0.7	12.8	37.7
多発性骨髄腫	C88-C90	194	0.5	0.0	0.0	2.1	40.7	5.2	3.1	0.5	0.0	0.0	0.0	49.5	51.5
白血病	C91-C95	272	0.0	0.0	0.0	0.0	61.4	0.0	9.2	0.0	0.0	0.0	0.0	35.3	31.3

*1 D60を除く総数

付表3. 受療割合詳細 (%) : 部位別

B. 上皮内がんを含む

広島県 2015年

部位	ICD-10	集計対象数 *1	手術のみ	内視鏡のみ	手術 +内視鏡	放射線のみ	放射線のみ +薬物療法のみ	放射線 +薬物	薬物 +その他	手術/内視鏡 +放射線 +その他	手術/内視鏡 +放射線 +その他	手術/内視鏡 +放射線 +その他	他の組合せ	治療なし
全部位	C00-C96 D00-D09	26,059	25.6	13.1	1.4	1.6	9.5	3.0	1.2	1.0	13.3	0.7	2.6	27.8
食道	C15 D001	602	6.1	26.1	2.0	5.0	4.0	18.9	0.0	0.7	6.8	0.0	5.1	27.1
大腸 (結腸・直腸) *2	C18-C20 D010-D012	5,253	26.4	29.6	3.7	0.1	1.4	0.1	0.0	0.0	16.5	0.2	0.8	21.8
結腸 *2	C18 D010	3,618	26.5	31.5	4.1	0.1	1.3	0.0	0.0	0.0	15.3	0.2	0.1	22.0
直腸 *2	C19-C20 D011-D012	1,635	26.3	25.5	2.8	0.3	1.7	0.4	0.0	0.0	19.3	0.4	2.4	21.3
肺	C33-C34 D021-D022	2,666	29.2	0.0	0.0	5.5	14.6	8.6	0.7	0.2	10.3	0.1	1.3	32.7
皮膚	C43-C44 D030-D049	702	68.2	0.0	0.0	1.6	0.3	0.7	0.0	0.7	0.3	1.0	0.0	26.9
乳房	C50 D05	2,261	15.8	0.0	0.0	0.2	5.7	0.6	0.2	6.7	32.7	0.2	18.3	19.2
乳房 (女性のみ)	C50 D05	2,246	15.8	0.0	0.0	0.1	5.7	0.5	0.2	6.8	32.7	0.2	18.4	19.1
子宮	C53-C55 D06	1,151	62.6	0.7	0.2	1.8	1.4	4.0	0.0	0.4	9.9	0.9	0.9	17.3
子宮頸部	C53 D06	800	67.9	1.0	0.3	1.8	1.1	5.5	0.0	0.5	3.5	1.3	1.1	15.1
膀胱	C67 D090	1,159	2.8	35.7	1.5	0.3	1.8	0.2	0.1	0.5	16.4	7.0	0.8	31.1

*1 D00を除く総数

*2 粘膜がんを含む

付表4. 医療圏別、保健所別罹患数 : 部位別、性別

B. 上皮内がんを含む

広島県

2015年

医療圏/保健所	全部位		大腸(結腸・直腸)*1		結腸*1		直腸*1		肺		乳房		子宮		子宮頸部				
	C00-C96 D00-D09		C18-C20 D010-D012		C18 D010		C19-C20 D011-D012		C33-C34 D021-D022		C50 D05		C53-C55 D06		C53 D06				
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女			
広島県	15,216	11,471	26,687	3,157	2,171	5,328	2,110	1,570	3,660	1,047	1,648	1,890	893	2,783	15	2,264	2,279	1,164	803
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
広島	7,214	5,457	12,671	1,616	1,117	2,733	1,102	806	1,908	514	825	862	394	1,256	8	1,062	1,070	579	405
広島西	821	584	1,405	150	99	249	96	72	168	54	81	88	52	140	0	133	133	47	25
呉	1,711	1,375	3,086	380	268	648	266	204	470	114	178	200	102	302	3	262	265	132	86
広島中央	1,006	765	1,771	191	120	311	116	91	207	75	104	124	65	189	2	164	166	91	63
尾三	1,507	1,054	2,561	264	197	461	175	143	318	89	143	194	93	287	1	178	179	89	62
福山・府中	2,316	1,799	4,115	406	302	708	263	204	467	143	241	335	146	481	1	388	389	182	131
備北	641	437	1,078	150	88	218	92	50	142	58	76	87	41	128	0	77	77	44	31
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
広島市	6,124	4,722	10,846	1,379	971	2,350	942	704	1,646	437	704	736	346	1,082	8	925	933	509	363
福山市	2,057	1,591	3,648	359	264	623	235	179	414	124	85	209	128	436	1	349	350	172	127
呉市	1,466	1,218	2,684	329	222	551	229	162	391	100	160	175	95	270	3	243	246	122	80
東部	1,766	1,262	3,028	311	235	546	203	168	371	108	175	221	111	332	1	217	218	99	66
西部	2,156	1,476	3,632	438	291	729	293	216	509	145	220	239	107	346	0	289	289	127	73
西部東	1,006	765	1,771	191	120	311	116	91	207	75	104	124	65	189	2	164	166	91	63
北部	641	437	1,078	150	88	218	92	50	142	58	76	87	41	128	0	77	77	44	31

*1 粘膜がんを含む

付表4-C1 標準化死亡比(全国との比較) 部位別、性別

2015年

部位	ICD-10	男			女		
		死亡数	標準化死亡比	(95%信頼区間)	死亡数	標準化死亡比	(95%信頼区間)
全部位	C00-C97	4,858	0.98	(0.96 - 1.01)	3,387	0.95	(0.92 - 0.98)
食道	C15	165	0.75	(0.64 - 0.87)	53	1.15	(0.84 - 1.46)
胃	C16	636	0.92	(0.85 - 0.99)	360	0.95	(0.85 - 1.05)
結腸	C18	325	0.85	(0.75 - 0.94)	364	0.88	(0.79 - 0.97)
直腸	C19-C20	202	0.92	(0.80 - 1.05)	104	0.78	(0.63 - 0.93)
肝および肝内胆管	C22	557	1.31	(1.20 - 1.42)	290	1.23	(1.09 - 1.37)
胆のう・胆管	C23-C24	164	0.80	(0.68 - 0.92)	166	0.76	(0.64 - 0.87)
膵臓	C25	344	0.95	(0.85 - 1.05)	367	0.99	(0.89 - 1.09)
肺	C33-C34	1,212	1.01	(0.96 - 1.07)	484	0.96	(0.88 - 1.05)
乳房	C50	3	1.12	(-0.15 - 2.38)	279	0.89	(0.79 - 1.00)
子宮	C53-C55				140	0.94	(0.79 - 1.10)
卵巣	C56				99	0.92	(0.74 - 1.10)
前立腺	C61	265	1.03	(0.90 - 1.15)			
膀胱	C67	132	1.04	(0.86 - 1.21)	55	0.89	(0.65 - 1.12)
悪性リンパ腫	C81-C85, C96	174	1.16	(0.99 - 1.33)	123	0.99	(0.82 - 1.17)
白血病	C91-C95	113	0.99	(0.81 - 1.17)	80	0.97	(0.76 - 1.18)

付表4-D 二次保健医療圏別標準化罹患比(広島県との比較) : 部位別、性別

2015年

医療圏	部位	ICD-10	男		女	
			罹患数	標準化罹患比(95%信頼区間)	罹患数	標準化罹患比(95%信頼区間)
広島	全部位	C00-C96	6,125	1.06 (1.03 - 1.09)	4,508	1.07 (1.04 - 1.10)
	胃	C16	1,109	1.06 (0.99 - 1.12)	490	1.06 (0.96 - 1.15)
	結腸	C18	539	1.01 (0.92 - 1.09)	506	1.10 (1.00 - 1.19)
	直腸	C19-C20	348	1.05 (0.94 - 1.15)	222	1.10 (0.96 - 1.25)
	大腸(結腸・直腸)	C18-C20	887	1.02 (0.96 - 1.09)	728	1.10 (1.02 - 1.18)
	肝および肝内胆管	C22	365	0.97 (0.87 - 1.07)	168	0.99 (0.84 - 1.14)
	肺	C33-C34	858	1.05 (0.98 - 1.12)	394	1.05 (0.94 - 1.15)
	乳房	C50	8	1.33 (0.41 - 2.26)	964	1.04 (0.98 - 1.11)
	子宮	C53-C55			276	1.02 (0.90 - 1.14)
	子宮頸部	C53			102	0.96 (0.78 - 1.15)
	子宮体部	C54			167	1.05 (0.89 - 1.21)
	前立腺	C61	910	1.07 (1.00 - 1.14)		
広島西	全部位	C00-C96	733	1.03 (0.95 - 1.10)	513	1.01 (0.93 - 1.10)
	胃	C16	110	0.85 (0.69 - 1.00)	65	1.12 (0.85 - 1.39)
	結腸	C18	62	0.94 (0.71 - 1.17)	54	0.95 (0.69 - 1.20)
	直腸	C19-C20	40	1.00 (0.69 - 1.31)	22	0.92 (0.53 - 1.30)
	大腸(結腸・直腸)	C18-C20	102	0.96 (0.78 - 1.15)	76	0.94 (0.73 - 1.15)
	肝および肝内胆管	C22	43	0.91 (0.64 - 1.19)	22	1.05 (0.61 - 1.49)
	肺	C33-C34	88	0.87 (0.69 - 1.05)	52	1.13 (0.82 - 1.44)
	乳房	C50	0	0.00 (0.00 - 0.00)	120	1.14 (0.94 - 1.35)
	子宮	C53-C55			32	1.07 (0.70 - 1.44)
	子宮頸部	C53			10	0.91 (0.35 - 1.47)
	子宮体部	C54			22	1.22 (0.71 - 1.73)
	前立腺	C61	152	1.43 (1.21 - 1.66)		
呉	全部位	C00-C96	1,508	1.07 (1.02 - 1.13)	1,182	1.18 (1.12 - 1.25)
	胃	C16	283	1.11 (0.98 - 1.23)	128	1.08 (0.89 - 1.26)
	結腸	C18	165	1.28 (1.08 - 1.47)	148	1.26 (1.06 - 1.47)
	直腸	C19-C20	78	1.00 (0.78 - 1.22)	47	0.98 (0.70 - 1.26)
	大腸(結腸・直腸)	C18-C20	243	1.17 (1.03 - 1.32)	195	1.18 (1.02 - 1.35)
	肝および肝内胆管	C22	107	1.16 (0.94 - 1.38)	56	1.22 (0.90 - 1.54)
	肺	C33-C34	199	0.99 (0.85 - 1.13)	102	1.07 (0.87 - 1.28)
	乳房	C50	3	3.00 (-0.39 - 6.39)	238	1.23 (1.08 - 1.39)
	子宮	C53-C55			66	1.22 (0.93 - 1.52)
	子宮頸部	C53			20	1.00 (0.56 - 1.44)
	子宮体部	C54			44	1.33 (0.94 - 1.73)
	前立腺	C61	233	1.10 (0.96 - 1.24)		
広島中央	全部位	C00-C96	915	0.93 (0.87 - 0.99)	658	0.95 (0.88 - 1.02)
	胃	C16	143	0.80 (0.67 - 0.94)	67	0.86 (0.65 - 1.06)
	結腸	C18	87	0.96 (0.76 - 1.16)	70	0.91 (0.70 - 1.12)
	直腸	C19-C20	65	1.16 (0.88 - 1.44)	26	0.79 (0.49 - 1.09)
	大腸(結腸・直腸)	C18-C20	152	1.04 (0.88 - 1.21)	96	0.87 (0.70 - 1.05)
	肝および肝内胆管	C22	65	1.02 (0.77 - 1.26)	27	0.93 (0.58 - 1.28)
	肺	C33-C34	124	0.90 (0.74 - 1.06)	64	1.02 (0.77 - 1.26)
	乳房	C50	1	1.00 (-0.96 - 2.96)	149	1.02 (0.86 - 1.18)
	子宮	C53-C55			47	1.12 (0.80 - 1.44)
	子宮頸部	C53			19	1.19 (0.65 - 1.72)
	子宮体部	C54			25	1.00 (0.61 - 1.39)
	前立腺	C61	133	0.92 (0.77 - 1.08)		
尾三	全部位	C00-C96	1,349	0.95 (0.90 - 1.00)	915	0.91 (0.85 - 0.97)
	胃	C16	250	0.97 (0.85 - 1.08)	107	0.89 (0.72 - 1.06)
	結腸	C18	117	0.89 (0.73 - 1.05)	105	0.89 (0.72 - 1.06)
	直腸	C19-C20	68	0.87 (0.66 - 1.08)	46	0.96 (0.68 - 1.24)
	大腸(結腸・直腸)	C18-C20	185	0.89 (0.76 - 1.01)	151	0.91 (0.76 - 1.05)
	肝および肝内胆管	C22	102	1.10 (0.88 - 1.31)	60	1.30 (0.97 - 1.63)
	肺	C33-C34	193	0.95 (0.82 - 1.08)	93	0.98 (0.78 - 1.18)
	乳房	C50	1	1.00 (-0.96 - 2.96)	151	0.78 (0.65 - 0.90)
	子宮	C53-C55			51	0.93 (0.67 - 1.18)
	子宮頸部	C53			24	1.20 (0.72 - 1.68)
	子宮体部	C54			25	0.76 (0.46 - 1.05)
	前立腺	C61	203	0.96 (0.83 - 1.09)		
福山・府中	全部位	C00-C96	2,120	0.86 (0.83 - 0.90)	1,582	0.91 (0.86 - 0.95)
	胃	C16	416	0.93 (0.84 - 1.02)	201	1.02 (0.87 - 1.16)
	結腸	C18	211	0.93 (0.80 - 1.05)	177	0.90 (0.77 - 1.04)
	直腸	C19-C20	112	0.81 (0.66 - 0.95)	84	1.01 (0.80 - 1.23)
	大腸(結腸・直腸)	C18-C20	323	0.88 (0.79 - 0.98)	261	0.94 (0.82 - 1.05)
	肝および肝内胆管	C22	148	0.92 (0.77 - 1.07)	68	0.92 (0.70 - 1.14)
	肺	C33-C34	335	0.96 (0.86 - 1.06)	145	0.91 (0.76 - 1.05)
	乳房	C50	1	0.33 (-0.32 - 0.99)	332	0.91 (0.82 - 1.01)
	子宮	C53-C55			86	0.82 (0.65 - 0.99)
	子宮頸部	C53			35	0.88 (0.59 - 1.16)
	子宮体部	C54			50	0.81 (0.58 - 1.03)
	前立腺	C61	272	0.75 (0.66 - 0.83)		
備北	全部位	C00-C96	554	1.01 (0.93 - 1.09)	377	0.94 (0.85 - 1.04)
	胃	C16	107	1.07 (0.87 - 1.27)	49	1.00 (0.72 - 1.28)
	結腸	C18	49	0.96 (0.69 - 1.23)	36	0.75 (0.51 - 1.00)
	直腸	C19-C20	43	1.48 (1.04 - 1.93)	16	0.84 (0.43 - 1.25)
	大腸(結腸・直腸)	C18-C20	92	1.14 (0.90 - 1.37)	52	0.78 (0.57 - 0.99)
	肝および肝内胆管	C22	37	1.03 (0.70 - 1.36)	14	0.70 (0.33 - 1.07)
	肺	C33-C34	87	1.10 (0.87 - 1.33)	41	1.08 (0.75 - 1.41)
	乳房	C50	0	0.00 (0.00 - 0.00)	64	0.90 (0.68 - 1.12)
	子宮	C53-C55			25	1.25 (0.76 - 1.74)
	子宮頸部	C53			12	1.71 (0.74 - 2.68)
	子宮体部	C54			12	1.00 (0.43 - 1.57)
	前立腺	C61	67	0.83 (0.63 - 1.03)		

N. A. = 算出不可

付表5. 市区町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

広島県 2015年

市区町村	全部位		大腸(結腸・直腸)*1		結腸*1		直腸*1		肺		乳房		子宮		子宮頸部					
	C00-C96 D00-D09		C18-C20 D010-D012		C18 D010		C19-C20 D011-D012		C33-C34 D021-D022		C50 D05		C53-C55 D06		C53 D06					
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女				
広島県	15,216	11,471	26,687	3,157	2,171	5,328	2,110	1,570	3,680	1,047	601	1,648	1,890	893	2,783	15	2,264	2,279	1,164	803
広島県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
広島市	2	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
広島市中区	638	642	1,280	148	135	283	107	99	206	41	36	77	77	54	131	0	124	124	74	55
広島市東区	627	481	1,108	132	103	235	90	75	165	42	28	70	75	35	110	1	98	99	53	41
広島市南区	785	599	1,384	176	106	282	116	79	195	60	27	87	97	54	151	1	116	117	54	36
広島市西区	896	751	1,647	178	152	330	116	108	224	62	44	106	110	57	167	0	151	151	83	54
広島市安佐南区	1,047	782	1,829	227	166	393	150	118	268	77	48	125	133	50	183	4	159	163	95	73
広島市安佐北区	1,001	679	1,680	251	152	403	177	111	288	74	41	115	121	52	173	1	107	108	65	42
広島市安芸区	424	286	710	103	68	171	70	48	118	33	20	53	45	16	61	0	48	48	37	29
広島市佐伯区	704	501	1,205	164	89	253	116	66	182	48	23	71	78	28	106	1	122	123	48	33
呉市	1,466	1,218	2,684	329	222	551	229	162	391	100	60	160	175	95	270	3	243	246	122	80
竹原市	160	140	300	32	17	49	17	11	28	15	6	21	17	13	30	0	27	27	16	9
三原市	566	406	972	106	89	195	73	59	132	33	30	63	62	26	88	0	65	65	42	25
尾道市	835	580	1,415	134	95	229	85	72	157	49	23	72	118	59	177	1	102	103	42	34
福山市	2,057	1,591	3,648	359	264	623	235	179	414	124	85	209	308	128	436	1	349	350	172	127
府中市	215	165	380	46	34	80	27	23	50	19	11	30	23	15	38	0	31	31	8	3
三次市	386	268	654	98	46	144	62	35	97	36	11	47	54	21	75	0	56	56	30	18
庄原市	255	169	424	52	22	74	30	15	45	22	7	29	33	20	53	0	21	21	14	13
大竹市	199	133	332	45	20	65	29	13	42	16	7	23	18	13	31	0	26	26	7	3
東広島市	775	588	1,363	148	96	244	93	74	167	55	22	77	96	47	143	2	126	128	75	54
廿日市市	622	451	1,073	105	79	184	67	59	126	38	20	58	70	39	109	0	107	107	40	22
安芸高田市	234	135	369	54	42	96	36	27	63	18	15	33	30	6	36	0	19	19	7	5
江田島市	245	157	402	51	46	97	37	42	79	14	4	18	25	7	32	0	19	19	10	6
安芸郡府中町	288	177	445	63	31	94	43	27	70	20	4	24	24	15	39	0	35	35	19	10
安芸郡海田町	133	108	241	25	22	47	16	11	27	9	11	20	13	8	21	0	21	21	14	9
安芸郡熊野町	136	122	258	31	23	54	21	19	40	10	4	14	19	3	22	0	29	29	15	8
安芸郡坂町	92	64	156	16	10	26	10	7	17	6	3	9	13	3	16	0	10	10	5	3
山県郡安芸太田町	73	42	115	20	6	26	16	5	21	4	1	5	6	1	7	0	10	10	0	0
山県郡北広島町	154	87	241	28	12	40	18	6	24	10	6	16	21	12	33	0	13	13	10	7
豊田郡大崎上島町	71	37	108	11	7	18	6	6	12	5	1	6	11	5	16	0	11	11	0	0
世羅郡世羅町	106	68	174	24	13	37	17	12	29	7	1	8	14	8	22	0	11	11	5	3
神石郡神石高原町	44	43	87	1	4	5	1	2	3	0	2	2	4	3	7	0	8	8	2	1

*1 粘膜がんを含む

付表6-1 罹患数の年次推移

		2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	
男	全部位	C00-C96	10,485	10,456	10,525	10,520	10,854	10,845	11,481	11,853	12,389	12,269	14,174	13,371	13,304
	胃	C16	1,896	1,972	2,062	1,988	2,161	2,113	2,150	2,249	2,238	2,253	2,708	2,433	2,418
	大腸	C18-C20	1,699	1,499	1,513	1,590	1,530	1,549	1,588	1,626	1,770	1,813	2,055	1,956	1,984
	肝	C22	1,151	1,122	1,002	943	1,012	932	878	932	906	856	946	891	867
	肺	C33-C34	1,418	1,524	1,606	1,492	1,600	1,620	1,739	1,681	1,802	1,813	1,956	1,936	1,884
	前立腺	C61	1,490	1,298	1,283	1,387	1,334	1,385	1,711	1,783	1,845	1,798	2,069	1,954	1,970
	女	全部位	C00-C96	6,972	7,211	7,364	7,435	7,916	8,215	8,404	8,709	8,907	8,839	10,191	9,780
胃	C16	1,035	921	970	971	1,018	1,015	985	1,035	1,024	994	1,192	1,199	1,107	
大腸	C18-C20	1,183	1,167	1,174	1,265	1,246	1,230	1,280	1,254	1,350	1,362	1,577	1,496	1,559	
肝	C22	533	555	511	480	495	478	435	525	443	448	440	423	415	
肺	C33-C34	631	648	690	670	769	824	808	867	918	887	965	962	891	
乳房	C50	1,072	1,179	1,245	1,247	1,443	1,576	1,613	1,699	1,706	1,724	2,061	1,972	2,018	
子宮	C53-C55	407	451	480	468	499	495	487	579	581	580	600	516	583	
甲状腺	C73	253	278	332	373	393	413	408	406	442	387	516	412	385	

付表6-2 年齢調整罹患率の年次推移

		2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	
男	全部位	C00-C96	492.6	480.2	473.0	463.4	469.5	457.1	476.8	480.5	494.7	485.5	547.5	507.6	502.2
	胃	C16	88.8	90.9	92.9	87.5	93.7	88.4	88.4	90.5	88.3	88.2	101.4	90.4	88.9
	大腸	C18-C20	81.8	69.4	69.7	71.8	66.9	67.7	67.9	67.3	72.6	74.5	81.8	76.6	77.4
	肝	C22	54.5	52.6	45.2	41.9	44.7	39.1	36.2	37.9	35.7	33.7	36.4	33.1	31.8
	肺	C33-C34	64.5	67.2	69.4	62.8	65.8	64.9	68.7	65.0	68.9	68.0	72.0	70.0	67.8
	前立腺	C61	64.9	55.2	53.4	56.5	53.3	53.4	65.2	66.7	68.5	66.1	74.8	68.7	68.8
	女	全部位	C00-C96	277.0	284.2	291.4	290.5	301.6	315.1	315.4	325.6	330.5	322.9	376.4	348.6
胃	C16	36.1	31.9	34.0	33.2	31.9	33.1	29.7	30.8	31.0	29.4	34.8	33.6	30.8	
大腸	C18-C20	43.9	40.8	39.7	43.3	41.1	40.3	41.7	40.1	43.5	42.4	50.1	45.6	48.0	
肝	C22	17.8	18.1	16.3	15.4	14.8	13.9	12.4	14.2	11.2	11.2	11.6	10.5	9.2	
肺	C33-C34	21.8	22.8	24.4	22.1	25.1	26.8	24.9	26.6	27.2	27.2	28.6	28.3	26.3	
乳房	C50	56.0	60.0	64.2	63.5	72.6	80.2	78.8	85.0	85.1	84.4	99.0	94.3	97.8	
子宮	C53-C55	20.9	23.8	25.4	25.0	27.2	26.8	26.0	30.8	30.0	30.1	30.9	27.2	30.8	
甲状腺	C73	12.6	14.7	17.2	19.5	19.3	21.7	21.7	22.2	23.3	20.1	27.2	21.0	20.2	

付表6-3 死亡数の年次推移

		2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	
男	全部位	C00-C97	4,362	4,493	4,583	4,580	4,568	4,774	4,607	4,758	4,843	4,885	4,872	4,901	4,858
	胃	C16	697	753	710	703	684	678	691	719	726	719	668	693	636
	大腸	C18-C20	468	459	462	478	446	488	439	487	500	529	547	511	527
	肝	C22	732	751	728	734	697	710	621	707	644	603	604	579	557
	肺	C33-C34	988	975	1,054	1,049	1,092	1,164	1,145	1,039	1,087	1,117	1,110	1,162	1,212
	膵臓	C25	228	280	278	256	301	295	285	339	353	332	357	399	344
	女	全部位	C00-C97	2,878	2,993	2,968	3,000	3,134	3,220	3,142	3,278	3,308	3,281	3,340	3,394
胃	C16	442	387	366	409	427	413	374	395	406	376	395	417	360	
大腸	C18-C20	377	403	428	423	422	425	430	421	450	436	439	469	468	
肝	C22	340	388	358	338	389	336	320	379	356	338	312	303	290	
肺	C33-C34	350	365	370	393	411	461	433	434	458	496	486	460	484	
膵臓	C25	233	239	260	279	261	293	289	316	300	311	339	365	367	
乳房	C50	219	219	224	201	224	264	254	265	245	273	243	281	279	

付表6-4 年齢調整死亡率の年次推移

		2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	
男	全部位	C00-C97	198.6	199.2	196.5	191.3	185.0	187.2	175.0	177.6	176.8	173.6	169.3	166.6	159.9
	胃	C16	31.7	33.8	30.4	29.2	27.9	26.7	25.8	26.7	26.0	25.6	22.7	23.6	20.8
	大腸	C18-C20	21.3	20.7	19.8	20.2	18.2	19.5	16.7	18.5	19.2	19.1	19.8	18.4	18.2
	肝	C22	34.5	34.2	32.6	32.3	29.7	28.5	24.5	27.6	23.7	22.4	21.2	20.3	18.5
	肺	C33-C34	44.0	42.5	44.3	42.5	42.7	44.5	43.2	37.7	39.2	39.3	38.1	38.3	40.0
	膵臓	C25	10.5	12.4	12.3	10.8	12.6	11.9	11.1	12.9	13.5	12.5	13.0	14.1	11.7
	女	全部位	C00-C97	93.9	95.0	92.0	89.0	88.7	91.2	85.1	86.5	86.6	83.9	82.9	83.3
胃	C16	13.8	11.4	11.2	12.0	11.2	11.0	9.1	10.2	9.8	9.2	9.0	9.7	8.1	
大腸	C18-C20	11.7	12.2	12.3	11.1	11.4	10.9	10.9	10.5	11.1	10.3	10.7	11.0	11.2	
肝	C22	10.9	11.7	10.2	9.8	10.5	8.6	7.9	8.8	8.3	7.1	6.9	6.5	5.5	
肺	C33-C34	9.9	10.7	11.4	11.3	10.9	12.4	11.0	10.7	11.1	12.1	11.0	10.6	10.9	
膵臓	C25	7.2	7.0	7.6	7.8	6.9	7.7	7.7	7.8	7.4	7.2	7.6	7.9	7.4	
乳房	C50	10.5	10.1	9.9	8.8	9.8	11.4	10.1	11.0	10.7	10.9	9.6	10.4	9.9	

2003-2014年は2018年10月10日確定データ
2015年は2018年10月4日確定データ

付表7-1 小児がん年齢階級別罹患件数(2015年、0-14歳)

国際小児がん分類	罹患件数				罹患割合(%) ※2
	0-4歳	5-9歳	10-14歳	総数	
男					
I 白血病、骨髄増殖性疾患、骨髄異形成疾患	8	3	4	15	44.1 40.5
II リンパ腫、細網内皮新生物	0	3	0	3	8.8 8.11
III 中枢神経系及び他の頭蓋内・脊髄内腫瘍	0 (1)	3 (5)	2	5 (8)	14.7 21.6
IV 神経芽腫及びその他の末梢神経細胞腫瘍	2	1	1	4	11.8 10.8
V 網膜芽腫	2	0	0	2	5.9 5.41
VI 腎腫瘍	0	0	0	0	0.0 0.0
VII 肝腫瘍	0	0	0	0	0.0 0.0
VIII 悪性骨腫瘍	0	0	1	1	2.9 2.7
IX 軟部組織及びその他の骨外性肉腫	1	0	1	2	5.9 5.41
X 胚細胞腫瘍、トロホプラスト性腫瘍及び性腺腫瘍	1	0	1	2	5.9 5.41
XI その他の悪性上皮性新生物及び悪性黒色腫	0	0	0	0	0.0 0.0
XII その他及び詳細不明の悪性新生物	0	0	0	0	0.0 0.0
男総数	14 (15)	10 (12)	10 (12)	34 (37)	100 100
女					
I 白血病、骨髄増殖性疾患、骨髄異形成疾患	2 (3)	5	3	10 (11)	35.7 34.4
II リンパ腫、細網内皮新生物	1	1	0	2	7.1 6.25
III 中枢神経系及び他の頭蓋内・脊髄内腫瘍	0	3	1 (4)	4 (7)	14.3 21.9
IV 神経芽腫及びその他の末梢神経細胞腫瘍	3	0	1	4	14.3 12.5
V 網膜芽腫	0	1	0	1	3.6 3.13
VI 腎腫瘍	0	1	0	1	3.6 3.13
VII 肝腫瘍	1	0	0	1	3.6 3.13
VIII 悪性骨腫瘍	0	0	2	2	7.1 6.25
IX 軟部組織及びその他の骨外性肉腫	2	0	0	2	7.1 6.25
X 胚細胞腫瘍、トロホプラスト性腫瘍及び性腺腫瘍	0	0	0	0	0.0 0.0
XI その他の悪性上皮性新生物及び悪性黒色腫	0	0	1	1	3.6 3.13
XII その他及び詳細不明の悪性新生物	0	0	0	0	0.0 0.0
女総数	9 (10)	11	8 (11)	28 (32)	100 100
総数					
I 白血病、骨髄増殖性疾患、骨髄異形成疾患	10 (11)	8	7	25 (26)	40.3 37.7
II リンパ腫、細網内皮新生物	1	4	0	5	8.1 7.25
III 中枢神経系及び他の頭蓋内・脊髄内腫瘍	0 (1)	6 (8)	3 (6)	9 (15)	14.5 21.7
IV 神経芽腫及びその他の末梢神経細胞腫瘍	5	1	2	8	12.9 11.6
V 網膜芽腫	2	1	0	3	4.8 4.35
VI 腎腫瘍	0	1	0	1	1.6 1.45
VII 肝腫瘍	1	0	0	1	1.6 1.45
VIII 悪性骨腫瘍	0	0	3	3	4.8 4.35
IX 軟部組織及びその他の骨外性肉腫	3	0	1	4	6.5 5.8
X 胚細胞腫瘍、トロホプラスト性腫瘍及び性腺腫瘍	1	0	1	2	3.2 2.9
XI その他の悪性上皮性新生物及び悪性黒色腫	0	0	1	1	1.6 1.45
XII その他及び詳細不明の悪性新生物	0	0	0	0	0.0 0.0
総数	23 (25)	21 (23)	18 (21)	62 (69)	100 100

I ()内は骨髄異形成症候群を含む。

III ()内は良性又は性状不詳を含む。

※1 悪性のみ。

※2 骨髄異形成症候群、頭蓋内新生物の良性又は性状不詳を含む。

付表7-2 小児がん診断年別件数(2011年～2015年) 0-14歳

国際小児がん分類	2011年					2012年					2013年					2014年					2015年					総数		罹患割合(%)													
	※1	※2	※1	※2	※1	※2	※1	※2	※1	※2	※1	※2	※1	※2	※1	※2	※1	※2	※1	※2	※1	※2	※1	※2	※1	※2															
男																																									
I 白血病、骨髄増殖性疾患、骨髄異形成疾患	8	12	8	9	15	52	32.3	32.3	5	1	2	5	3	16	9.8	9.8	1	3	2	6	4	9	23.2	23.2	3	3	5	2	4	17	10.4	10.4	1	1	0	1	2	5	3.0	3.0	
II リンパ腫、細網内皮新生物	1	1	1	1	0	1	1.8	1.8	1	1	1	1	0	3	1.8	1.8	1	1	1	1	0	0	3.0	3.0	2	2	1	1	1	3	1.8	1.8	1	1	0	0	3	3.0	3.0		
III 中枢神経系及び他の頭蓋内・脊髄内腫瘍	3	3	3	4	8	17	10.4	10.4	0	0	1	1	1	3	5.5	5.5	0	0	1	1	4	2	8	4.9	4.9	3	3	0	1	1	3	3.0	3.0	0	0	2	1.2	1.2			
IV 神経芽腫及びその他の末梢神経細胞腫瘍	1	1	1	1	2	5	3.0	3.0	1	1	1	1	1	3	5.5	5.5	0	0	1	1	4	2	8	4.9	4.9	3	3	0	1	1	3	3.0	3.0	0	0	2	1.2	1.2			
V 網膜芽腫	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
VI 腎腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
VII 肝腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
VIII 悪性骨腫瘍	2	2	2	3	7	14	8.8	8.8	2	2	2	3	7	14	8.8	8.8	0	0	1	1	4	2	8	4.9	4.9	3	3	0	1	1	3	3.0	3.0	0	0	2	1.2	1.2			
IX 軟部組織及びその他の骨外性肉腫	2	2	2	3	7	14	8.8	8.8	2	2	2	3	7	14	8.8	8.8	0	0	1	1	4	2	8	4.9	4.9	3	3	0	1	1	3	3.0	3.0	0	0	2	1.2	1.2			
X 胚細胞腫瘍、トロホラスト性腫瘍及び性腺腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
XI その他の悪性上皮性新生物及び悪性黒色腫	3	3	3	4	8	17	10.4	10.4	0	0	1	1	1	3	5.5	5.5	0	0	1	1	4	2	8	4.9	4.9	3	3	0	1	1	3	3.0	3.0	0	0	2	1.2	1.2			
XII その他及び詳細不明の悪性新生物	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
男総数	27	29	24	24	33	142	100	100	8	12	8	9	15	52	32.3	32.3	5	1	2	6	4	9	23.2	23.2	3	3	5	2	4	17	10.4	10.4	1	1	0	1	2	5	3.0	3.0	
女																																									
I 白血病、骨髄増殖性疾患、骨髄異形成疾患	8	12	8	9	15	52	32.3	32.3	0	0	2	2	5	16	9.8	9.8	1	3	2	6	4	9	23.2	23.2	3	3	5	2	4	17	10.4	10.4	1	1	0	1	2	5	3.0	3.0	
II リンパ腫、細網内皮新生物	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
III 中枢神経系及び他の頭蓋内・脊髄内腫瘍	2	2	2	3	7	14	8.8	8.8	2	2	2	3	7	14	8.8	8.8	0	0	1	1	4	2	8	4.9	4.9	3	3	0	1	1	3	3.0	3.0	0	0	2	1.2	1.2			
IV 神経芽腫及びその他の末梢神経細胞腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
V 網膜芽腫	1	1	1	1	2	5	3.0	3.0	1	1	1	1	1	3	5.5	5.5	0	0	1	1	4	2	8	4.9	4.9	3	3	0	1	1	3	3.0	3.0	0	0	2	1.2	1.2			
VI 腎腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
VII 肝腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
VIII 悪性骨腫瘍	2	2	2	3	7	14	8.8	8.8	2	2	2	3	7	14	8.8	8.8	0	0	1	1	4	2	8	4.9	4.9	3	3	0	1	1	3	3.0	3.0	0	0	2	1.2	1.2			
IX 軟部組織及びその他の骨外性肉腫	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
X 胚細胞腫瘍、トロホラスト性腫瘍及び性腺腫瘍	3	3	3	4	8	17	10.4	10.4	0	0	1	1	1	3	5.5	5.5	0	0	1	1	4	2	8	4.9	4.9	3	3	0	1	1	3	3.0	3.0	0	0	2	1.2	1.2			
XI その他の悪性上皮性新生物及び悪性黒色腫	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
XII その他及び詳細不明の悪性新生物	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
女総数	16	20	26	30	33	127	100	100	16	24	27	27	30	33	127	100	16	24	27	30	33	33	127	100	100	5	5	3	4	9	23.2	23.2	3	3	5	16	9.8	9.8			
総数	43	49	50	58	62	269	100	100	24	28	33	33	39	42	164	100	24	28	33	39	42	42	164	100	100	8	12	11	12	16	52	32.3	32.3	10	11	15	52	32.3	32.3		

I ()内は骨髄異形成症候群を含む。

III ()内は良性又は性状不詳を含む。

※1 悪性のみ。

※2 骨髄異形成症候群、頭蓋内新生物の良性又は性状不詳を含む。