

Ⅳ 付表 広島県標準集計表

平成25年(2013)

表1. 罹患数、罹患割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）及び累積罹患率（人口100万対）：部位別、性別

A. 上皮内がんを除く

部位	ICD-10	罹患数				罹患割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
		男		女		男		女		男		女		男		女		男		女	
		男	女	総数	男	女	総数	男	女	男	女	男	女	男	女	男	女	男	女	男	女
全部位	C00-C96	13,943	10,010	23,953	100.0	100.0	100.0	100.0	100.0	1,018.5	680.3	843.3	539.7	371.7	441.7	382.4	279.4	322.3	45.9	30.8	37.8
口腔・咽頭	C00-C14	322	155	477	2.3	1.5	2.0	23.5	10.5	23.5	10.5	16.8	13.8	6.1	9.6	10.1	4.6	7.2	1.3	0.5	0.9
食道	C15	473	88	561	3.4	0.9	2.3	34.6	6.0	34.6	6.0	19.8	19.1	3.0	10.5	13.7	2.2	7.6	1.8	0.3	1.0
胃	C16	2,684	1,182	3,866	19.2	11.8	16.1	196.1	80.3	196.1	80.3	136.1	100.5	34.6	64.1	69.6	24.3	44.8	8.4	2.9	5.5
大腸（結腸・直腸）	C18-C20	2,034	1,562	3,596	14.6	15.6	15.0	148.6	106.2	148.6	106.2	126.6	81.0	49.8	63.9	57.8	36.2	46.1	7.1	4.2	5.6
結腸	C18	1,276	1,040	2,316	9.2	10.4	9.7	93.2	70.7	93.2	70.7	81.5	48.9	31.1	39.0	34.3	22.2	27.7	4.1	2.5	3.3
直腸	C19-C20	758	522	1,280	5.4	5.2	5.3	55.4	35.5	55.4	35.5	45.1	32.1	18.7	24.9	23.5	14.0	18.4	2.9	1.7	2.3
肝および肝内胆管	C22	915	417	1,332	6.6	4.2	5.6	66.8	28.3	66.8	28.3	46.9	35.1	11.0	22.0	24.6	7.9	15.6	2.9	0.8	1.8
胆のう・胆管	C23-C24	250	232	482	1.8	2.3	2.0	18.3	15.8	18.3	15.8	17.0	9.0	5.5	7.1	6.2	3.7	4.9	0.7	0.4	0.5
膵臓	C25	438	396	834	3.1	4.0	3.5	32.0	26.9	32.0	26.9	29.4	16.8	11.0	13.6	12.0	7.6	9.6	1.5	0.8	1.1
喉頭	C32	121	9	130	0.9	0.1	0.5	8.8	0.6	8.8	0.6	4.6	4.9	0.3	2.4	3.6	0.2	1.8	0.5	0.0	0.2
肺	C33-C34	1,884	931	2,815	13.5	9.3	11.8	137.6	63.3	137.6	63.3	99.1	69.9	28.0	46.6	48.6	20.1	32.9	6.0	2.5	4.1
皮膚	C43-C44	288	269	557	2.1	2.7	2.3	21.0	18.3	21.0	18.3	19.6	10.1	7.3	8.4	6.8	5.2	5.8	0.7	0.6	0.6
乳房	C50	15	2,037	2,052	0.1	20.3	8.6	1.1	138.4	72.2	138.4	72.2	0.6	97.8	50.7	0.4	75.3	38.8	0.1	8.4	4.3
子宮	C53-C55	-	598	-	-	6.0	-	-	40.6	-	40.6	-	-	30.9	-	-	24.1	-	-	2.5	-
子宮頸部	C53	-	234	-	-	2.3	-	-	15.9	-	15.9	-	-	13.0	-	-	10.3	-	-	1.0	-
子宮体部	C54	-	346	-	-	3.5	-	-	23.5	-	23.5	-	-	17.5	-	-	13.5	-	-	1.5	-
卵巣	C56	-	211	-	-	2.1	-	-	14.3	-	14.3	-	-	10.6	-	-	8.5	-	-	0.9	-
前立腺	C61	2,060	-	-	14.8	-	-	150.5	-	150.5	-	-	74.5	-	-	50.8	-	-	6.8	-	-
膀胱	C67	549	174	723	3.9	1.7	3.0	40.1	11.8	40.1	11.8	25.5	19.2	3.9	10.6	13.0	2.6	7.2	1.4	0.3	0.8
腎・尿路（膀胱除く）	C64-C66 C68	459	201	660	3.3	2.0	2.8	33.5	13.7	33.5	13.7	23.2	19.3	6.2	12.3	13.9	4.5	8.9	1.6	0.5	1.0
脳・中枢神経系	C70-C72	78	68	146	0.6	0.7	0.6	5.7	4.6	5.7	4.6	5.1	4.2	2.7	3.4	3.7	2.3	3.0	0.3	0.2	0.3
甲状腺	C73	164	512	676	1.2	5.1	2.8	12.0	34.8	23.8	34.8	23.8	8.6	27.1	18.0	6.6	21.7	14.2	0.7	2.2	1.5
悪性リンパ腫	C81-C85 C96	500	397	897	3.6	4.0	3.7	36.5	27.0	36.5	27.0	31.6	21.2	14.4	17.4	15.8	10.7	13.0	1.8	1.3	1.5
多発性骨髄腫	C88-C90	109	100	209	0.8	1.0	0.9	8.0	6.8	7.4	6.8	7.4	3.9	3.2	3.4	2.7	2.3	2.4	0.3	0.3	0.3
白血病	C91-C95	158	113	271	1.1	1.1	1.1	11.5	7.7	11.5	7.7	9.5	8.0	4.9	6.4	6.8	4.0	5.4	0.6	0.4	0.5

表1. 罹患数、罹患割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口100万対）及び累積罹患率（人口100万対）： 部位別、性別

B. 上皮内がんを含む

広島県

2013年

部位	ICD-10	罹患数			罹患割合			粗罹患率			年齢調整罹患率			累積罹患率(0-74歳)		
		男		女	男		女	男		女	男		女	男		女
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
全部位		16,056	11,882	27,938	100.0	100.0	100.0	1,172.9	807.6	983.6	625.4	472.8	532.7	443.5	359.7	391.5
食道	C00-C96 D00-D09	546	108	654	3.4	0.9	2.3	39.9	7.3	23.0	21.9	3.7	12.1	15.7	2.7	8.8
大腸（結腸・直腸）*1	C15 D001	3,199	2,165	5,364	19.9	18.2	19.2	233.7	147.1	188.9	131.8	72.1	99.5	95.0	52.6	72.3
結腸 *1	C18-C20 D010-D012	2,125	1,487	3,612	13.2	12.5	12.9	155.2	101.1	127.2	85.9	47.3	65.0	61.4	34.1	46.7
直腸 *1	C18 D010	1,074	678	1,752	6.7	5.7	6.3	78.5	46.1	61.7	45.9	24.8	34.6	33.7	18.5	25.6
肺	C19-C20 D011-D012	1,884	931	2,815	11.7	7.8	10.1	137.6	63.3	99.1	69.9	28.0	46.6	48.6	20.1	32.9
皮膚	C33-C34 D021-D022	378	381	759	2.4	3.2	2.7	27.6	25.9	26.7	13.1	9.9	11.1	8.8	6.9	7.6
乳房	C43-C44 D030-D049	17	2,306	2,323	0.1	19.4	8.3	1.2	156.7	81.8	0.6	112.5	58.2	0.5	86.7	44.6
子宮	C50 D05	-	1,288	-	-	10.8	-	-	87.5	-	-	86.7	-	-	70.9	-
子宮頸部	C53-C55 D06	-	924	-	-	7.8	-	-	62.8	-	-	68.8	-	-	57.1	-
膀胱	C53 D06	1,224	311	1,535	7.6	2.6	5.5	89.4	21.1	54.0	43.9	7.6	23.7	29.8	5.1	16.2
	C67 D090															

*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）： 部位別、性別

A. 上皮内がんを除く

広島県

2013年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96	13,943	22.4	7.9	7.4	10.2	20.7	38.0	45.6	71.2	149.2	224.5	452.7	917.6	1,592.3	2,424.4	3,205.5	3,991.4	4,215.6	4,478.8	0.0	
	口腔・咽頭	C00-C14	322	0.0	0.0	0.0	0.0	1.5	1.3	1.2	3.0	7.6	12.6	17.0	24.9	42.2	71.0	77.9	58.2	82.8	48.4	0.0	
	食道	C15	473	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.8	5.7	21.9	41.5	72.2	96.4	117.4	141.4	85.2	75.6	0.0	
	胃	C16	2,684	0.0	0.0	0.0	0.0	0.0	1.3	2.4	9.9	17.0	28.6	82.8	161.4	301.2	444.5	640.8	848.2	846.9	892.1	0.0	
	大腸（結腸・直腸）	C18-C20	2,034	0.0	1.6	0.0	0.0	0.0	1.3	2.4	6.9	21.7	43.5	99.8	166.2	281.5	339.0	446.8	523.9	579.6	592.7	0.0	
	結腸	C18	1,276	0.0	1.6	0.0	0.0	0.0	0.0	2.4	4.9	12.3	18.3	49.9	92.6	153.9	195.9	289.8	350.9	418.7	447.6	0.0	
	直腸	C19-C20	758	0.0	0.0	0.0	0.0	0.0	1.3	0.0	2.0	9.4	25.2	49.9	73.6	127.6	143.1	157.0	173.0	160.9	145.2	0.0	
	肝および肝内胆管	C22	915	1.6	0.0	0.0	0.0	0.0	0.0	0.0	7.9	6.6	10.3	30.4	59.4	122.9	154.3	192.8	289.4	276.8	272.2	0.0	
	胆のう・胆管	C23-C24	250	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	4.6	7.3	9.5	22.5	38.6	48.5	71.5	92.3	133.1	0.0	
	膵臓	C25	438	0.0	0.0	0.0	1.5	1.5	0.0	0.0	0.0	4.7	8.0	17.0	30.9	46.9	80.2	102.1	99.8	134.8	175.4	0.0	
	喉頭	C32	121	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.0	0.0	2.3	3.7	10.7	17.8	30.4	28.1	21.6	33.1	21.2	0.0	
	肺	C33-C34	1,884	0.0	0.0	0.0	0.0	0.0	1.3	1.2	4.0	17.0	22.9	38.9	121.1	204.5	341.0	445.5	490.6	667.1	683.5	0.0	
	皮膚	C43-C44	288	0.0	0.0	0.0	1.5	0.0	0.0	2.4	2.0	0.0	4.6	7.3	19.0	16.0	24.4	58.7	84.8	125.4	199.6	0.0	
	乳房	C50	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.2	0.9	1.0	6.4	1.7	4.7	9.1	0.0	
	前立腺	C61	2,060	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	17.0	85.5	209.2	455.7	597.4	740.1	584.3	423.4	0.0	
	膀胱	C67	549	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	10.3	12.2	23.7	47.9	78.1	111.1	164.6	224.7	302.4	0.0
	腎・尿路（膀胱除く）	C64-C66 C68	459	0.0	0.0	0.0	0.0	0.0	1.3	0.0	7.9	13.2	17.2	17.0	46.3	59.1	82.2	81.7	118.1	123.0	111.9	0.0	
	脳・中枢神経系	C70-C72	78	3.2	1.6	3.0	0.0	3.0	5.2	2.4	2.0	3.8	4.6	4.9	5.9	5.6	5.1	15.3	8.3	16.6	33.3	0.0	
	甲状腺	C73	164	0.0	0.0	0.0	0.0	1.5	3.9	7.2	4.9	17.9	10.3	8.5	17.8	19.7	31.5	19.1	33.3	14.2	18.1	0.0	
	悪性リンパ腫	C81-C85 C96	500	3.2	0.0	0.0	0.0	4.4	6.6	7.2	3.0	9.4	11.5	24.3	54.6	62.9	68.0	102.1	118.1	108.8	193.5	0.0	
	多発性骨髄腫	C88-C90	109	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.9	1.1	3.7	3.6	9.4	15.2	19.1	26.6	47.3	66.5	0.0	
	白血病	C91-C95	158	8.0	1.6	3.0	1.5	3.0	3.9	2.4	6.9	4.7	5.7	13.4	13.1	14.1	19.3	23.0	39.9	40.2	30.2	0.0	
女	全部位	C00-C96	10,010	24.8	10.0	7.9	16.8	31.0	50.8	126.8	175.2	332.6	500.6	686.5	748.4	968.7	1,147.5	1,341.9	1,556.0	1,635.1	1,905.6	0.0	
	口腔・咽頭	C00-C14	155	0.0	0.0	0.0	0.0	3.1	1.4	3.7	3.0	9.5	2.3	12.0	11.6	21.4	15.0	10.8	27.4	26.3	28.8	0.0	
	食道	C15	88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	5.7	2.4	3.5	8.9	8.5	24.9	8.7	14.6	18.0	0.0	
	胃	C16	1,182	0.0	0.0	0.0	0.0	0.0	1.4	1.2	8.1	7.6	38.6	34.8	74.3	79.4	128.8	197.4	219.4	301.2	296.6	0.0	
	大腸（結腸・直腸）	C18-C20	1,562	0.0	0.0	0.0	0.0	0.0	5.5	6.2	10.1	24.8	50.0	72.0	98.6	165.9	184.2	222.4	278.0	307.1	369.8	0.0	
	結腸	C18	1,040	0.0	0.0	0.0	0.0	0.0	0.0	2.5	6.1	12.4	29.5	43.2	55.7	103.5	106.2	148.6	200.7	225.2	273.8	0.0	
	直腸	C19-C20	522	0.0	0.0	0.0	0.0	0.0	5.5	3.7	4.1	12.4	20.4	28.8	42.9	62.4	78.0	73.8	77.3	81.9	96.1	0.0	
	肝および肝内胆管	C22	417	5.0	1.7	0.0	1.5	0.0	0.0	0.0	2.0	1.0	3.4	4.8	13.9	29.4	45.1	52.1	109.7	127.2	103.3	0.0	
	胆のう・胆管	C23-C24	232	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.0	0.0	6.0	7.0	13.4	16.9	33.6	48.6	58.5	90.1	0.0	
	膵臓	C25	396	0.0	0.0	0.0	0.0	1.5	0.0	1.2	1.0	3.8	5.7	14.4	20.9	25.0	48.9	44.5	77.3	115.5	110.5	0.0	
	喉頭	C32	9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.8	2.8	0.0	1.2	0.0	2.4	0.0	
	肺	C33-C34	931	0.0	0.0	0.0	0.0	0.0	0.0	3.7	5.1	9.5	14.8	33.6	33.6	103.5	127.8	164.9	189.5	181.3	195.7	0.0	
	皮膚	C43-C44	269	0.0	0.0	0.0	0.0	0.0	1.4	2.5	4.1	5.7	3.4	8.4	13.9	18.7	16.9	36.9	34.9	62.9	108.1	0.0	
	乳房	C50	2,037	0.0	0.0	0.0	0.0	1.5	8.2	29.8	65.8	131.5	227.1	242.4	235.5	240.8	245.3	243.0	198.2	209.1	169.3	0.0	
	子宮	C53-C55	598	0.0	0.0	0.0	0.0	3.1	11.0	26.1	29.4	45.7	47.7	93.6	73.1	69.6	53.6	48.8	46.1	61.4	57.6	0.0	
	子宮頸部	C53	234	0.0	0.0	0.0	0.0	3.1	8.2	23.6	23.3	20.0	18.2	27.6	22.0	19.6	15.0	19.5	16.2	23.4	24.0	0.0	
	子宮体部	C54	346	0.0	0.0	0.0	0.0	0.0	2.7	2.5	6.1	24.8	29.5	64.8	51.1	50.0	38.5	28.2	26.2	35.1	21.6	0.0	
	卵巣	C56	211	0.0	3.3	0.0	0.0	3.1	4.1	6.2	8.1	13.3	12.5	31.2	24.4	25.9	27.3	21.7	15.0	23.4	15.6	0.0	
	膀胱	C67	174	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.4	5.8	8.0	12.2	23.9	31.2	57.0	68.4	0.0	
	腎・尿路（膀胱除く）	C64-C66 C68	201	1.7	1.7	0.0	0.0	0.0	0.0	1.2	2.0	4.8	1.1	14.4	11.6	11.6	13.2	30.4	46.1	45.3	54.0	0.0	
	脳・中枢神経系	C70-C72	68	3.3	1.7	0.0	0.0	0.0	0.0	3.7	0.0	1.9	1.1	4.8	4.6	7.1	8.5	5.4	12.5	13.2	12.0	0.0	
	甲状腺	C73	512	0.0	0.0	1.6	4.6	10.8	13.7	24.9	22.3	39.1	59.0	52.8	39.4	55.3	74.2	48.8	46.1	48.3	26.4	0.0	
	悪性リンパ腫	C81-C85 C96	397	1.7	0.0	0.0	0.0	3.1	0.0	9.9	2.0	6.7	7.9	27.6	33.6	35.7	63.0	67.3	64.8	70.2	58.8	0.0	
	多発性骨髄腫	C88-C90	100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	1.1	6.0	7.0	8.9	12.2	13.0	24.9	21.9	18.0	0.0	
	白血病	C91-C95	113	1.7	0.0	3.1	4.6	3.1	0.0	1.2	4.1	5.7	6.8	4.8	8.1	7.1	11.3	10.8	21.2	21.9	18.0	0.0	
総数	全部位	C00-C96	23,953	23.6	8.9	7.6	13.4	25.7	44.3	85.5	122.6	240.5	363.2	570.4	832.0	1,272.6	1,761.5	2,198.0	2,599.5	2,744.4	2,636.9	0.0	
	口腔・咽頭	C00-C14	477	0.0	0.0	0.0	0.0	2.3	1.3	2.4	3.0	8.5	7.4	14.5	18.2	31.6	42.0	41.6	40.6	47.9	34.4	0.0	
	食道	C15	561	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.8	5.7	12.1	22.3	39.8	50.7	67.4	65.6	41.6	34.4	0.0	
	胃	C16	3,866	0.0	0.0	0.0	0.0	0.0	1.3	1.8	9.0	12.3	33.6	58.6	117.3	187.5	280.6	401.1	488.8	509.7	465.8	0.0	
	大腸（結腸・直腸）	C18-C20	3,596	0.0	0.8	0.0	0.0	0.0	3.4	4.3	8.5	23.2	46.7	85.8	132.0	222.2	258.6	325.5	383.4	411.2	433.2	0.0	
	結腸	C18	2,316	0.0	0.8	0.0	0.0	0.0	0.0	2.4	5.5	12.3	23.9	46.5	73.9	128.0	149.3	213.5	265.1	299.1	323.2	0.0	
	直腸	C19-C20	1,280	0.0	0.0	0.0	0.0	0.0	3.4	1.8	3.0	10.9	22.8	39.3	58.1	94.2	109.3	112.0	118.3	112.1	110.0	0.0	
	肝および肝内胆管	C22	1,332	3.3	0.8	0.0	0.7	0.0	0.0	0.0	5.												

表3. 年齢階級別罹患率（人口10万対）：部位別、性別

B. 上皮内がんを含む

広島県 2013年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96 D00-D09	16,056	22.4	7.9	7.4	11.6	22.1	40.6	49.2	85.1	185.1	285.7	563.5	1,077.8	1,858.8	2,817.2	3,681.7	4,568.4	4,814.1	4,926.4	0.0
	食道	C15 D001	546	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.8	5.7	23.1	45.1	82.6	119.7	136.6	161.3	101.7	78.6	0.0
	大腸（結腸・直腸）*1	C18-C20 D010-D012	3,199	0.0	1.6	0.0	1.5	0.0	1.3	4.8	15.8	50.1	76.7	185.0	279.0	455.1	574.4	716.2	804.9	794.9	716.7	0.0
	結腸 *1	C18 D010	2,125	0.0	1.6	0.0	1.5	0.0	0.0	4.8	11.9	34.9	45.8	102.2	176.9	279.6	362.3	494.0	548.8	584.3	538.3	0.0
	直腸 *1	C19-C20 D011-D012	1,074	0.0	0.0	0.0	0.0	0.0	1.3	0.0	4.0	15.1	30.9	82.8	102.1	175.5	212.1	222.1	256.1	210.5	178.4	0.0
	肺	C33-C34 D021-D022	1,884	0.0	0.0	0.0	0.0	0.0	1.3	1.2	4.0	17.0	22.9	38.9	121.1	204.5	341.0	445.5	490.6	667.1	683.5	0.0
	皮膚	C43-C44 D030-D049	378	0.0	0.0	0.0	1.5	0.0	1.3	3.6	3.0	0.9	4.6	8.5	21.4	19.7	29.4	77.9	109.8	172.7	272.2	0.0
	乳房	C50 D05	17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.2	1.9	1.0	7.7	1.7	4.7	9.1	0.0
	膀胱	C67 D090	1,224	0.0	0.0	0.0	0.0	1.5	1.3	0.0	3.0	6.6	18.3	28.0	54.6	116.3	187.7	250.2	382.5	518.1	523.2	0.0
女	全部位	C00-C96 D00-D09	11,882	24.8	10.0	9.4	18.3	60.4	153.8	315.8	356.5	492.7	655.0	776.5	871.4	1,121.3	1,315.8	1,541.4	1,758.0	2,051.5	2,044.9	0.0
	食道	C15 D001	108	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	5.7	3.6	5.8	11.6	12.2	28.2	12.5	19.0	19.2	0.0
	大腸（結腸・直腸）*1	C18-C20 D010-D012	2,165	0.0	0.0	1.6	0.0	0.0	6.9	7.5	15.2	45.7	73.8	94.8	152.0	235.5	277.2	336.3	387.8	424.0	414.3	0.0
	結腸 *1	C18 D010	1,487	0.0	0.0	1.6	0.0	0.0	0.0	2.5	9.1	27.6	48.8	60.0	92.8	149.0	174.8	237.6	284.3	314.4	309.8	0.0
	直腸 *1	C19-C20 D011-D012	678	0.0	0.0	0.0	0.0	0.0	6.9	5.0	6.1	18.1	25.0	34.8	59.2	86.5	102.4	98.7	103.5	109.7	104.5	0.0
	肺	C33-C34 D021-D022	931	0.0	0.0	0.0	0.0	0.0	0.0	3.7	5.1	9.5	14.8	33.6	33.6	103.5	127.8	164.9	189.5	181.3	195.7	0.0
	皮膚	C43-C44 D030-D049	381	0.0	0.0	0.0	0.0	0.0	1.4	3.7	4.1	5.7	4.5	9.6	19.7	22.3	23.5	54.2	53.6	99.4	152.5	0.0
	乳房	C50 D05	2,306	0.0	0.0	0.0	0.0	1.5	8.2	32.3	73.9	167.7	289.1	278.4	259.9	273.0	281.0	278.8	216.9	217.9	175.3	0.0
	子宮	C53-C55 D06	1,288	0.0	0.0	0.0	1.5	32.5	112.6	210.1	195.5	144.9	135.1	118.8	97.5	99.9	63.0	59.7	48.6	67.3	58.8	0.0
	子宮頸部	C53 D06	924	0.0	0.0	0.0	1.5	32.5	109.9	207.6	189.4	119.1	105.6	52.8	46.4	50.0	24.4	30.4	18.7	29.2	25.2	0.0
	膀胱	C67 D090	311	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.3	6.0	12.8	19.6	29.1	36.9	69.8	89.2	104.5	0.0
総数			27,938	23.6	8.9	8.4	14.9	40.8	95.9	180.1	219.2	338.2	461.2	670.7	973.4	1,480.7	2,037.6	2,524.6	2,962.2	3,106.8	2,863.8	0.0
	食道	C15 D001	654	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.8	5.7	13.3	25.2	46.2	63.9	78.0	76.2	50.6	36.1	0.0
	大腸（結腸・直腸）*1	C18-C20 D010-D012	5,364	0.0	0.8	0.8	0.7	0.0	4.0	6.1	15.5	47.9	75.3	139.6	214.7	342.5	420.1	510.8	566.5	565.7	500.2	0.0
	結腸 *1	C18 D010	3,612	0.0	0.8	0.8	0.7	0.0	0.0	3.7	10.5	31.3	47.3	81.0	134.4	212.6	265.0	355.4	397.6	417.5	374.7	0.0
	直腸 *1	C19-C20 D011-D012	1,752	0.0	0.0	0.0	0.0	0.0	4.0	2.4	5.0	16.6	27.9	58.6	80.4	129.9	155.2	155.4	168.9	148.2	125.5	0.0
	肺	C33-C34 D021-D022	2,815	0.0	0.0	0.0	0.0	0.0	0.7	2.4	4.5	13.3	18.8	36.3	76.9	152.7	230.3	293.8	318.5	366.9	334.3	0.0
	皮膚	C43-C44 D030-D049	759	0.0	0.0	0.0	0.7	0.0	1.3	3.7	3.5	3.3	4.6	9.1	20.5	21.0	26.3	65.1	77.7	127.4	186.5	0.0
	乳房	C50 D05	2,323	0.0	0.0	0.0	0.0	0.8	4.0	15.9	36.5	83.5	135.7	140.2	132.0	140.8	146.4	154.2	124.7	136.5	128.1	0.0
	膀胱	C67 D090	1,535	0.0	0.0	0.0	0.0	0.8	0.7	0.0	1.5	4.3	10.3	16.9	33.4	66.8	105.4	134.9	203.8	253.0	223.5	0.0

*1 粘膜がんを含む

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

広島県 2013年

部位	10D-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	23,149	12.6	24.0	0.0	0.8	62.6
口腔・咽頭	C00-C14	467	0.4	12.8	0.2	0.2	86.3
食道	C15	549	10.4	21.3	0.0	0.2	68.1
胃	C16	3,776	18.8	23.9	0.0	0.6	56.7
大腸（結腸・直腸）	C18-C20	3,503	14.0	16.9	0.0	0.6	68.5
結腸	C18	2,237	13.7	19.7	0.0	0.8	65.9
直腸	C19-C20	1,266	14.5	12.0	0.1	0.3	73.1
肝および肝内胆管	C22	1,232	3.4	54.3	0.0	1.8	40.5
胆のう・胆管	C23-C24	443	4.3	27.3	0.0	2.5	65.9
膵臓	C25	781	3.3	28.0	0.1	1.7	66.8
喉頭	C32	130	0.0	15.4	0.0	0.0	84.6
肺	C33-C34	2,657	12.7	37.7	0.1	1.5	47.9
皮膚	C43-C44	550	0.0	5.1	0.0	0.0	94.9
乳房	C50	2,027	21.4	9.7	0.0	0.0	68.9
乳房（女性のみ）	C50	2,012	21.5	9.5	0.0	0.0	69.0
子宮	C53-C55	583	9.6	10.5	0.0	0.0	79.9
子宮頸部	C53	231	13.9	8.7	0.0	0.0	77.5
子宮体部	C54	344	7.0	11.9	0.0	0.0	81.1
卵巣	C56	205	4.9	12.7	0.0	1.0	81.5
前立腺	C61	2,023	21.7	28.6	0.0	0.3	49.4
膀胱	C67	707	1.7	16.8	0.0	0.4	81.0
腎・尿路（膀胱除く）	C64-C66 C68	636	8.5	35.5	0.0	1.3	54.7
脳・中枢神経系	C70-C72	132	0.8	9.1	0.8	3.0	86.4
甲状腺	C73	670	19.7	28.1	0.3	0.1	51.8
悪性リンパ腫	C81-C85 C96	868	4.6	16.4	0.0	1.2	77.9
多発性骨髄腫	C88-C90	201	0.5	36.8	0.0	0.5	62.2
白血病	C91-C95	261	3.4	28.7	0.0	1.1	66.7

*1 DC0を除く総数

表4. 発見経緯(%) : 部位別

B. 上皮内がんを含む

広島県 2013年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	27,134	14.1	23.5	0.0	0.7	61.7
食道	C15 D001	642	10.1	22.6	0.0	0.2	67.1
大腸(結腸・直腸)*2	C18-C20 D010-D012	5,271	17.9	20.3	0.0	0.4	61.4
結腸*2	C18 D010	3,533	17.9	22.5	0.0	0.5	59.1
直腸*2	C19-C20 D011-D012	1,738	18.1	15.8	0.1	0.2	65.9
肺	C33-C34 D021-D022	2,657	12.7	37.7	0.1	1.5	47.9
皮膚	C43-C44 D030-D049	752	0.0	5.3	0.0	0.0	94.7
乳房	C50 D05	2,298	23.6	10.3	0.0	0.0	66.1
乳房(女性のみ)	C50 D05	2,281	23.8	10.1	0.0	0.0	66.1
子宮	C53-C55 D06	1,273	29.1	14.1	0.0	0.0	56.7
子宮頸部	C53 D06	921	37.7	15.1	0.0	0.0	47.2
膀胱	C67 D090	1,519	2.5	15.3	0.0	0.2	82.0

*1 D00を除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合（％）：部位別

A. 上皮内がんを除く

広島県 2013年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	22,777	47.9	8.2	13.0	14.8	16.1	21.3
口腔・咽頭	C00-C14	471	36.9	12.5	22.1	2.8	25.7	34.6
食道	C15	554	40.6	6.3	27.4	10.3	15.3	33.8
胃	C16	3,785	59.4	7.6	7.3	12.9	12.7	14.9
大腸（結腸・直腸）	C18-C20	3,508	44.4	15.1	11.8	14.8	13.9	26.9
結腸	C18	2,241	44.9	13.8	13.2	14.8	13.4	27.0
直腸	C19-C20	1,267	43.6	17.4	9.3	14.8	14.9	26.8
肝および肝内胆管	C22	1,251	64.7	1.0	10.1	9.3	15.0	11.0
胆のう・胆管	C23-C24	447	15.2	2.7	42.5	24.8	14.8	45.2
膵臓	C25	787	7.8	1.9	38.0	41.8	10.5	39.9
喉頭	C32	130	68.5	5.4	12.3	1.5	12.3	17.7
肺	C33-C34	2,676	38.3	9.7	8.6	32.5	10.9	18.3
皮膚	C43-C44	551	76.8	0.5	4.4	0.5	17.8	4.9
乳房	C50	2,033	56.8	19.4	6.9	5.0	11.9	26.3
乳房（女性のみ）	C50	2,018	56.9	19.3	6.9	5.0	11.9	26.2
子宮	C53-C55	583	53.3	2.1	20.9	11.1	12.3	23.0
子宮頸部	C53	231	39.4	2.6	32.5	11.7	13.4	35.1
子宮体部	C54	344	64.0	1.7	13.7	10.5	10.2	15.4
卵巣	C56	206	17.0	0.0	45.1	18.9	18.9	45.1
前立腺	C61	2,028	58.5	0.9	15.2	8.1	17.3	16.1
膀胱	C67	709	66.7	0.4	8.9	4.5	19.5	9.3
腎・尿路（膀胱除く）	C64-C66 C68	641	57.1	0.8	20.1	11.9	10.1	20.9
脳・中枢神経系	C70-C72	134	56.0	0.0	8.2	2.2	33.6	8.2
甲状腺	C73	671	43.4	30.6	9.8	2.8	13.4	40.4
悪性リンパ腫	C81-C85 C96	836	17.8	0.1	10.8	30.5	40.8	10.9
多発性骨髄腫	C88-C90	8	12.5	0.0	0.0	0.0	87.5	0.0
白血病	C91-C95	13	0.0	0.0	7.7	46.2	46.2	7.7

*1 D00、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合（％）：部位別

B. 上皮内がんを含む

広島県 2013年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	26,762	14.9	40.8	7.0	11.1	12.6	13.7	18.1
食道	C15 D001	647	14.4	34.8	5.4	23.5	8.8	13.1	28.9
大腸（結腸・直腸）*3	C18-C20 D010-D012	5,276	33.5	29.5	10.0	7.8	9.8	9.3	17.9
結腸 *3	C18 D010	3,537	36.6	28.4	8.7	8.3	9.4	8.5	17.1
直腸 *3	C19-C20 D011-D012	1,739	27.1	31.7	12.7	6.8	10.8	10.9	19.5
肺	C33-C34 D021-D022	2,676	0.0	38.3	9.7	8.6	32.5	10.9	18.3
皮膚	C43-C44 D030-D049	753	26.8	56.2	0.4	3.2	0.4	13.0	3.6
乳房	C50 D05	2,304	11.8	50.1	17.1	6.1	4.4	10.5	23.2
乳房（女性のみ）	C50 D05	2,287	11.8	50.2	17.0	6.1	4.4	10.5	23.1
子宮	C53-C55 D06	1,273	54.2	24.4	0.9	9.6	5.1	5.7	10.5
子宮頸部	C53 D06	921	74.9	9.9	0.7	8.1	2.9	3.4	8.8
膀胱	C67 D090	1,521	53.4	31.1	0.2	4.1	2.1	9.1	4.3

*1 D00、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表6. 受療割合 (%) : 部位別

A. 上皮内がんを除く

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	広島県	
									その他 の治療	2013年 特異的治療なし ・不明
全部位	C00-C96	23,254	28.2	13.8	9.6	8.8	24.9	6.7	3.7	35.8
口腔・咽頭	C00-C14	471	30.4	0.0	1.7	38.4	33.5	0.0	0.2	39.1
食道	C15	554	18.4	2.7	20.8	31.0	39.4	0.0	1.3	31.9
胃	C16	3,785	25.4	10.8	31.7	0.5	16.3	0.1	0.8	30.4
大腸（結腸・直腸）	C18-C20	3,508	33.8	30.8	10.1	1.6	24.9	0.0	1.1	30.7
結腸	C18	2,241	35.0	30.2	10.1	0.3	22.7	0.0	0.8	32.0
直腸	C19-C20	1,267	31.6	32.0	10.0	4.0	28.7	0.0	1.4	28.3
肝および肝内胆管	C22	1,251	19.6	4.2	0.7	2.9	30.1	0.0	32.9	45.7
胆のう・胆管	C23-C24	447	35.8	4.7	14.3	0.4	28.6	0.0	5.8	45.9
膵臓	C25	787	23.4	0.4	13.9	5.7	53.2	0.0	5.3	37.5
喉頭	C32	130	13.1	0.0	6.2	66.9	39.2	0.0	2.3	21.5
肺	C33-C34	2,676	7.3	33.9	0.0	16.1	34.4	0.0	2.1	35.7
皮膚	C43-C44	551	64.4	0.0	0.0	2.7	2.4	0.0	2.7	34.7
乳房	C50	2,033	64.7	0.0	0.0	24.7	28.1	34.9	1.0	30.4
乳房（女性のみ）	C50	2,018	64.7	0.0	0.0	24.8	28.2	34.8	1.0	30.5
子宮	C53-C55	583	58.1	1.7	0.2	14.8	32.4	1.0	0.7	27.8
子宮頸部	C53	231	43.3	0.4	0.4	32.5	35.5	0.0	1.3	27.7
子宮体部	C54	344	69.2	2.6	0.0	3.2	31.1	1.7	0.3	23.5
卵巣	C56	206	61.7	1.5	0.0	0.5	59.7	0.5	0.0	32.5
前立腺	C61	2,028	9.5	19.3	1.2	8.3	1.7	34.5	0.8	38.8
膀胱	C67	709	9.6	2.8	44.4	2.5	17.3	0.4	9.9	46.4
腎・尿路（膀胱除く）	C64-C66 C68	641	21.5	39.3	0.8	2.3	12.8	0.0	1.9	35.7
脳・中枢神経系	C70-C72	134	54.5	0.0	0.7	46.3	44.0	0.0	0.0	42.5
甲状腺	C73	671	69.2	0.0	0.0	2.8	1.5	18.0	0.1	30.3
悪性リンパ腫	C81-C85 C96	871	6.4	1.4	0.7	4.9	44.7	0.8	4.0	49.6
多発性骨髄腫	C88-C90	202	1.0	0.0	0.0	4.5	50.0	1.0	6.9	50.5
白血病	C91-C95	261	0.4	0.0	0.0	3.1	66.7	0.8	10.0	34.1

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 受療割合（％）：部位別

B. 上皮内がんを含む

B. 上皮内がんを含む			広島県						2013年	
部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	27,239	27.5	12.1	14.3	7.9	21.7	5.9	3.4	35.2
食道	C15 D001	647	15.9	2.3	24.3	27.2	34.0	0.0	1.4	34.5
大腸（結腸・直腸）*2	C18-C20 D010-D012	5,276	23.1	21.6	30.3	1.1	16.6	0.0	0.7	28.7
結腸 *2	C18 D010	3,537	22.8	20.7	32.1	0.2	14.4	0.0	0.6	29.5
直腸 *2	C19-C20 D011-D012	1,739	23.8	23.6	26.9	2.9	20.9	0.0	1.0	27.1
肺	C33-C34 D021-D022	2,676	7.3	33.9	0.0	16.1	34.4	0.0	2.1	35.7
皮膚	C43-C44 D030-D049	753	64.1	0.0	0.0	2.0	2.3	0.0	2.7	34.4
乳房	C50 D05	2,304	65.9	0.1	0.0	25.4	24.9	32.4	0.9	29.7
乳房（女性のみ）	C50 D05	2,287	65.9	0.1	0.0	25.5	25.0	32.4	0.9	29.9
子宮	C53-C55 D06	1,273	66.6	1.3	1.8	7.0	14.8	0.6	0.9	24.4
子宮頸部	C53 D06	921	66.1	0.8	2.5	8.5	8.9	0.2	1.1	23.0
膀胱	C67 D090	1,521	5.4	1.3	43.1	1.2	14.4	0.3	8.7	51.0

*1 D00を除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 観血的治療の範囲 (%) : 部位別

A. 上皮内がんを除く

広島県

2013年

部位	10D-10	外科・鏡視下 ・内視鏡治療数 *1	原発巣切除	姑息的な観血的治療	不明
全部位	C00-C96	11,518	83.1	15.3	1.6
口腔・咽頭	C00-C14	151	82.1	17.9	0.0
食道	C15	226	80.5	19.5	0.0
胃	C16	2,471	87.6	10.7	1.7
大腸 (結腸・直腸)	C18-C20	2,404	82.3	15.7	2.0
結腸	C18	1,537	82.5	15.6	1.9
直腸	C19-C20	867	81.9	15.8	2.3
肝および肝内胆管	C22	304	90.1	7.9	2.0
胆のう・胆管	C23-C24	224	64.3	34.4	1.3
膵臓	C25	275	51.6	47.6	0.7
喉頭	C32	25	72.0	28.0	0.0
肺	C33-C34	1,038	88.6	9.9	1.4
皮膚	C43-C44	355	92.7	6.8	0.6
乳房	C50	1,316	91.3	7.6	1.1
乳房 (女性のみ)	C50	1,305	91.3	7.6	1.1
子宮	C53-C55	348	81.6	18.1	0.3
子宮頸部	C53	101	85.1	14.9	0.0
子宮体部	C54	246	80.5	19.1	0.4
卵巣	C56	129	58.9	41.1	0.0
前立腺	C61	608	84.5	14.0	1.5
膀胱	C67	376	66.8	30.1	3.2
腎・尿路 (膀胱除く)	C64-C66 C68	391	86.4	10.2	3.3
脳・中枢神経系	C70-C72	74	33.8	56.8	9.5
甲状腺	C73	464	87.5	11.4	1.1
悪性リンパ腫	C81-C85 C96	72	40.3	51.4	8.3
多発性骨髄腫	C88-C90	2	0.0	100.0	0.0
白血病	C91-C95	1	0.0	100.0	0.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1 : あり

表7. 観血的治療の範囲 (%) : 部位別

B. 上皮内がんを含む

広島県

2013年

部位	I0D-10	外科・鏡視下 ・内視鏡治療数 *1	原発巣切除	姑息的な観血的治療	不明
全部位	C00-C96 D00-D09	14,195	84.9	13.4	1.6
食道	C15 D001	269	82.5	17.5	0.0
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,734	86.7	11.3	2.0
結腸 *2	C18 D010	2,508	87.3	10.7	2.0
直腸 *2	C19-C20 D011-D012	1,226	85.6	12.4	2.0
肺	C33-C34 D021-D022	1,038	88.6	9.9	1.4
皮膚	C43-C44 D030-D049	483	94.0	5.6	0.4
乳房	C50 D05	1,519	91.9	7.2	0.9
乳房 (女性のみ)	C50 D05	1,506	91.9	7.2	0.9
子宮	C53-C55 D06	884	88.5	10.7	0.8
子宮頸部	C53 D06	637	91.7	7.4	0.9
膀胱	C67 D090	730	74.2	22.6	3.2

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1 : あり

*2 粘膜がんを含む

表8. 精度指標 : 部位別、性別

A. 上皮内がんを除く

広島県 2013年

部位	10D-10	死亡／罹患比 (M1比)			死亡情報で初めて 把握された症例 DON (%)			死亡情報のみの 症例 DOO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
		総数			総数			総数			総数			総数		
全部位	C00-C96	0.35	0.33	0.34	3.8	5.7	4.6	2.4	3.7	2.9	89.7	89.1	89.5	86.9	86.2	86.6
口腔・咽頭	C00-C14	0.30	0.36	0.32	1.2	2.6	1.7	0.6	2.6	1.3	97.2	96.1	96.9	96.6	94.8	96.0
食道	C15	0.43	0.53	0.45	1.3	4.5	1.8	0.8	3.4	1.2	95.8	95.5	95.7	95.8	95.5	95.7
胃	C16	0.25	0.33	0.27	2.5	4.7	3.2	1.8	2.9	2.1	96.8	95.0	96.3	96.8	94.6	96.1
大腸（結腸・直腸）	C18-C20	0.27	0.28	0.27	2.9	4.8	3.8	2.1	2.9	2.4	95.6	92.8	94.4	95.6	92.6	94.3
結腸	C18	0.27	0.32	0.29	3.6	6.3	4.8	2.5	4.1	3.2	94.9	91.1	93.2	94.8	90.9	93.0
直腸	C19-C20	0.27	0.20	0.24	1.8	1.7	1.8	1.3	0.6	1.0	96.8	96.2	96.6	96.8	96.2	96.6
肝および肝内胆管	C22	0.66	0.75	0.69	8.0	14.1	9.9	4.6	9.4	6.1	52.8	38.4	48.3	51.7	37.4	47.2
胆のう・胆管	C23-C24	0.69	0.84	0.76	8.0	15.9	11.8	4.8	9.9	7.3	80.0	64.2	72.4	68.4	53.4	61.2
膵臓	C25	0.82	0.86	0.83	7.3	11.9	9.5	4.6	6.8	5.6	70.3	67.7	69.1	57.3	52.8	55.2
喉頭	C32	0.13	0.22	0.14	0.0	0.0	0.0	0.0	0.0	0.0	98.3	100.0	98.5	98.3	100.0	98.5
肺	C33-C34	0.59	0.52	0.57	6.7	10.8	8.1	3.7	7.4	4.9	82.5	81.8	82.3	70.9	71.3	71.0
皮膚	C43-C44	0.06	0.08	0.07	0.0	2.2	1.1	0.0	2.2	1.1	99.7	97.8	98.7	99.7	97.8	98.7
乳房	C50	0.27	0.12	0.12	0.0	1.1	1.1	0.0	0.9	0.9	100.0	97.9	97.9	100.0	97.2	97.2
子宮	C53-C55	-	0.23	0.23	-	2.8	2.8	-	2.5	2.5	-	95.8	95.8	-	94.8	94.8
子宮頸部	C53	-	0.21	0.21	-	1.7	1.7	-	1.3	1.3	-	97.9	97.9	-	96.6	96.6
子宮体部	C54	-	0.15	0.15	-	0.6	0.6	-	0.6	0.6	-	98.3	98.3	-	97.7	97.7
卵巣	C56	-	0.40	0.40	-	4.3	4.3	-	2.4	2.4	-	92.9	92.9	-	90.0	90.0
前立腺	C61	0.13	-	0.13	2.1	-	2.1	1.6	-	1.6	94.7	-	94.7	94.6	-	94.6
膀胱	C67	0.24	0.47	0.29	1.5	6.9	2.8	1.1	4.6	1.9	97.1	90.2	95.4	93.6	83.3	91.1
腎・尿路（膀胱除く）	C64-C66 C68	0.28	0.34	0.30	3.3	8.5	4.8	1.7	5.5	2.9	88.7	81.1	86.4	86.7	78.1	84.1
脳・中枢神経系	C70-C72	0.27	0.51	0.38	12.8	17.6	15.1	6.4	10.3	8.2	83.3	73.5	78.8	83.3	73.5	78.8
甲状腺	C73	0.06	0.07	0.07	0.6	1.0	0.9	0.6	0.8	0.7	98.8	98.2	98.4	95.7	95.1	95.3
悪性リンパ腫	C81-C85 C96	0.30	0.31	0.31	4.0	5.8	4.8	2.4	3.5	2.9	93.8	93.2	93.5	92.0	91.7	91.9
多発性骨髄腫	C88-C90	0.48	0.39	0.44	7.3	6.0	6.7	5.5	1.0	3.3	91.7	92.0	91.9	89.0	91.0	90.0
白血病	C91-C95	0.74	0.45	0.62	5.7	6.2	5.9	3.8	3.5	3.7	98.7	98.2	98.5	86.1	84.1	85.2

表8. 精度指標 : 部位別、性別
B. 上皮内がんを含む

B. 上皮内がんを含む		広島県										2013年				
部位	ICD-10	死亡／罹患比 (MI比)			死亡情報で初めて 把握された症例 DON (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
全部位	C00-C96 D00-D09	0.30	0.28	0.29	3.3	4.8	3.9	2.1	3.1	2.5	91.1	90.8	91.0	88.6	88.2	88.4
食道	C15 D001	0.37	0.44	0.38	1.1	3.7	1.5	0.7	2.8	1.1	96.3	96.3	96.3	96.3	96.3	96.3
大腸（結腸・直腸）*1	C18-C20 D010-D012	0.17	0.20	0.18	1.9	3.5	2.5	1.3	2.1	1.6	97.2	94.8	96.2	97.2	94.7	96.2
結腸 *1	C18 D010	0.16	0.22	0.19	2.2	4.4	3.1	1.5	2.9	2.1	96.9	93.7	95.6	96.9	93.6	95.5
直腸 *1	C19-C20 D011-D012	0.19	0.16	0.18	1.3	1.3	1.3	0.9	0.4	0.7	97.8	97.1	97.5	97.8	97.1	97.5
肺	C33-C34 D021-D022	0.59	0.52	0.57	6.7	10.8	8.1	3.7	7.4	4.9	82.5	81.8	82.3	70.9	71.3	71.0
皮膚	C43-C44 D030-D049	0.05	0.06	0.05	0.0	1.6	0.8	0.0	1.6	0.8	99.7	98.4	99.1	99.7	98.4	99.1
乳房	C50 D05	0.24	0.11	0.11	0.0	1.0	1.0	0.0	0.8	0.8	100.0	98.1	98.1	100.0	96.9	96.9
子宮	C53-C55 D06	-	0.11	0.11	-	1.3	1.3	-	1.2	1.2	-	98.1	98.1	-	97.4	97.4
子宮頸部	C53 D06	-	0.05	0.05	-	0.4	0.4	-	0.3	0.3	-	99.5	99.5	-	98.8	98.8
膀胱	C67 D090	0.11	0.26	0.14	0.7	3.9	1.3	0.5	2.6	0.9	98.6	94.5	97.8	96.9	90.4	95.6

*1 粘膜がんを含む

表9. 死亡数、死亡割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）及び累積死亡率（人口100万対）： 部位別、性別 広島県 2013年

部位	ICD-10	死亡数				死亡割合				粗死亡率				年齢調整死亡率				累積死亡率(0-74歳)			
		男		女		男		女		男		女		男		女		男		女	
		男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
全部位	C00-C97	4,872	3,340	8,212	100.0	100.0	100.0	100.0	100.0	360.3	230.0	292.8	169.3	82.9	119.7	114.6	58.3	82.5	11.8	5.9	8.7
口腔・咽頭	C00-C14	96	56	152	2.0	1.7	1.9	7.1	3.9	7.1	3.9	5.4	3.5	1.3	2.3	2.4	0.9	1.6	0.3	0.1	0.2
食道	C15	204	47	251	4.2	1.4	3.1	15.1	3.2	15.1	3.2	9.0	7.8	1.4	4.3	5.4	1.1	3.1	0.7	0.1	0.4
胃	C16	668	395	1,063	13.7	11.8	12.9	49.4	27.2	49.4	27.2	37.9	22.7	9.0	14.9	15.0	6.3	10.0	1.5	0.6	1.0
大腸（結腸・直腸）	C18-C20	547	439	986	11.2	13.1	12.0	40.5	30.2	40.5	30.2	35.2	19.8	10.7	14.7	13.9	7.6	10.4	1.5	0.8	1.1
結腸	C18	342	332	674	7.0	9.9	8.2	25.3	22.9	25.3	22.9	24.0	11.7	7.8	9.4	8.0	5.5	6.6	0.8	0.5	0.7
直腸	C19-C20	205	107	312	4.2	3.2	3.8	15.2	7.4	15.2	7.4	11.1	8.1	2.9	5.2	5.8	2.1	3.8	0.6	0.3	0.4
肝および肝内胆管	C22	604	312	916	12.4	9.3	11.2	44.7	21.5	44.7	21.5	32.7	21.2	6.9	13.2	14.3	4.5	8.9	1.5	0.4	1.0
胆のう・胆管	C23-C24	173	194	367	3.6	5.8	4.5	12.8	13.4	12.8	13.4	13.1	5.5	4.0	4.6	3.7	2.7	3.1	0.3	0.3	0.3
膵臓	C25	357	339	696	7.3	10.1	8.5	26.4	23.3	26.4	23.3	24.8	13.0	7.6	10.1	8.9	5.1	6.9	1.0	0.5	0.7
喉頭	C32	16	2	18	0.3	0.1	0.2	1.2	0.1	1.2	0.1	0.6	0.7	0.1	0.3	0.5	0.1	0.2	0.0	0.0	0.0
肺	C33-C34	1,110	486	1,596	22.8	14.6	19.4	82.1	33.5	82.1	33.5	56.9	38.1	11.0	22.8	25.7	7.5	15.5	2.8	0.8	1.7
皮膚	C43-C44	18	21	39	0.4	0.6	0.5	1.3	1.4	1.3	1.4	1.4	0.7	0.3	0.5	0.5	0.2	0.4	0.1	0.0	0.0
乳房	C50	4	243	247	0.1	7.3	3.0	0.3	16.7	0.3	16.7	8.8	0.1	9.6	5.1	0.1	7.2	3.8	0.0	0.9	0.4
子宮	C53-C55	-	136	-	-	4.1	-	-	9.4	-	9.4	-	-	4.8	-	-	3.5	-	-	0.4	-
子宮頸部	C53	-	48	-	-	1.4	-	-	3.3	-	3.3	-	-	1.8	-	-	1.4	-	-	0.2	-
子宮体部	C54	-	52	-	-	1.6	-	-	3.6	-	3.6	-	-	1.8	-	-	1.3	-	-	0.1	-
卵巢	C56	-	84	-	-	2.5	-	-	5.8	-	5.8	-	-	3.3	-	-	2.5	-	-	0.3	-
前立腺	C61	263	-	-	5.4	-	-	19.5	-	19.5	-	-	7.7	-	-	4.8	-	-	0.3	-	-
膀胱	C67	131	82	213	2.7	2.5	2.6	9.7	5.6	9.7	5.6	7.6	3.7	1.3	2.3	2.4	0.8	1.4	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	129	68	197	2.6	2.0	2.4	9.5	4.7	9.5	4.7	7.0	4.5	1.3	2.7	3.0	0.8	1.8	0.3	0.1	0.2
脳・中枢神経系	C70-C72	21	35	56	0.4	1.0	0.7	1.6	2.4	1.6	2.4	2.0	0.9	1.2	1.1	0.7	1.1	0.9	0.1	0.1	0.1
甲状腺	C73	10	35	45	0.2	1.0	0.5	0.7	2.4	0.7	2.4	1.6	0.3	0.8	0.6	0.2	0.5	0.4	0.0	0.1	0.0
悪性リンパ腫	C81-C85 C96	151	125	276	3.1	3.7	3.4	11.2	8.6	11.2	8.6	9.8	5.3	2.5	3.7	3.6	1.7	2.5	0.3	0.1	0.2
多発性骨髄腫	C88-C90	52	39	91	1.1	1.2	1.1	3.8	2.7	3.8	2.7	3.2	1.7	0.9	1.2	1.1	0.6	0.8	0.1	0.1	0.1
白血病	C91-C95	117	51	168	2.4	1.5	2.0	8.7	3.5	8.7	3.5	6.0	4.7	1.5	2.9	3.3	1.0	2.1	0.3	0.1	0.2

表11. 年齢階級別死亡率（人口10万対）： 部位別、性別

広島県

2013年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	000-C97	4,872	0.0	3.2	1.5	1.5	1.5	9.6	5.0	17.1	28.6	49.6	120.2	208.0	405.7	616.3	892.8	1,425.6	2,155.9	3,033.4	0.0
	口腔・咽頭	000-C14	96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.9	2.4	10.4	13.3	29.5	25.0	30.8	42.4	0.0
	食道	C15	204	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	9.8	19.1	22.6	32.7	46.2	63.4	54.6	78.8	0.0
	胃	C16	668	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	2.9	2.3	20.8	26.3	44.3	77.5	127.0	202.0	332.0	418.2	0.0
	大腸（結腸・直腸）	C18-C20	547	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.8	15.0	20.8	27.5	48.1	87.7	89.8	135.2	194.5	357.6	0.0
	結腸	C18	342	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.9	8.1	4.9	10.8	25.5	52.0	64.1	86.8	130.4	251.5	0.0
	直腸	C19-C20	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	6.9	15.9	16.7	22.6	35.7	25.7	48.4	64.0	106.1	0.0
	肝および肝内胆管	C22	604	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.0	2.9	3.5	17.2	25.1	63.2	74.5	115.5	182.0	279.9	312.1	0.0
	胆のう・胆管	C23-C24	173	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	4.9	4.8	11.3	19.4	26.9	36.7	99.6	145.5	0.0
	膵臓	C25	357	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	5.8	13.5	14.3	42.5	55.1	59.0	125.2	139.9	148.5	0.0
	喉頭	C32	16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	4.8	0.9	1.0	1.3	1.7	7.1	12.1	0.0
	肺	C33-C34	1,110	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.0	5.7	8.1	12.3	52.6	90.6	167.3	221.9	322.2	467.2	654.6	0.0
	皮膚	C43-C44	18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	2.8	3.1	3.8	3.3	2.4	12.1	0.0
	乳房	C50	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.4	3.0	0.0
	前立腺	C61	263	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	2.4	9.4	19.4	35.9	78.5	170.8	251.5	0.0
	膀胱	C67	131	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	3.6	3.8	9.2	14.1	33.4	66.4	166.7	0.0
	腎・尿路（膀胱除く）	C64-C66 C68	129	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.3	1.2	3.6	17.0	12.2	23.1	41.7	56.9	72.7	0.0
	脳・中枢神経系	C70-C72	21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.2	1.2	1.2	1.9	2.0	5.1	5.0	2.4	12.1	0.0
	甲状腺	C73	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.0	1.3	3.3	2.4	9.1	0.0
	悪性リンパ腫	C81-C85 C96	151	0.0	0.0	0.0	0.0	0.0	2.8	0.0	1.0	1.9	2.3	2.5	8.4	14.2	8.2	19.2	51.7	61.7	121.2	0.0
	多発性骨髄腫	C88-C90	52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	0.0	3.8	8.2	7.7	11.7	30.8	36.4	0.0
	白血病	C91-C95	117	0.0	0.0	1.5	1.5	0.0	2.8	2.5	4.0	4.8	2.3	0.0	3.6	4.7	10.2	19.2	40.1	68.8	42.4	0.0
女	全部位	000-C97	3,340	6.7	0.0	0.0	1.6	3.2	4.3	7.7	18.6	28.0	43.7	94.5	143.7	199.2	270.3	365.3	585.9	830.3	1,397.6	0.0
	口腔・咽頭	000-C14	56	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.0	1.2	1.2	0.0	2.7	4.7	2.2	6.3	17.6	28.9	0.0
	食道	C15	47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	1.2	5.8	3.6	7.6	6.5	2.5	7.3	16.9	0.0
	胃	C16	395	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	3.9	6.9	6.1	16.4	18.8	33.1	34.9	65.1	89.5	196.2	0.0
	大腸（結腸・直腸）	C18-C20	439	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.1	2.9	3.5	18.2	22.2	22.4	37.8	49.1	61.3	96.8	205.8	0.0
	結腸	C18	332	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.1	1.9	3.5	13.3	16.4	14.4	22.7	32.7	47.6	79.2	164.9	0.0
	直腸	C19-C20	107	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	4.8	5.8	8.1	15.1	16.4	13.8	17.6	40.9	0.0	
	肝および肝内胆管	C22	312	0.0	0.0	0.0	1.6	1.6	0.0	0.0	1.0	0.0	1.2	6.1	2.3	9.9	15.1	49.1	81.4	102.7	113.2	0.0
	胆のう・胆管	C23-C24	194	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	0.0	3.6	2.3	9.0	14.2	21.8	36.3	46.9	97.5	0.0
	膵臓	C25	339	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	3.6	10.5	23.3	26.5	40.3	72.6	93.9	134.8	0.0
	喉頭	C32	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.0	0.0	0.0	0.0	0.0
	肺	C33-C34	486	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.0	1.0	5.8	3.6	9.3	32.3	45.4	51.2	90.1	140.8	201.0	0.0
	皮膚	C43-C44	21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.9	0.9	0.0	1.3	2.9	18.1	0.0
	乳房	C50	243	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	4.8	9.2	21.8	35.1	30.5	33.1	31.6	28.8	26.4	44.5	0.0
	子宮	C53-C55	136	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.1	2.9	6.9	13.3	7.0	11.7	12.3	13.1	26.3	19.1	39.7	0.0
	子宮頸部	C53	48	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.1	0.0	4.6	2.4	2.3	4.5	7.6	4.4	7.5	2.9	13.2	0.0
	子宮体部	C54	52	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.0	1.2	6.1	4.7	2.7	3.8	7.6	12.5	8.8	12.0	0.0
	卵巣	C56	84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.9	3.5	6.1	14.0	9.9	8.5	7.6	10.0	13.2	16.9	0.0
	膀胱	C67	82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	0.9	0.9	5.5	13.8	30.8	49.4	0.0
	腎・尿路（膀胱除く）	C64-C66 C68	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.7	2.8	2.2	18.8	17.6	37.3	0.0
	脳・中枢神経系	C70-C72	35	3.3	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.0	0.0	1.2	2.3	0.9	4.7	4.4	2.5	13.2	8.4	0.0
	甲状腺	C73	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.7	0.9	6.5	6.3	5.9	16.9
悪性リンパ腫	C81-C85 C96	125	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.0	1.2	1.2	1.2	4.5	4.7	13.1	21.3	45.5	60.2	0.0	
多発性骨髄腫	C88-C90	39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.8	1.9	7.6	8.8	14.7	12.0	0.0
白血病	C91-C95	51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.3	1.2	2.3	2.7	4.7	5.5	12.5	11.7	15.6	0.0
総数	全部位	000-C97	8,212	3.3	1.6	0.8	1.5	2.4	7.0	6.3	17.8	28.3	46.7	107.3	175.5	299.8	436.6	607.7	945.8	1,336.8	1,862.7	0.0
	口腔・咽頭	000-C14	152	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.5	1.2	3.0	1.2	6.4	8.8	14.7	14.3	22.7	32.7	0.0
	食道	C15	251	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.2	5.5	12.4	12.9	19.6	24.8	28.6	25.4	34.5	0.0
	胃	C16	1,063	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.5	3.4	4.6	13.4	21.3	31.3	54.5	77.2	123.8	182.2	259.3	0.0
	大腸（結腸・直腸）	C18-C20	986	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.5	3.8	9.2	19.5	24.8	34.9	61.8	67.8	93.0	134.1	249.0	0.0
	結腸	C18	674	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.5	2.4	5.8	9.1	13.6	19.8	36.8	47.2	64.4	98.8	189.5	0.0
	直腸	C19-C20	312	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.5	10.4	11.2	15.2	25.0	20.6	28.6	35.3	59.4	0.0	
	肝および肝内胆管	C22	916	0.0	0.0	0.0	0.8	0.8	0.0	0.6	1.5	1.4	2.3	11.6	13.6	35.9	43.7	79.6	124.5	170.4	169.7	0.0
	胆のう・胆管	C23-C24	367	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.0	4.3	3.5	10.1	16.7	24.2	36.5	67.1		

2013年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率 (人口10万対)			年齢調整罹患率(人口10万対)						累積罹患率(0-74歳) (人口100万対)		
		男	女	総数	男	女	総数	男	女	総数	日本人人口			世界人口			男	女	総数
											男	女	総数	男	女	総数			
全部位	C00-C96	13,943	10,010	23,953	100.0	100.0	100.0	1,018.5	680.3	843.3	539.7	371.7	441.7	382.4	279.4	322.3	45.9	30.8	37.8
口唇	C00	3	3	6	0.0	0.0	0.0	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
舌根<基底>部	C01	9	1	10	0.1	0.0	0.0	0.7	0.1	0.4	0.5	0.0	0.2	0.3	0.0	0.2	0.0	0.0	0.0
その他および部位不明の舌	C02	77	45	122	0.6	0.4	0.5	5.6	3.1	4.3	3.7	2.1	2.8	2.8	1.6	2.2	0.3	0.1	0.2
歯肉	C03	34	29	63	0.2	0.3	0.3	2.5	2.0	2.2	1.2	0.8	1.0	0.9	0.6	0.7	0.1	0.1	0.1
口腔底	C04	20	5	25	0.1	0.0	0.1	1.5	0.3	0.9	0.8	0.1	0.5	0.6	0.1	0.3	0.1	0.0	0.1
口蓋	C05	10	8	18	0.1	0.1	0.1	0.7	0.5	0.6	0.4	0.4	0.4	0.3	0.3	0.3	0.0	0.0	0.0
その他および部位不明の口腔	C06	19	19	38	0.1	0.2	0.2	1.4	1.3	1.3	0.7	0.5	0.6	0.4	0.3	0.4	0.0	0.0	0.0
耳下腺	C07	21	14	35	0.2	0.1	0.1	1.5	1.0	1.2	0.9	0.6	0.8	0.7	0.5	0.6	0.1	0.1	0.1
その他および部位不明の大唾液腺	C08	4	5	9	0.0	0.0	0.0	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.1	0.0	0.0	0.0
扁桃	C09	10	7	17	0.1	0.1	0.1	0.7	0.5	0.6	0.5	0.4	0.4	0.4	0.3	0.3	0.1	0.0	0.0
中咽頭	C10	29	6	35	0.2	0.1	0.1	2.1	0.4	1.2	1.2	0.2	0.7	0.9	0.2	0.5	0.1	0.0	0.1
鼻<上>咽頭	C11	12	4	16	0.1	0.0	0.1	0.9	0.3	0.6	0.6	0.2	0.4	0.5	0.1	0.3	0.1	0.0	0.0
梨状陥凹<洞>	C12	29	1	30	0.2	0.0	0.1	2.1	0.1	1.1	1.2	0.0	0.6	0.8	0.0	0.4	0.1	0.0	0.1
下咽頭	C13	41	6	47	0.3	0.1	0.2	3.0	0.4	1.7	1.8	0.2	0.9	1.3	0.1	0.7	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	4	2	6	0.0	0.0	0.0	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
食道	C15	473	88	561	3.4	0.9	2.3	34.6	6.0	19.8	19.1	3.0	10.5	13.7	2.2	7.6	1.8	0.3	1.0
胃	C16	2,684	1,182	3,866	19.2	11.8	16.1	196.1	80.3	136.1	100.5	34.6	64.1	69.6	24.3	44.8	8.4	2.9	5.5
小腸	C17	65	35	100	0.5	0.3	0.4	4.7	2.4	3.5	2.7	1.4	2.0	2.0	1.0	1.4	0.2	0.1	0.2
結腸	C18	1,276	1,040	2,316	9.2	10.4	9.7	93.2	70.7	81.5	48.9	31.1	39.0	34.3	22.2	27.7	4.1	2.5	3.3
直腸S状結腸移行部	C19	160	110	270	1.1	1.1	1.1	11.7	7.5	9.5	6.7	4.1	5.3	4.9	3.1	3.9	0.6	0.4	0.5
直腸	C20	598	412	1,010	4.3	4.1	4.2	43.7	28.0	35.6	25.4	14.6	19.6	18.7	10.9	14.5	2.3	1.3	1.8
肛門および肛門管	C21	15	9	24	0.1	0.1	0.1	1.1	0.6	0.8	0.4	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
肝および肝内胆管	C22	915	417	1,332	6.6	4.2	5.6	66.8	28.3	46.9	35.1	11.0	22.0	24.6	7.9	15.6	2.9	0.8	1.8
胆のう	C23	79	108	187	0.6	1.1	0.8	5.8	7.3	6.6	2.9	2.7	2.8	2.0	1.8	1.9	0.2	0.2	0.2
その他および部位不明の胆道	C24	171	124	295	1.2	1.2	1.2	12.5	8.4	10.4	6.1	2.8	4.3	4.2	1.9	3.0	0.5	0.2	0.3
脾臓	C25	438	396	834	3.1	4.0	3.5	32.0	26.9	29.4	16.8	11.0	13.6	12.0	7.6	9.6	1.5	0.8	1.1
その他および部位不明の消化器	C26	0	5	5	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
鼻腔および中耳	C30	16	11	27	0.1	0.1	0.1	1.2	0.7	1.0	0.8	0.4	0.6	0.6	0.3	0.5	0.1	0.0	0.0
副鼻腔	C31	17	7	24	0.1	0.1	0.1	1.2	0.5	0.8	0.7	0.2	0.4	0.6	0.1	0.3	0.1	0.0	0.0
喉頭	C32	121	9	130	0.9	0.1	0.5	8.8	0.6	4.6	4.9	0.3	2.4	3.6	0.2	1.8	0.5	0.0	0.2
気管	C33	1	1	2	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	1,883	930	2,813	13.5	9.3	11.7	137.6	63.2	99.0	69.8	28.0	46.5	48.5	20.0	32.8	6.0	2.5	4.1
胸腺	C37	17	23	40	0.1	0.2	0.2	1.2	1.6	1.4	0.9	0.8	0.9	0.7	0.6	0.7	0.1	0.1	0.1
心臓、縦隔および胸膜	C38	12	8	20	0.1	0.1	0.1	0.9	0.5	0.7	0.6	0.5	0.5	0.5	0.7	0.6	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	1	1	2	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	4	8	12	0.0	0.1	0.1	0.3	0.5	0.4	0.4	0.6	0.5	0.4	0.6	0.5	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	10	9	19	0.1	0.1	0.1	0.7	0.6	0.7	0.6	0.5	0.6	0.5	0.6	0.5	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	24	25	49	0.2	0.2	0.2	1.8	1.7	1.7	0.9	1.1	1.0	0.6	0.8	0.7	0.1	0.1	0.1
皮膚のその他	C44	264	244	508	1.9	2.4	2.1	19.3	16.6	17.9	9.2	6.2	7.4	6.2	4.4	5.1	0.6	0.5	0.5
中皮腫	C45	60	7	67	0.4	0.1	0.3	4.4	0.5	2.4	2.0	0.2	1.0	1.4	0.1	0.7	0.2	0.0	0.1
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	2	2	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	18	37	55	0.1	0.4	0.2	1.3	2.5	1.9	0.9	1.3	1.1	0.9	1.0	0.9	0.1	0.1	0.1
その他の結合組織および軟部組織	C49	57	40	97	0.4	0.4	0.4	4.2	2.7	3.4	2.4	1.7	1.9	1.7	1.3	1.5	0.2	0.1	0.1
乳房	C50	15	2,037	2,052	0.1	20.3	8.6	1.1	138.4	72.2	0.6	97.8	50.7	0.4	75.3	38.8	0.1	8.4	4.3
外陰	C51	-	28	-	-	0.3	-	-	1.9	-	-	0.8	-	-	0.6	-	-	0.1	-
陰	C52	-	6	-	-	0.1	-	-	0.4	-	-	0.3	-	-	0.2	-	-	0.0	-
子宮頸部	C53	-	234	-	-	2.3	-	-	15.9	-	-	13.0	-	-	10.3	-	-	1.0	-
子宮体部	C54	-	346	-	-	3.5	-	-	23.5	-	-	17.5	-	-	13.5	-	-	1.5	-
子宮部位不明	C55	-	18	-	-	0.2	-	-	1.2	-	-	0.4	-	-	0.3	-	-	0.0	-
卵巢	C56	-	211	-	-	2.1	-	-	14.3	-	-	10.6	-	-	8.5	-	-	0.9	-
その他および部位不明の女性性器	C57	-	6	-	-	0.1	-	-	0.4	-	-	0.3	-	-	0.2	-	-	0.0	-
胎盤	C58	-	4	-	-	0.0	-	-	0.3	-	-	0.3	-	-	0.3	-	-	0.0	-
陰茎	C60	9	-	-	0.1	-	-	0.7	-	-	0.3	-	-	0.2	-	-	0.0	-	-
前立腺	C61	2,060	-	-	14.8	-	-	150.5	-	-	74.5	-	-	50.8	-	-	6.8	-	-
精巣	C62	40	-	-	0.3	-	-	2.9	-	-	3.4	-	-	3.0	-	-	0.2	-	-
その他および部位不明の男性性器	C63	15	-	-	0.1	-	-	1.1	-	-	0.5	-	-	0.3	-	-	0.0	-	-
腎盂を除く腎	C64	316	127	443	2.3	1.3	1.8	23.1	8.6	15.6	14.3	4.7	9.2	10.6	3.6	6.9	1.2	0.4	0.8
腎盂	C65	76	41	117	0.5	0.4	0.5	5.6	2.8	4.1	2.7	1.0	1.7	1.8	0.6	1.1	0.2	0.1	0.1
尿管	C66	59	31	90	0.4	0.3	0.4	4.3	2.1	3.2	2.1	0.6	1.2	1.4	0.3	0.8	0.2	0.0	0.1
膀胱	C67	549	174	723	3.9	1.7	3.0	40.1	11.8	25.5	19.2	3.9	10.6	13.0	2.6	7.2	1.4	0.3	0.8
その他および部位不明の泌尿器	C68	8	2	10	0.1	0.0	0.0	0.6	0.1	0.4	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
眼および付属器	C69	2	4	6	0.0	0.0	0.0	0.1	0.3	0.2	0.2	0.3	0.2	0.1	0.4	0.3	0.0	0.0	0.0
随膜	C70	6	4	10	0.0	0.0	0.0	0.4	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
脳	C71	72	63	135	0.5	0.6	0.6	5.3	4.3	4.8	4.0	2.5	3.2	3.6	2.0	2.8	0.3	0.2	0.3
脊髄、脳神経および中枢神経系のその他の部位	C72	0	1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.0	0.0	0.0
甲状腺	C73	164	512	676	1.2	5.1	2.8	12.0	34.6	23.8	8.6	27.1	18.0	6.6	21.7	14.2	0.7	2.2	1.5
副腎	C74	7	6	13	0.1	0.1	0.1	0.5	0.4	0.5	0.5	0.4	0.4	0.7	0.5	0.6	0.0	0.0	0.0
その他の内分泌腺および関連組織	C75	3	6	9	0.0	0.1	0.0	0.2	0.4	0.3	0.2	0.5	0.3	0.2	0.5	0.4	0.0	0.0	0.0
その他および不明確な部位	C76	3	3	6	0.0	0.0	0.0	0.2	0.2	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
リンパ節の続発性および部位不明	C77	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
呼吸器および消化器の続発性	C78	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他の部位の続発性	C79	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
部位不明	C80	71	93	164	0.5	0.9	0.7	5.2	6.3	5.8	2.4	2.6	2.5	1.6	1.9	1.7	0.2	0.2	0.2
ホジキン病	C81	19	3	22	0.1	0.0	0.1	1.4	0.2	0.8	1.0	0.1	0.6	0.9	0.1	0.5	0.1	0.0	0.0
ろ悪性非ホジキンリンパ腫	C82	126	137	263</															

付表1. がん罹患数及び罹患率： 詳細部位別、性別

広島県

2013年

部位	ICD-10	罹患数		罹患割合 (%)		粗罹患率 (人口10万対)		年齢調整罹患率(人口10万対)						累積罹患率(0-74歳) (人口100万対)					
								日本人口			世界人口								
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数			
上皮内がん																			
全部位	D00-D09	2,113	1,872	3,985	15.2	18.7	16.6	154.4	127.2	140.3	85.7	101.1	91.0	61.0	80.3	69.1	7.5	7.8	7.5
口腔、食道および胃	D00	102	31	133	0.7	0.3	0.6	7.5	2.1	4.7	4.1	1.1	2.5	3.0	0.8	1.8	0.4	0.1	0.2
食道	D001	73	20	93	0.5	0.2	0.4	5.3	1.4	3.3	2.8	0.7	1.7	2.0	0.5	1.2	0.3	0.1	0.2
その他および部位不明の消化器	D01	1,186	613	1,799	8.5	6.1	7.5	86.6	41.7	63.3	51.6	22.7	36.2	37.7	16.6	26.6	4.8	2.1	3.4
結腸	D010	849	447	1,296	6.1	4.5	5.4	62.0	30.4	45.6	37.0	16.2	26.0	27.1	11.8	19.1	3.5	1.5	2.4
直腸S状結腸移行部	D011	54	26	80	0.4	0.3	0.3	3.9	1.8	2.8	2.4	0.9	1.7	1.8	0.7	1.2	0.2	0.1	0.1
直腸	D012	262	130	392	1.9	1.3	1.6	19.1	8.8	13.8	11.4	5.1	8.0	8.3	3.9	6.0	1.1	0.5	0.8
中耳および呼吸器系	D02	13	2	15	0.1	0.0	0.1	0.9	0.1	0.5	0.5	0.1	0.3	0.3	0.0	0.2	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	5	6	11	0.0	0.1	0.0	0.4	0.4	0.4	0.3	0.2	0.3	0.2	0.2	0.2	0.0	0.0	0.0
皮膚のその他	D04	85	106	191	0.6	1.1	0.8	6.2	7.2	6.7	2.7	2.4	2.5	1.8	1.6	1.6	0.2	0.2	0.2
乳房	D05	2	269	271	0.0	2.7	1.1	0.1	18.3	9.5	0.1	14.7	7.5	0.1	11.4	5.8	0.0	1.3	0.7
子宮頸部	D06	-	690	690	-	6.9	2.9	-	46.9	24.3	-	55.8	27.6	-	46.8	23.2	-	3.8	1.9
その他および部位不明の性器	D07	6	6	12	0.0	0.1	0.1	0.4	0.4	0.4	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0
その他および部位不明	D09	714	149	863	5.1	1.5	3.6	52.2	10.1	30.4	26.2	4.1	13.9	17.8	2.8	9.6	2.0	0.3	1.1
膀胱	D090	675	137	812	4.8	1.4	3.4	49.3	9.3	28.6	24.7	3.7	13.1	16.8	2.5	9.0	1.9	0.3	1.1
良性腫瘍																			
髄膜	D32	57	134	191	0.4	1.3	0.8	4.2	9.1	6.7	2.6	5.9	4.3	1.9	4.5	3.2	0.2	0.5	0.4
脳および中枢神経系	D33	25	12	37	0.2	0.1	0.2	1.8	0.8	1.3	1.6	0.7	1.1	1.3	0.5	0.9	0.1	0.1	0.1
下垂体、頭蓋咽頭管、松果体	D352-D354	49	58	107	0.4	0.6	0.4	3.6	3.9	3.8	3.2	3.8	3.5	2.6	3.4	3.0	0.3	0.3	0.3
性状不詳または不明の腫瘍																			
髄膜	D42	11	19	30	0.1	0.2	0.1	0.8	1.3	1.1	0.5	0.8	0.6	0.4	0.5	0.5	0.0	0.1	0.1
脳および中枢神経系	D43	25	28	53	0.2	0.3	0.2	1.8	1.9	1.9	1.7	1.4	1.6	1.8	1.2	1.5	0.1	0.1	0.1
下垂体、頭蓋咽頭管、松果体	D443-D445	8	8	16	0.1	0.1	0.1	0.6	0.5	0.6	0.6	0.5	0.5	0.7	0.5	0.6	0.0	0.0	0.0
真正赤血球増多症	D45	3	1	4	0.0	0.0	0.0	0.2	0.1	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
骨髄異形成症候群	D46	116	80	196	0.8	0.8	0.8	8.5	5.4	6.9	3.9	1.9	2.7	2.5	1.3	1.8	0.3	0.1	0.2
慢性骨増殖性疾患他	D47	16	12	28	0.1	0.1	0.1	1.2	0.8	1.0	0.7	0.5	0.6	0.5	0.4	0.4	0.1	0.0	0.1

付表2. がん死亡数及び死亡率： 詳細部位別、性別

広島県

2013年

部位	ICD-10	死亡数		死亡割合(%)		粗死亡率 (人口10万対)			年齢調整死亡率(人口10万対)						累積死亡率 (0-74歳) (人口100万対)				
		男	女	総数	男	女	総数	日本人人口			世界人口			累積死亡率					
								男	女	総数	男	女	総数	男	女	総数			
全部位	C00-C97	4,872	3,340	8,212	100.0	100.0	100.0	360.3	230.0	292.8	169.3	82.9	119.7	114.6	58.3	82.5	11.8	5.9	8.7
口唇	C00	1	4	5	0.0	0.1	0.1	0.1	0.3	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	C01	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	C02	13	13	26	0.3	0.4	0.3	1.0	0.9	0.9	0.4	0.4	0.4	0.3	0.3	0.3	0.0	0.0	0.0
歯肉	C03	10	13	23	0.2	0.4	0.3	0.7	0.9	0.8	0.3	0.2	0.3	0.2	0.1	0.2	0.0	0.0	0.0
口腔底	C04	6	4	10	0.1	0.1	0.1	0.4	0.3	0.4	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
口蓋	C05	0	1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	C06	9	7	16	0.2	0.2	0.2	0.7	0.5	0.6	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
耳下腺	C07	6	2	8	0.1	0.1	0.1	0.4	0.1	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	C08	3	1	4	0.1	0.0	0.0	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
扁桃	C09	0	1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	C10	16	4	20	0.3	0.1	0.2	1.2	0.3	0.7	0.7	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
鼻<上>咽頭	C11	4	2	6	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
梨状陥凹<洞>	C12	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	C13	23	2	25	0.5	0.1	0.3	1.7	0.1	0.9	0.9	0.0	0.4	0.6	0.0	0.3	0.1	0.0	0.0
その他および部位不明確の口唇、口腔および咽頭	C14	4	2	6	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
食道	C15	204	47	251	4.2	1.4	3.1	15.1	3.2	9.0	7.8	1.4	4.3	5.4	1.1	3.1	0.7	0.1	0.4
胃	C16	668	395	1,063	13.7	11.8	12.9	49.4	27.2	37.9	22.7	9.0	14.9	15.0	6.3	10.0	1.5	0.6	1.0
小腸	C17	18	8	26	0.4	0.2	0.3	1.3	0.6	0.9	0.6	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0
結腸	C18	342	332	674	7.0	9.9	8.2	25.3	22.9	24.0	11.7	7.8	9.4	8.0	5.5	6.6	0.8	0.5	0.7
直腸S状結腸移行部	C19	6	3	9	0.1	0.1	0.1	0.4	0.2	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
直腸	C20	199	104	303	4.1	3.1	3.7	14.7	7.2	10.8	7.9	2.8	5.1	5.7	2.0	3.7	0.6	0.3	0.4
肛門および肛門管	C21	2	3	5	0.0	0.1	0.1	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
肝および肝内胆管	C22	604	312	916	12.4	9.3	11.2	44.7	21.5	32.7	21.2	6.9	13.2	14.3	4.5	8.9	1.5	0.4	1.0
胆のう	C23	60	92	152	1.2	2.8	1.9	4.4	6.3	5.4	2.0	2.1	2.0	1.4	1.4	1.4	0.1	0.1	0.1
その他および部位不明の胆道	C24	113	102	215	2.3	3.1	2.6	8.4	7.0	7.7	3.5	1.9	2.6	2.3	1.3	1.7	0.2	0.1	0.2
膵臓	C25	357	339	696	7.3	10.1	8.5	26.4	23.3	24.8	13.0	7.6	10.1	8.9	5.1	6.9	1.0	0.5	0.7
その他および部位不明の消化器	C26	6	5	11	0.1	0.1	0.1	0.4	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
鼻腔および中耳	C30	5	1	6	0.1	0.0	0.1	0.4	0.1	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
副鼻腔	C31	3	2	5	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
喉頭	C32	16	2	18	0.3	0.1	0.2	1.2	0.1	0.6	0.7	0.1	0.3	0.5	0.1	0.2	0.0	0.0	0.0
気管	C33	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	1,109	486	1,595	22.8	14.6	19.4	82.0	33.5	56.9	38.1	11.0	22.8	25.7	7.5	15.5	2.8	0.8	1.7
胸腺	C37	4	2	6	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
心臓、縦隔および胸膜	C38	3	1	4	0.1	0.0	0.0	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.0	0.0	0.0
その他および部位不明確の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	0	1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	4	0	4	0.1	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	10	7	17	0.2	0.2	0.2	0.7	0.5	0.6	0.4	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0
皮膚のその他	C44	8	14	22	0.2	0.4	0.3	0.6	1.0	0.8	0.3	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
中皮腫	C45	46	7	53	0.9	0.2	0.6	3.4	0.5	1.9	1.4	0.2	0.7	1.0	0.1	0.5	0.1	0.0	0.1
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	1	0	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	2	13	15	0.0	0.4	0.2	0.1	0.9	0.5	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
その他の結合組織および軟部組織	C49	23	10	33	0.5	0.3	0.4	1.7	0.7	1.2	1.1	0.2	0.6	0.8	0.1	0.4	0.1	0.0	0.0
乳房	C50	4	243	247	0.1	7.3	3.0	0.3	16.7	8.8	0.1	9.6	5.1	0.1	7.2	3.8	0.0	0.9	0.4
外陰	C51	0	4	4	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰	C52	0	2	2	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	C53	0	48	48	0.0	1.4	0.6	0.0	3.3	1.7	0.0	1.8	1.0	0.0	1.4	0.7	0.0	0.2	0.1
子宮体部	C54	0	52	52	0.0	1.6	0.6	0.0	3.6	1.9	0.0	1.8	1.0	0.0	1.3	0.7	0.0	0.1	0.1
子宮部位不明	C55	0	36	36	0.0	1.1	0.4	0.0	2.5	1.3	0.0	1.1	0.6	0.0	0.8	0.4	0.0	0.1	0.0
卵巣	C56	0	84	84	0.0	2.5	1.0	0.0	5.8	3.0	0.0	3.3	1.7	0.0	2.5	1.3	0.0	0.3	0.1
その他および部位不明の女性性器	C57	0	3	3	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
胎盤	C58	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰茎	C60	5	0	5	0.1	0.0	0.1	0.4	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
前立腺	C61	263	0	263	5.4	0.0	3.2	19.5	0.0	9.4	7.7	0.0	3.1	4.8	0.0	1.9	0.3	0.0	0.2
精巣	C62	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の男性性器	C63	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
腎盂を除く腎	C64	61	24	85	1.3	0.7	1.0	4.5	1.7	3.0	2.3	0.5	1.3	1.6	0.3	0.9	0.2	0.0	0.1
腎盂	C65	29	26	55	0.6	0.8	0.7	2.1	1.8	2.0	0.9	0.5	0.7	0.6	0.4	0.4	0.0	0.0	0.0
尿管	C66	32	16	48	0.7	0.5	0.6	2.4	1.1	1.7	1.0	0.2	0.6	0.7	0.1	0.4	0.1	0.0	0.0
膀胱	C67	131	82	213	2.7	2.5	2.6	9.7	5.6	7.6	3.7	1.3	2.3	2.4	0.8	1.4</			

付表2. がん死亡数及び死亡率： 詳細部位別、性別

広島県

2013年

部位	ICD-10	死亡数			死亡割合(%)			粗死亡率 (人口10万対)			年齢調整死亡率(人口10万対)						累積死亡率(0-74歳) (人口100万対)		
											日本人口			世界人口					
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
良性腫瘍																			
髄膜	D32	2	2	4	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の内分泌腺	D35	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳または不明の腫瘍																			
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	23	28	51	0.5	0.8	0.6	1.7	1.9	1.8	1.0	0.9	0.9	0.8	0.7	0.7	0.0	0.1	0.1
内分泌腺	D44	1	1	2	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	0	1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髓異形成症候群	D46	46	40	86	0.9	1.2	1.0	3.4	2.8	3.1	1.4	0.7	1.0	1.0	0.5	0.7	0.1	0.0	0.1
リンパ組織、造血組織および関連組織	D47	4	1	5	0.1	0.0	0.1	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0

付表3. 受療割合詳細 (%) : 部位別

A. 上皮内がんを除く

広島県 2013年

部位	ICD-10	集計対象数 *1	手術のみ	内視鏡のみ	手術 ＋内視鏡	放射線のみ	放射線 ＋薬物	薬物 ＋その他	手術/内視鏡 ＋放射線 ＋その他	手術/内視鏡 ＋放射線 ＋その他	手術/内視鏡 ＋放射線 ＋その他	他の組合せ	治療なし		
全部位	C00-C96	23,254	24.0	7.1	1.1	1.8	9.9	3.3	1.2	0.9	12.9	0.6	2.6	1.7	35.8
口腔・咽頭	C00-C14	471	18.0	1.1	0.0	6.2	1.7	22.1	0.0	3.2	2.8	0.0	7.0	24.0	39.1
食道	C15	554	5.8	17.1	0.7	4.7	2.9	20.0	0.2	0.9	10.8	0.4	5.1	20.6	31.9
胃	C16	3,785	23.2	28.9	2.4	0.2	5.5	0.2	0.1	0.0	10.4	0.2	0.0	3.4	30.4
大腸（結腸・直腸）	C18-C20	3,508	37.0	5.4	3.8	0.1	2.5	0.3	0.1	0.1	20.8	0.3	0.8	3.4	30.7
結腸	C18	2,241	38.6	5.1	4.2	0.1	2.1	0.2	0.0	0.0	20.2	0.2	0.0	5.4	32.0
直腸	C19-C20	1,267	34.1	5.8	3.0	0.2	3.2	0.6	0.1	0.4	21.8	0.5	2.2	8.9	28.3
肝および肝内胆管	C22	1,251	17.6	0.2	0.1	0.6	6.1	0.6	17.0	0.2	2.3	1.3	0.1	19.7	45.7
胆のう・胆管	C23-C24	447	20.1	7.4	1.6	0.0	8.1	0.0	0.9	0.2	18.6	1.1	0.2	28.0	45.9
膵臓	C25	787	6.2	5.5	0.4	0.5	25.7	3.3	1.8	0.0	20.2	0.4	1.4	16.4	37.5
喉頭	C32	130	6.9	3.8	0.0	22.3	0.0	34.6	0.0	4.6	0.0	0.0	3.8	86.9	21.5
肺	C33-C34	2,676	27.7	0.0	0.0	5.6	14.5	8.8	0.5	0.4	9.5	0.2	1.0	5.3	35.7
皮膚	C43-C44	551	60.1	0.0	0.0	0.9	0.2	0.4	0.0	1.3	0.7	1.3	0.2	20.9	34.7
乳房	C50	2,033	12.0	0.0	0.0	0.2	5.0	0.4	0.0	5.4	28.3	0.1	18.2	5.6	30.4
乳房（女性のみ）	C50	2,018	11.9	0.0	0.0	0.2	4.9	0.4	0.0	5.4	28.2	0.1	18.3	5.6	30.5
子宮	C53-C55	583	34.8	0.0	0.2	5.7	2.9	6.3	0.0	0.7	21.8	0.3	1.7	19.2	27.8
子宮頸部	C53	231	23.4	0.0	0.4	11.3	3.5	14.7	0.0	1.7	13.4	0.4	3.9	48.5	27.7
子宮体部	C54	344	43.0	0.0	0.0	2.0	2.6	0.9	0.0	0.0	27.9	0.3	0.3	32.6	23.5
卵巣	C56	206	10.2	0.0	0.0	0.0	7.3	0.0	0.0	0.0	51.9	0.0	0.5	54.4	32.5
前立腺	C61	2,028	23.9	0.6	0.0	2.6	24.7	4.9	0.2	0.2	4.5	0.2	0.4	5.8	38.8
膀胱	C67	709	5.1	21.4	1.8	0.6	1.0	0.3	0.1	0.7	14.0	7.5	0.8	16.4	46.4
腎・尿路（膀胱除く）	C64-C66 C68	641	51.3	0.2	0.3	0.6	3.9	0.6	0.0	0.3	7.5	0.6	0.6	18.4	35.7
脳・中枢神経系	C70-C72	134	14.2	0.0	0.0	3.0	0.0	8.2	0.0	5.2	6.0	0.0	29.9	83.6	42.5
甲状腺	C73	671	49.5	0.0	0.0	0.4	0.3	0.6	0.0	0.9	17.7	0.1	0.9	16.7	30.3
悪性リンパ腫	C81-C85 C96	871	3.6	0.2	0.0	1.0	38.1	2.4	0.5	0.1	3.0	0.2	0.9	15.6	49.6
多発性骨髄腫	C88-C90	202	0.0	0.0	0.0	2.0	41.1	2.5	5.4	0.0	0.5	0.0	0.0	56.4	50.5
白血病	C91-C95	261	0.0	0.0	0.0	0.0	57.9	1.9	6.5	0.0	0.0	0.0	0.0	45.2	34.1

*1 D00を除く総数

付表4. 医療圏別、保健所別罹患数 : 部位別、性別

B. 上皮内がんを含む

広島県 2013年

医療圏/保健所	全部位				大腸（結腸・直腸）*1				結腸*1				直腸*1				肺				乳房				子宮				子宮頸部			
	C00-C96 D00-D09		C18-C20 D010-D012		C18 D010		C19-C20 D011-D012		C33-C34 D021-D022		C50 D05		C53-C55 D06		C53 D06																	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数					
広島県	16,056	11,882	27,938	3,199	2,165	5,364	2,125	1,487	3,612	1,074	678	1,752	1,884	931	2,815	17	2,306	2,323	1,288													
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0													
広島	7,447	5,604	13,051	1,569	1,063	2,632	1,077	754	1,831	492	309	801	810	400	1,210	12	1,107	1,119	610													
広島西	850	581	1,431	179	100	279	121	72	193	58	28	86	92	45	137	1	130	131	52													
呉	1,941	1,362	3,303	409	269	678	269	192	461	140	77	217	240	103	343	0	254	254	112													
広島中央	1,102	825	1,927	203	107	310	122	76	198	81	31	112	133	70	203	0	156	156	93													
尾三	1,526	1,086	2,612	297	211	508	193	136	329	104	75	179	191	93	284	1	190	191	106													
福山・府中	2,533	1,940	4,473	428	339	767	270	208	478	158	131	289	355	179	534	3	399	402	270													
備北	657	484	1,141	114	76	190	73	49	122	41	27	68	63	41	104	0	70	70	45													
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0													
広島市	6,347	4,813	11,160	1,327	891	2,218	906	632	1,538	421	259	680	692	340	1,032	12	973	985	548													
福山市	2,166	1,710	3,876	371	293	664	234	186	420	137	107	244	316	156	472	3	351	354	253													
呉市	1,697	1,223	2,920	361	240	601	237	171	408	124	69	193	193	89	282	0	233	233	104													
東部	1,893	1,316	3,209	354	257	611	229	158	387	125	99	224	230	116	346	1	238	239	123													
西部	2,194	1,511	3,705	469	301	770	324	215	539	145	86	231	257	119	376	1	285	286	122													
西部東	1,102	825	1,927	203	107	310	122	76	198	81	31	112	133	70	203	0	156	156	93													
北部	657	484	1,141	114	76	190	73	49	122	41	27	68	63	41	104	0	70	70	45													

*1 粘膜がんを含む

付表4－C1 標準化死亡比(全国との比較): 部位別、性別

2013年

部位	ICD-10	男			女		
		死亡数	標準化死亡比(95%信頼区間)		死亡数	標準化死亡比(95%信頼区間)	
全部位	C00-C97	4872	0.99	(0.96 - 1.01)	3340	0.95	(0.91 - 0.98)
食道	C15	204	0.93	(0.81 - 1.06)	47	1.05	(0.75 - 1.35)
胃	C16	668	0.92	(0.85 - 0.99)	395	0.99	(0.89 - 1.08)
結腸	C18	342	0.92	(0.82 - 1.02)	332	0.84	(0.75 - 0.93)
直腸	C19-C20	205	0.95	(0.82 - 1.07)	107	0.83	(0.68 - 0.99)
肝および肝内胆管	C22	604	1.35	(1.24 - 1.45)	312	1.26	(1.12 - 1.40)
胆のう・胆管	C23-C24	173	0.85	(0.72 - 0.97)	194	0.86	(0.74 - 0.98)
膵臓	C25	357	0.99	(0.89 - 1.10)	339	0.96	(0.86 - 1.06)
肺	C33-C34	1110	0.93	(0.88 - 0.99)	486	0.98	(0.89 - 1.07)
乳房	C50	4	2.24	(0.04 - 4.44)	243	0.80	(0.70 - 0.90)
子宮	C53-C55	0			136	0.97	(0.81 - 1.13)
卵巣	C56	0			84	0.77	(0.60 - 0.93)
前立腺	C61	263	0.98	(0.86 - 1.10)	0		
膀胱	C67	131	1.07	(0.89 - 1.26)	82	1.38	(1.08 - 1.68)
悪性リンパ腫	C81-C85,C96	151	1.05	(0.88 - 1.21)	125	1.04	(0.86 - 1.22)
白血病	C91-C95	117	1.08	(0.88 - 1.27)	51	0.65	(0.47 - 0.83)

付表4-D 二次保健医療圏別標準化罹患比(広島県との比較) : 部位別、性別

2013年

医療圏	部位	ICD-10	男			女		
			罹患数	標準化罹患比(95%信頼区間)		罹患数	標準化罹患比(95%信頼区間)	
広島	全部位	C00-C96	6,361	1.07 (1.05 - 1.10)		4,617	1.07 (1.04 - 1.10)	
	胃	C16	1,212	1.07 (1.01 - 1.13)		556	1.14 (1.04 - 1.23)	
	結腸	C18	596	1.10 (1.01 - 1.19)		479	1.10 (1.00 - 1.20)	
	直腸	C19-C20	321	0.97 (0.86 - 1.08)		232	1.03 (0.90 - 1.16)	
	大腸(結腸・直腸)	C18-C20	917	1.05 (0.98 - 1.12)		711	1.08 (1.00 - 1.16)	
	肝および肝内胆管	C22	394	1.01 (0.91 - 1.11)		168	0.98 (0.83 - 1.13)	
	肺	C33-C34	810	1.02 (0.95 - 1.09)		400	1.02 (0.92 - 1.12)	
	乳房	C50	10	1.67 (0.63 - 2.70)		962	1.05 (0.98 - 1.12)	
	子宮	C53-C55				288	1.06 (0.94 - 1.18)	
	子宮頸部	C53				107	0.98 (0.80 - 1.17)	
	子宮体部	C54				175	1.12 (0.96 - 1.29)	
広島西	前立腺	C61	949	1.09 (1.02 - 1.16)				
	全部位	C00-C96	734	0.99 (0.92 - 1.06)		492	0.94 (0.86 - 1.03)	
	胃	C16	126	0.88 (0.73 - 1.03)		56	0.92 (0.68 - 1.16)	
	結腸	C18	77	1.13 (0.88 - 1.39)		52	0.96 (0.70 - 1.22)	
	直腸	C19-C20	40	0.98 (0.67 - 1.28)		19	0.70 (0.39 - 1.02)	
	大腸(結腸・直腸)	C18-C20	117	1.07 (0.88 - 1.27)		71	0.87 (0.66 - 1.07)	
	肝および肝内胆管	C22	34	0.69 (0.46 - 0.93)		22	1.00 (0.58 - 1.42)	
	肺	C33-C34	92	0.91 (0.72 - 1.10)		45	0.92 (0.65 - 1.19)	
	乳房	C50	1	1.00 (-0.96 - 2.96)		111	1.05 (0.85 - 1.24)	
	子宮	C53-C55				28	0.90 (0.57 - 1.24)	
	子宮頸部	C53				10	0.83 (0.32 - 1.35)	
呉	子宮体部	C54				18	1.00 (0.54 - 1.46)	
	前立腺	C61	133	1.22 (1.01 - 1.43)				
	全部位	C00-C96	1,648	1.09 (1.04 - 1.14)		1,179	1.11 (1.05 - 1.18)	
	胃	C16	343	1.17 (1.05 - 1.29)		155	1.19 (1.00 - 1.38)	
	結腸	C18	139	1.01 (0.84 - 1.17)		132	1.16 (0.96 - 1.36)	
	直腸	C19-C20	97	1.21 (0.97 - 1.45)		58	1.04 (0.77 - 1.30)	
	大腸(結腸・直腸)	C18-C20	236	1.08 (0.94 - 1.22)		190	1.12 (0.96 - 1.28)	
	肝および肝内胆管	C22	128	1.28 (1.06 - 1.50)		51	1.09 (0.79 - 1.38)	
	肺	C33-C34	240	1.17 (1.02 - 1.31)		103	1.00 (0.81 - 1.19)	
	乳房	C50	0	0.00 (0.00 - 0.00)		233	1.16 (1.01 - 1.31)	
	子宮	C53-C55				68	1.17 (0.89 - 1.45)	
広島中央	子宮頸部	C53				31	1.41 (0.91 - 1.91)	
	子宮体部	C54				32	0.94 (0.62 - 1.27)	
	前立腺	C61	233	1.02 (0.89 - 1.15)				
	全部位	C00-C96	963	0.94 (0.88 - 1.00)		718	1.00 (0.93 - 1.07)	
	胃	C16	191	0.97 (0.84 - 1.11)		74	0.88 (0.68 - 1.08)	
	結腸	C18	81	0.87 (0.68 - 1.06)		63	0.85 (0.64 - 1.06)	
	直腸	C19-C20	59	1.05 (0.78 - 1.32)		23	0.61 (0.36 - 0.85)	
	大腸(結腸・直腸)	C18-C20	140	0.94 (0.78 - 1.10)		86	0.77 (0.61 - 0.93)	
	肝および肝内胆管	C22	55	0.82 (0.60 - 1.04)		40	1.33 (0.92 - 1.75)	
	肺	C33-C34	133	0.97 (0.81 - 1.14)		70	1.06 (0.81 - 1.31)	
	乳房	C50	0	0.00 (0.00 - 0.00)		135	0.91 (0.76 - 1.07)	
尾三	子宮	C53-C55				43	0.98 (0.69 - 1.27)	
	子宮頸部	C53				14	0.82 (0.39 - 1.25)	
	子宮体部	C54				27	1.08 (0.67 - 1.49)	
	前立腺	C61	157	1.05 (0.88 - 1.21)				
	全部位	C00-C96	1,371	0.90 (0.85 - 0.95)		945	0.89 (0.83 - 0.95)	
	胃	C16	242	0.82 (0.71 - 0.92)		100	0.76 (0.61 - 0.91)	
	結腸	C18	138	0.98 (0.82 - 1.14)		96	0.83 (0.67 - 1.00)	
	直腸	C19-C20	82	1.01 (0.79 - 1.23)		58	1.04 (0.77 - 1.30)	
	大腸(結腸・直腸)	C18-C20	220	0.99 (0.86 - 1.12)		154	0.91 (0.76 - 1.05)	
	肝および肝内胆管	C22	97	0.96 (0.77 - 1.15)		44	0.94 (0.66 - 1.21)	
	肺	C33-C34	191	0.92 (0.79 - 1.05)		93	0.91 (0.73 - 1.10)	
福山・府中	乳房	C50	1	0.50 (-0.48 - 1.48)		179	0.89 (0.76 - 1.02)	
	子宮	C53-C55				65	1.12 (0.85 - 1.39)	
	子宮頸部	C53				31	1.41 (0.91 - 1.91)	
	子宮体部	C54				31	0.91 (0.59 - 1.23)	
	前立腺	C61	193	0.86 (0.74 - 0.98)				
	全部位	C00-C96	2,308	0.90 (0.86 - 0.94)		1,642	0.91 (0.87 - 0.96)	
	胃	C16	446	0.90 (0.82 - 0.99)		181	0.86 (0.73 - 0.98)	
	結腸	C18	203	0.86 (0.74 - 0.98)		177	0.95 (0.81 - 1.09)	
	直腸	C19-C20	134	0.96 (0.80 - 1.12)		114	1.21 (0.99 - 1.44)	
	大腸(結腸・直腸)	C18-C20	337	0.90 (0.80 - 0.99)		291	1.04 (0.92 - 1.15)	
	肝および肝内胆管	C22	174	1.03 (0.88 - 1.18)		79	1.05 (0.82 - 1.29)	
備北	肺	C33-C34	355	1.02 (0.92 - 1.13)		179	1.07 (0.91 - 1.22)	
	乳房	C50	3	1.00 (-0.13 - 2.13)		355	0.97 (0.87 - 1.07)	
	子宮	C53-C55				89	0.83 (0.66 - 1.00)	
	子宮頸部	C53				37	0.88 (0.60 - 1.16)	
	子宮体部	C54				50	0.81 (0.58 - 1.03)	
	前立腺	C61	310	0.82 (0.73 - 0.91)				
	全部位	C00-C96	558	0.93 (0.86 - 1.01)		417	0.97 (0.87 - 1.06)	
	胃	C16	124	1.06 (0.87 - 1.25)		60	1.07 (0.80 - 1.34)	
	結腸	C18	42	0.75 (0.52 - 0.98)		41	0.84 (0.58 - 1.09)	
	直腸	C19-C20	25	0.81 (0.49 - 1.12)		18	0.82 (0.44 - 1.20)	
	大腸(結腸・直腸)	C18-C20	67	0.78 (0.59 - 0.97)		59	0.83 (0.62 - 1.04)	
	肝および肝内胆管	C22	33	0.83 (0.54 - 1.11)		13	0.62 (0.28 - 0.96)	
	肺	C33-C34	63	0.77 (0.58 - 0.96)		41	0.98 (0.68 - 1.28)	
	乳房	C50	0	0.00 (0.00 - 0.00)		62	0.82 (0.61 - 1.02)	
	子宮	C53-C55				17	0.77 (0.41 - 1.14)	
	子宮頸部	C53				4	0.50 (0.01 - 0.99)	
	子宮体部	C54				13	1.00 (0.46 - 1.54)	
	前立腺	C61	85	0.99 (0.78 - 1.20)				
	N. A. = 算出不可							

付表5. 市区町村別罹患数：部位別、性別

B. 上皮内がんを含む

広島県 2013年

市区町村	全部位		大腸（結腸・直腸）*1		結腸*1		直腸*1		肺		乳房		子宮		子宮頸部					
	C00-C96 D00-D09		C18-C20 D010-D012		C18 D010		C19-C20 D011-D012		C33-C34 D021-D022		C50 D05		C53-C55 D06		C53-C55 D06					
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女				
広島県	16,056	11,882	27,938	3,199	2,165	5,364	2,125	1,487	3,612	1,074	678	1,752	1,884	931	2,815	17	2,306	2,323	1,288	924
広島県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
広島市 中区	739	630	1,369	187	122	309	128	83	211	59	39	98	89	42	131	1	141	142	76	54
広島市 東区	662	506	1,168	115	79	194	81	58	139	34	21	55	70	34	104	2	101	103	53	38
広島市 南区	703	590	1,293	148	119	267	103	91	194	45	28	73	79	40	119	0	113	113	49	32
広島市 西区	1,001	737	1,738	216	134	350	150	96	246	66	38	104	106	60	166	6	150	156	88	61
広島市 安佐南区	1,092	873	1,965	223	175	398	139	121	260	84	54	138	119	47	166	2	176	178	121	90
広島市 安佐北区	980	663	1,643	187	123	310	122	84	206	65	39	104	102	47	149	0	129	129	57	39
広島市 安芸区	427	287	714	103	47	150	80	39	119	23	8	31	44	27	71	1	68	69	32	21
広島市 佐伯区	743	527	1,270	148	92	240	103	60	163	45	32	77	83	43	126	0	95	95	72	54
呉市	1,697	1,223	2,920	361	240	601	237	171	408	124	69	193	193	89	282	0	233	233	104	71
竹原市	208	153	361	41	19	60	23	13	36	18	6	24	25	16	41	0	30	30	13	4
三原市	545	388	933	100	83	183	62	54	116	38	29	67	62	30	92	1	70	71	41	26
尾道市	877	637	1,514	175	119	294	118	77	195	57	42	99	114	58	172	0	112	112	58	40
福山市	2,166	1,710	3,876	371	293	664	234	186	420	137	107	244	316	156	472	3	351	354	253	206
府中市	307	180	487	48	30	78	33	13	46	15	17	32	31	16	47	0	41	41	16	11
三次市	372	280	652	70	38	108	42	28	70	28	10	38	39	26	65	0	41	41	29	21
庄原市	285	204	489	44	38	82	31	21	52	13	17	30	24	15	39	0	29	29	16	11
大竹市	190	130	320	43	17	60	26	13	39	17	4	21	14	7	21	0	23	23	11	6
東広島市	806	615	1,421	143	82	225	86	58	144	57	24	81	96	50	146	0	119	119	77	59
廿日市市	660	451	1,111	136	83	219	95	59	154	41	24	65	78	38	116	1	107	108	41	28
安芸高田市	219	162	381	63	41	104	46	27	73	17	14	31	15	9	24	0	22	22	19	12
江田島市	244	139	383	48	29	77	32	21	53	16	8	24	47	14	61	0	21	21	8	4
安芸郡 府中町	273	191	464	62	47	109	46	39	85	16	8	24	30	17	47	0	36	36	12	8
安芸郡 海田町	135	111	246	19	14	33	15	9	24	4	5	9	19	9	28	0	34	34	9	6
安芸郡 熊野町	153	124	277	26	29	55	18	19	37	8	10	18	19	10	29	0	19	19	8	5
安芸郡 坂町	88	79	167	21	14	35	15	11	26	6	3	9	9	8	17	0	14	14	5	4
山県郡 安芸太田町	76	49	125	15	12	27	8	6	14	7	6	13	9	2	11	0	5	5	2	2
山県郡 北広島町	156	75	231	36	15	51	23	11	34	13	4	17	17	5	22	0	4	4	7	3
豊田郡 大崎上島町	88	57	145	19	6	25	13	5	18	6	1	7	12	4	16	0	7	7	3	1
世羅郡 世羅町	104	61	165	22	9	31	13	5	18	9	4	13	15	5	20	0	8	8	7	6
神石郡 神石高原町	60	50	110	9	16	25	3	9	12	6	7	13	8	7	15	0	7	7	1	1

*1 粘膜癌を含む

付表6-1 罹患数の年次推移

			2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
男	全部位	C00-C96	10,478	10,455	10,519	10,511	10,838	10,832	11,458	11,836	12,366	12,195	13,943
	胃	C16	1,896	1,972	2,062	1,986	2,161	2,113	2,148	2,246	2,236	2,240	2,684
	大腸	C18-C20	1,697	1,499	1,513	1,589	1,528	1,548	1,583	1,625	1,769	1,801	2,034
	肝	C22	1,149	1,121	1,001	940	1,007	927	874	930	897	847	915
	肺	C33-C34	1,418	1,524	1,605	1,491	1,600	1,619	1,736	1,676	1,799	1,802	1,884
	前立腺	C61	1,488	1,298	1,280	1,386	1,332	1,384	1,706	1,782	1,842	1,789	2,060
女	全部位	C00-C96	6,968	7,210	7,360	7,430	7,908	8,209	8,385	8,702	8,882	8,782	10,010
	胃	C16	1,034	921	970	971	1,018	1,015	982	1,034	1,021	986	1,182
	大腸	C18-C20	1,183	1,167	1,174	1,263	1,246	1,230	1,278	1,253	1,346	1,359	1,562
	肝	C22	533	554	511	479	494	478	430	525	438	445	417
	肺	C33-C34	629	648	688	669	767	821	807	865	915	878	931
	乳房	C50	1,071	1,179	1,244	1,247	1,442	1,576	1,611	1,698	1,702	1,713	2,037
	子宮	C53-C55	407	451	480	467	499	494	487	578	580	575	598
	甲状腺	C73	253	278	332	373	393	413	408	406	440	386	512

付表6-2 年齢調整罹患率の年次推移

			2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
男	全部位	C00-C96	492.3	480.1	472.8	463.0	468.8	456.5	475.7	479.8	493.9	482.9	539.7
	胃	C16	88.8	90.9	92.9	87.4	93.7	88.4	88.4	90.3	88.2	87.6	100.5
	大腸	C18-C20	81.7	69.4	69.7	71.8	66.8	67.6	67.6	67.3	72.5	74.0	81.0
	肝	C22	54.4	52.5	45.2	41.8	44.5	38.9	36.1	37.8	35.3	33.4	35.1
	肺	C33-C34	64.5	67.2	69.3	62.7	65.8	64.9	68.6	64.8	68.8	67.7	69.9
	前立腺	C61	64.8	55.2	53.3	56.5	53.2	53.3	65.0	66.7	68.4	65.8	74.5
女	全部位	C00-C96	276.8	284.1	291.2	290.4	301.3	314.9	314.7	325.3	329.6	321.1	371.7
	胃	C16	36.1	31.9	34.0	33.2	31.9	33.1	29.6	30.8	30.9	29.1	34.6
	大腸	C18-C20	43.9	40.8	39.7	43.2	41.1	40.3	41.5	40.1	43.3	42.3	49.8
	肝	C22	17.8	18.0	16.3	15.3	14.7	13.9	12.2	14.2	11.0	11.2	11.0
	肺	C33-C34	21.7	22.8	24.4	22.1	25.0	26.7	24.9	26.5	27.2	27.0	28.0
	乳房	C50	55.9	60.0	64.2	63.5	72.6	80.2	78.7	85.0	84.9	83.9	97.8
	子宮	C53-C55	20.9	23.8	25.4	25.0	27.2	26.8	26.0	30.8	30.0	29.9	30.9
	甲状腺	C73	12.6	14.7	17.2	19.5	19.3	21.7	21.7	22.2	23.2	20.1	27.1

付表6-3 死亡数の年次推移

			2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
男	全部位	C00-C97	4,362	4,493	4,583	4,580	4,568	4,774	4,607	4,758	4,843	4,885	4,872
	胃	C16	697	753	710	703	684	678	691	719	726	719	668
	大腸	C18-C20	468	459	462	478	446	488	439	487	500	529	547
	肝	C22	732	751	728	734	697	710	621	707	644	603	604
	肺	C33-C34	988	975	1,054	1,049	1,092	1,164	1,145	1,039	1,087	1,117	1,110
	脾臓	C25	228	280	278	256	301	295	285	339	353	332	357
女	全部位	C00-C97	2,878	2,993	2,968	3,000	3,134	3,220	3,142	3,278	3,308	3,281	3,340
	胃	C16	442	387	366	409	427	413	374	395	406	376	395
	大腸	C18-C20	377	403	428	423	422	425	430	421	450	436	439
	肝	C22	340	388	358	338	389	336	320	379	356	338	312
	肺	C33-C34	350	365	370	393	411	461	433	434	458	496	486
	脾臓	C25	233	239	260	279	261	293	289	316	300	311	339
	乳房	C50	219	219	224	201	224	264	254	265	245	273	243

付表6-4 年齢調整死亡率の年次推移

			2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
男	全部位	C00-C97	198.6	199.2	196.5	191.3	185.0	187.2	175.0	177.6	176.8	173.6	169.3
	胃	C16	31.7	33.8	30.4	29.2	27.9	26.7	25.8	26.7	26.0	25.6	22.7
	大腸	C18-C20	21.3	20.7	19.8	20.2	18.2	19.5	16.7	18.5	19.2	19.1	19.8
	肝	C22	34.5	34.2	32.6	32.3	29.7	28.5	24.5	27.6	23.7	22.4	21.2
	肺	C33-C34	44.0	42.5	44.3	42.5	42.7	44.5	43.2	37.7	39.2	39.3	38.1
	脾臓	C25	10.5	12.4	12.3	10.8	12.6	11.9	11.1	12.9	13.5	12.5	13.0
女	全部位	C00-C97	93.9	95.0	92.0	89.0	88.7	91.2	85.1	86.5	86.6	83.9	82.9
	胃	C16	13.8	11.4	11.2	12.0	11.2	11.0	9.1	10.2	9.8	9.2	9.0
	大腸	C18-C20	11.7	12.2	12.3	11.1	11.4	10.9	10.9	10.5	11.1	10.3	10.7
	肝	C22	10.9	11.7	10.2	9.8	10.5	8.6	7.9	8.8	8.3	7.1	6.9
	肺	C33-C34	9.9	10.7	11.4	11.3	10.9	12.4	11.0	10.7	11.1	12.1	11.0
	脾臓	C25	7.2	7.0	7.6	7.8	6.9	7.7	7.7	7.8	7.4	7.2	7.6
	乳房	C50	10.5	10.1	9.9	8.8	9.8	11.4	10.1	11.0	10.7	10.9	9.6